



Digitized by the Internet Archive
in 2013

<http://archive.org/details/plantdiseaserepo1301bure>

THE PLANT DISEASE REPORTER

Issued By

Division of Mycology and Disease Survey

BUREAU OF PLANT INDUSTRY

UNITED STATES DEPARTMENT OF AGRICULTURE

Supplement 130

SUMMARY OF THE RECORDED DATA ON THE REACTION OF WILD AND
CULTIVATED GRASSES TO STEM RUST (*Puccinia graminis*),
LEAF RUST (*P. rubigovera*), STRIPE RUST (*P. glumarum*),
AND CROWN RUST (*P. coronata*) IN THE
UNITED STATES AND CANADA

June 15, 1941



The Plant Disease Reporter is issued as a service to plant pathologists throughout the United States. It contains reports, summaries, observations, and comments submitted voluntarily by qualified observers. These reports often are in the form of suggestions, queries, and opinions, frequently purely tentative, offered for consideration or discussion rather than as matters of established fact. In accepting and publishing this material the Division of Mycology and Disease Survey serves merely as an informational clearing house. It does not assume responsibility for the subject matter.

SUMMARY OF THE RECORDED DATA ON THE REACTION OF WILD AND CULTIVATED GRASSES TO STEM RUST (PUCCINIA GRAMINIS), LEAF RUST (P. RUBIGO-VERA), STRIPE RUST (P. GLUMARUM), AND CROWN RUST (P. CORONATA) IN THE UNITED STATES AND CANADA^{1/}

George W. Fischer and Moses N. Levine

Plant Disease Reporter
Supplement 130

June 15, 1941

During the past several decades many botanists and plant pathologists have published data pertaining to the reaction of wild and cultivated grasses, both native and introduced, to the four most common and important graminicolous rusts in the United States and Canada, namely: stem rust (Puccinia graminis Pers.), leaf rust (P. rubigo-vera (D.C.) Wint.), stripe rust (P. glumarum (Schm.) Erikss. and Henn.), and crown rust (P. coronata Cda.). Only a few of the studies involved dealt with the grasses primarily; in most works the grasses have figured more or less incidentally, in recognition of their importance in the spread and overwintering of the same rusts that attack cereals.

In recent years there has been more interest in the grasses themselves, with the objective of improvement through coordinated work in breeding, selection, and disease control studies. In this connection it has seemed desirable to attempt to assemble and tabulate the vast amount of data, much of it unpublished or buried in seemingly endless publications, so as to make this information more easily available to those interested, directly or indirectly, in grass improvement and culture.

The data thus assembled have been summarized in tables 1 and 2, while the source material from which most of the tabulated information was obtained is listed in the attached bibliography. A summary of the records pertaining to known reactions of 350 species of native and introduced grasses in the United States and Canada to the four rusts mentioned in the introductory paragraph is given in table 1. In table 2 are presented the results recorded in literature or otherwise for the six varieties of stem rust commonly found in North America, viz.: P. graminis agrostidis, P. graminis avenae, P. graminis phleipratensis, P. graminis poae, P. graminis secalis, and P. graminis tritici. It is not practicable in this summary to give the literature citation for each record. Instead, as already stated, a bibliography is appended, showing the sources of the published data included in the tables.

^{1/} Joint contribution of the Divisions of Cereal and Forage Crops and Diseases, Bureau of Plant Industry, U. S. Department of Agriculture, in cooperation with the State Agricultural Experiment Stations, University of Minnesota and State College of Washington. Grateful acknowledgment is made to Dr. E. C. Stakman, Chief of the Division of Plant Pathology and Botany, University of Minnesota, for many helpful suggestions and constructive criticism. Assistance in the preparation of the typed material was furnished by the personnel of the Work Projects Administration, Official Project No. 165-1-71-124, Sub-project No. 491, sponsored by the University of Minnesota, 1941.

No claim is made that the present summary contains all the pertinent published data in the United States and Canada, although at least a reasonable approach toward completeness has been made. Many unpublished data of the writers have been included, as well as those contributed by others. Unpublished data have been contributed by Dr. Margaret Newton and Dr. Thorvaldur Johnson, Dominion Rust Research Laboratory, Winnipeg, Manitoba; Dr. Roderick Sprague, Division of Cereal Crops and Diseases, Bureau of Plant Industry, Northern Great Plains Field Station, Mandan, North Dakota; Dr. C. L. Lefebvre, Division of Forage Crops and Diseases, Bureau of Plant Industry, U. S. Department of Agriculture, Washington, D. C.; and Mr. Carl Claassen, Washington Agricultural Experiment Station, Pullman, Washington, for which grateful acknowledgment is hereby made.

The symbols used in the tables to denote rust reactions are as follows:

- N = Susceptible, as established by natural rusting under field conditions;
- A = Susceptible, as indicated by artificial inoculation experiments;
- R = Resistant, as demonstrated by inoculation experiments;
- F = Failure to become infected as a result of artificial inoculation experiments. The latter ordinarily indicates immunity, but the possibility must always be considered that the inoculated plants may somehow have escaped infection.

Table 1. - Summary of recorded reactions of wild and cultivated grasses to four species of rusts (Puccinia graminis, P. rubigo-vera, P. glumarum, and P. coronata) in the United States and Canada.

Affected grass species ^{a/}	Reaction to rust species:
	<u>P. graminis</u> : <u>P. rubigo-vera</u> : <u>P. glumarum</u> : <u>P. coronata</u>
<i>Aegilops crassa</i> Boiss.	- - - - -
<i>A. cylindrica</i> Host	N - - - -
<i>A. ovata</i> L.	- - - - -
<i>A. squarrosa</i> L.	- - - - -
<i>A. triuncialis</i> L.	- - - - -
<i>Agropyron albicans</i> Scribn. & Smith	- - - - -
<i>A. acutum</i> (DC.) Roem. & Schult.	N A - F
<i>A. caninum</i> (L.) Beauv.	N A R F
<i>A. ciliare</i> (Trin.) Franch.	N A R F
<i>A. cristatum</i> (L.) Griseb.	N A R F
<i>A. dagine Grossh.</i>	N A R F
<i>A. dasystachyum</i> (Hook.) Scribn.	N A R F
<i>A. desertorum</i> (Fisch.) Schult.	N A R F
<i>A. elmeri</i> Scribn.	N A R F
<i>A. elongatum</i> (Host) Beauv.	N A R F
<i>A. griffithsi</i> Scribn. & Smith	N A R F
<i>A. imbricatum</i> (Stev.) Roem. & Schult.	N A R F
<i>A. inerme</i> (Scribn. & Smith) Rydb.	N A R F
<i>A. intermedium</i> (Host) Beauv.	N A R F
<i>A. obtusiusculum</i> Lange	N A R F
<i>A. orientale</i> (L.) Roem. & Schult.	N A R F
<i>A. pauciflorum</i> (Schwein.) Hitchc.	N A R F
<i>A. pseudorepens</i> Scribn. & Smith	N A R F
<i>A. pungens</i> (Pers.) Roem. & Schult.	N A R F
<i>A. repens</i> (L.) Beauv.	N A R F
<i>A. riparium</i> Scribn. & Smith	N A R F
<i>A. saxicola</i> (Scribn. & Smith)	N A R F
<i>Piper</i>	N A F

^{a/} Insofar as possible; A. S. Hitchcock's "Manual of the Grasses of the United States" (U. S. Dept. Agr. Misc. Publ. No. 200, 1935) is being followed.

Affected grass species:

	P. graminis	P. rubigo-vera	P. glumarum	P. coronata
A. semicostatum (Steud.) Nees	N -	F	-	-
A. sibiricum (Willd.) Beauv.	N -	R F	-	-
A. smithii Rydb.	N A	N A	N A	R F
A. spicatum (Pursh) Scribn. & Smith	N A	N A	N A	R F
A. striatum (Steud.) Nees ex Hookf.	N -	-	-	-
A. strigosum (Bieb.) Boiss.	N -	R F	N -	R F
A. subsecundum (Link) Hitchc.	N -	R A	N -	R F
<i>Agropyron trichophorum</i> (Link) Richt.	N -	F	-	-
A. triticeum Gaertn.	N -	F	-	-
A. uganicum Drobov	-	-	-	-
A. villosum (L.) Link	-	-	-	-
<i>Agrostis aequivalvis</i> (Trin.) Trin.	-	-	-	-
A. alba L.	N A	R F	N -	F
A. canina L.	N A	R F	N -	F
A. castellana Boiss. & Reut.	N -	-	-	-
A. diegoensis Vasey	N A	F	N -	F
A. exarata Trin.	N A	-	-	-
A. gigantea Roth	N A	-	-	-
A. hiemalis (Walt.) B. S. P.	N A	R F	N -	F
A. longiligula Hitchc.	N -	-	-	-
A. orgonensis Vasey	N A	-	-	-
A. palustris Huds.	N N	N -	N -	F
A. perennans (Walt.) Tuckerm.	N N	R F	F	-
A. retrofracta Willd.	-	-	F	-
A. scabriglumis Boiss. & Reut.	-	-	F F F	-
A. spica-venti L.	N A	R F	N A	R F
A. stolonifera L.	N A	R F	N A	R F
A. tenuis Sibth.	N -	-	N -	F
A. thurberiana Hitchc.	-	-	-	F
A. verticillata Vill.	-	-	-	-
<i>Alopecurus aequalis</i> Sobol.	-	-	N A	F
A. geniculatus L.	-	-	N A	R F

Affected grass species	P. graminis	P. rubigo-vera	P. glumarum	P. coronata
<i>A. howellii</i> Vasey	N - -	- - -	- - -	- - -
<i>A. myosuroides</i> Huds.	- A -	- - -	- - -	- - -
<i>A. pratensis</i> L.	N A R	F - -	- - -	N A R F
<i>A. saccatus</i> Vasey	N - -	- - -	- - -	- - -
 <i>Ammophila arenaria</i> (L.) Link	- A - -	- - -	- - -	N - R F
 <i>Andropogon furcatus</i> Muhl.	- - -	- - -	- - -	- - -
<i>A. scoparius</i> Michx.	- - -	F - -	- - -	- - -
 <i>Anthoxanthum aristatum</i> Boiss.	N - -	- - -	- - -	- - -
<i>A. odoratum</i> L.	N - -	F - -	- - -	- - -
 <i>Arctagrostis latifolia</i> (R.Br.) Griseb.	- - -	- - -	- - -	- - -
 <i>Arrhenatherum elatius</i> (L.) Mert. & Koch	N A R F	- - -	- - -	- A - -
 <i>Arundo donax</i> L.	- - -	- - -	- - -	- - -
 <i>Avena abyssinica</i> Hochst.	- - -	- - -	- - -	- A - -
<i>A. 'barbata'</i> Brot.	- - -	- - -	- - -	N A R -
<i>A. brevis</i> Roth	- - -	- - -	- - -	- A - -
<i>A. byzantina</i> K. Koch	- - -	- - -	- - -	N A R -
<i>A. diffusa</i> (Neibr.) Aschers & Graebn.	- - -	- - -	- - -	- A - -
<i>A. fatua</i> L.	N A -	- - -	- - -	N A R -
<i>A. hookeri</i> Scribn.	- - -	- - -	- - -	N A R F
<i>A. nuda</i> L.	N - -	- - -	- - -	- N A -
<i>A. pubescens</i> Huds.	- - -	- - -	- - -	- N A -
<i>A. sterilis</i> L.	N - -	- - -	- - -	- N A -
<i>A. strigosa</i> Schreb.	- - -	- - -	- - -	- N A -

Affected grass species	: P. graminis	: P. rubigo-vera	: P. glumarum	: P. coronata	Reaction to rust species:
<i>Beckmannia erucaeformis</i> (L.) Host.	N - R F	- - -	- - -	- - -	N A R F
<i>B. syzigachne</i> (Steud.) Fernald	N - -	- - -	- - -	- - -	- - -
<i>Bouteloua curtipendula</i> (Michx.) Torr.	N - -	F - -	- - -	- - -	F - -
<i>B. gracilis</i> (H. B. K.) Lag.	- - -	- - -	- - -	- - -	- - -
<i>Brachypodium distachyon</i> L.	- - -	- - -	- - -	- - -	- - -
<i>Briiza maxima</i> L.	N - -	- - -	- - -	- - -	- - -
<i>B. media</i> L.	N - -	- - -	- - -	- - -	- - -
<i>B. minor</i> L.	N - -	- - -	- - -	- - -	- - -
<i>Brasseya sieulum</i> Link	- - -	R - -	- - -	- - -	- - -
<i>Bromus adonis</i> Höchst.	- - -	- - -	- - -	- - -	- - -
<i>B. anomalous</i> Rupr.	- - -	- - -	- - -	- - -	- - -
<i>B. arvensis</i> L.	- - -	F - -	- - -	- - -	F - -
<i>B. brachystachys</i> Hornung	- - -	- - -	- - -	- - -	- - -
<i>B. brevifolius</i> Buckl.	- - -	- - -	- - -	- - -	- - -
<i>B. brevis</i> Steud.	- - -	- - -	- - -	- - -	- - -
<i>B. brizaeformis</i> Fisch. & Mey.	- - -	F F F	- - -	- - -	F F F
<i>B. carinatus</i> Hook. & Arn.	N - -	A A R	- - -	- - -	R F
<i>B. catharticus</i> Vahl.	- - -	N N N	- - -	- - -	R F
<i>B. ciliatus</i> L.	- - -	N N N	- - -	- - -	R F
<i>B. commutatus</i> Schrad.	- - -	N N N	- - -	- - -	R F
<i>B. erectus</i> Huds.	- - -	R F	- - -	- - -	R F
<i>B. frondosus</i> (Shear) W. & S.	- - -	R F	- - -	- - -	R F
<i>B. grandis</i> (Shear) Hitchc.	- - -	R F	- - -	- - -	R F
<i>B. hordeaceus</i> L.	- - -	R F	- - -	- - -	R F
<i>B. inermis</i> Leyss.	- - -	R F	- - -	- - -	R F
<i>B. japonicus</i> Thunb.	- - -	R F	- - -	- - -	R F
<i>B. kalmii</i> A. Gray	- - -	R F	- - -	- - -	R F
<i>B. lanuginosus</i> Poir.	- - -	R F	- - -	- - -	R F

Affected grass species	: P. graminis	: P. rubigo-vera	: P. glumarum	: P. coronata	Reaction to rust species:
Bromus latiglumis (Shear) Hitchc.	:	-	-	-	- A - F -
B. macrostachys Desf.	:-	- R F	:-	- A R -	- N -
B. madritensis L.	:-	- R F	:-	- A -	- N -
B. mollis L.	:-	- R F	:-	- A -	- N -
B. orcuttianus Vasey	:-	- R F	:-	- A R F -	- R F -
B. pacificus Shear	:-	- R F	:-	- A R F -	- R F -
B. pumpellianus Scribn.	:-	- R F	:-	- A R F -	- R F -
B. purgans L.	:-	- R F	:-	- A R F -	- R F -
B. racemosus L.	:-	- R F	:-	- A R F -	- R F -
B. rigidus Roth.	:-	- R F	:-	- A R F -	- R F -
B. rubens L.	:-	- R F	:-	- A R F -	- R F -
B. scoparius L.	:-	- R F	:-	- A R F -	- R F -
B. secalinus L.	:-	- R F	:-	- A R F -	- R F -
B. sitchensis Trin.	:-	- R F	:-	- A R F -	- R F -
B. squarrosum L.	:-	- R F	:-	- A R F -	- R F -
B. sterilis L.	:-	- R F	:-	- A R F -	- R F -
B. suksdorfii Vasey	:-	- R F	:-	- A R F -	- R F -
B. tectorum L.	:-	- R F	:-	- A R F -	- R F -
B. tomentellus Boiss.	:-	- R F	:-	- A R F -	- R F -
B. vulgaris (Hock.) Shear	:-	- R F	:-	- A R F -	- R F -
Buchloë dactylcides (Nutt.) Engelm.	N	-	-	-	-
Calamagrostis canadensis (Michx.)	:-	-	-	-	-
Beeuv.	:-	-	-	-	-
C. inexpansa A. Gray	:-	-	-	-	-
C. koelerioides Vasey	:-	-	-	-	-
C. montanensis Scribn.	:-	-	-	-	-
C. nutkaensis (Presl) Steud.	:-	-	-	-	-
C. neglecta (Ehrn.) Gaertn.	:-	-	-	-	-
C. purpurascens R. Br.	:-	-	-	-	-
C. rubescens Buckl.	:-	-	-	-	-
C. scopulorum Jones	:-	-	-	-	-

Specied grass species	Reaction to rust species:	P. straminis	P. rubigo-vera	P. glumarum	P. coronata
<i>Calamovilfa longifolia</i> (Hock.) Scribn.	N - - -	: - - -	: - - -	: - - -	- A - F
<i>Catabrosa aquatica</i> (L.) Beauv.	N - - -	: - - -	: - - -	: - - -	- - -
<i>Chloris gayana</i> Kunth	- - - -	: - - -	: - - -	: - - -	F
<i>C. verticillata</i> Nutt.	- - - -	: - - -	: - - -	: - - -	- - -
<i>Cinna arundinacea</i> L.	N - - -	: N - -	: - - -	: N - -	- - -
<i>C. latifolia</i> (Trevir.) Griseb.	N - - -	: N - -	: - - -	: N - -	- - -
<i>Corynephorus canescens</i> (L.) Beauv.	N - - -	: - - -	: - - -	: - - -	- - -
<i>Cynodon dactylon</i> (L.) Pers.	N - - F	: - - -	: - - -	: - - -	F
<i>Cynosurus cristatus</i> L.	- - - F	: - - -	: - - -	: - - -	R F
<i>Dactylis glomerata</i> L.	N A R F	: - - -	F : - -	- A R F	-
<i>Dactyloctenium aegyptium</i> (L.) Richt.	- - - F	: - - -	: - - -	: - - -	F
<i>Danthonia intermedia</i> Vasey	-	-	-	-	-
<i>D. pilosa</i> E. Br.	-	-	-	-	-
<i>D. semiannularis</i> (Lébill.) R. Br.	-	-	-	-	-
<i>D. spicata</i> (L.) Beauv.	-	-	-	-	-
<i>D. unispicata</i> Munro	-	-	-	-	-
<i>Deschampsia atropurpurea</i> (Wahl.) Schlecht.	-	-	-	-	-
<i>D. caespitosa</i> (L.) Beauv.	N - -	-	-	-	N - -
<i>D. dactylonoides</i> (Trin.) Munro.	N - -	-	-	-	-
<i>D. elongata</i> (Hock.) Munro.	N - -	-	-	-	-
<i>D. flexuosa</i> (L.) Trin.	N - -	-	-	-	F :

Affected grass species	:	P. graminis	:	P. rubigo-vera	:	P. glumarum	:	P. coronata	Reaction to rust species:
<i>Deschampsia holciformis</i> Presl	:	N	-	:	-	:	-	:	-
<i>Digitaria sanguinalis</i> (L.) Scop.	:	-	-	:	-	-	-	-	F
<i>Distichlis spicata</i> (L.) Greene	:	N	-	:	-	-	-	-	F
<i>Echinochloa crusgalli</i> (L.) Beauv.	:	N	-	F	:	-	-	-	F
<i>Elymus ambiguus</i> Vasey & Scribn.	:	N	-	-	F	-	-	-	-
<i>E. arenarius</i> L.	:	N	-	-	-	-	-	-	-
<i>E. arenicola</i> Scribn. & Smith	:	N	-	-	-	-	-	-	-
<i>E. aristatus</i> Merr.	:	-	-	-	-	-	-	-	-
<i>E. canadensis</i> L.	:	N	A	R	-	-	-	-	F
<i>E. caput-medusae</i> L.	:	-	-	-	-	-	-	-	-
<i>E. condensatus</i> Presl.	:	N	-	-	-	-	-	-	-
<i>E. dahuricus</i> Turcz.	:	N	-	R	-	-	-	-	F
<i>E. flavescentis</i> Scribn. & Smith	:	N	-	-	-	-	-	-	F
<i>E. giganteus</i> Vahl	:	-	-	-	-	-	-	-	R
<i>E. glaucus</i> Buckl.	:	N	-	-	-	-	-	-	-
<i>E. innovatus</i> Beal.	:	N	-	-	-	-	-	-	R
<i>E. interruptus</i> Buckl.	:	-	-	-	-	-	-	-	-
<i>E. junceus</i> Fisch.	:	N	-	-	-	-	-	-	R
<i>E. macounii</i> Vasey	:	N	-	-	-	-	-	-	-
<i>E. mollis</i> Trin.	:	-	-	-	-	-	-	-	-
<i>E. pseudoagropyrum</i> (Griseb.) Trin.	:	N	-	-	-	-	-	-	-
<i>E. sebulosus</i> Bieb.	:	N	-	-	-	-	-	-	-
<i>E. sibiricus</i> L.	:	N	-	R	F	-	-	-	-
<i>E. triticoidea</i> Buckl.	:	N	A	R	-	-	-	-	-
<i>E. vancouverensis</i> Vasey	:	-	-	F	-	-	-	-	-
<i>E. villosus</i> Muhl.	:	-	-	-	-	-	-	-	-
<i>E. virescens</i> Piper	:	N	-	R	F	-	-	-	-
<i>E. virginicus</i> L.	:	N	A	R	-	-	-	-	-

Affected grass species	Reaction to rust species:			
	P. graminis	P. rubigo-vera	P. glutinaria	P. coronata
Eragrostis abyssinica (Jacq.)	:	:	:	F
Schrad.	-	-	-	-
E. pectinacea (Mich.) Nees	-	-	-	-
Festuca arizonica Vasey	-
F. californica Vasey	-
F. dertonensis (All.) Aschers. &	N	N	N	-
Graebn.	-
F. dumetorum L.	-
F. eastwoodae Piper	-
F. elatior L.	-
F. elmeri Scribn. & Merr.	N	N	N	-
F. fennes Lag.	-
F. gigantea (L.) Vill.	-
F. idahoensis Elmer	-
F. kingii Cassidy	-
F. megalura Nutt.	-
F. myuros L.	-
F. obtusa Sprengr.	-
F. occidentalis Hook.	-
F. octoflora Walt.	-
F. ovina L.	-
F. pacifica Piper	-
F. rubra L.	-
F. scabrella Torr.	-
F. subulata Trin.	-
F. tenuifolia Sibth.	-
F. thurberi Vasey	-
F. versuta Beal	-
F. viridula Vasey	-
Fluminea festucacea (Willd.)	N	-
Hitchc.	A	-

Affected grass species	Reaction to rust species:				
	<i>P.</i> graminis	<i>P.</i> rubigo-vera	<i>P.</i> glaucum	<i>P.</i> cerasina	
<i>Glyceria borealis</i> (Nash) Batch	-	-	-	-	-
<i>G. elata</i> (Nash) Hitchc.	-	-	-	-	-
<i>G. fluitans</i> (L.) R. Br.	-	-	-	-	-
<i>G. grandis</i> S. Watson	-	N	-	-	R
<i>G. pacifica</i> Presl	-	-	-	-	F
<i>G. striata</i> (Lam.) Hitchc.	N	-	-	-	R
<i>Hierochloë occidentalis</i> Buckl.	N	-	-	-	-
<i>H. odorata</i> (L.) Beauv.	N	-	-	-	-
<i>Holcus lanatus</i> L.	N	-	-	-	-
<i>H. mollis</i> L.	N	A	R	-	-
<i>Hordeum brevisubulatum</i> (Trin.) Link	N	N	N	-	-
<i>H. bulbosum</i> L.	-	R	R	-	-
<i>H. fussonianum</i> Parl.	N	N	N	-	-
<i>H. jubatum</i> L.	N	N	N	-	-
<i>H. marinum</i> Huds.	-	R	R	-	-
<i>H. montanense</i> Scribn.	-	A	A	-	-
<i>H. murinum</i> L.	N	A	A	-	-
<i>H. nodosum</i> L.	N	A	A	-	-
<i>H. pusillum</i> Nutt.	N	A	R	-	-
<i>H. spontaneum</i> C. Koch	-	R	R	-	-
<i>Hystrrix californica</i> Kurtze	-	-	R	-	-
<i>H. patula</i> Moench	N	A	-	F	-
<i>Koeleria cristata</i> (L.) Pers.	N	-	-	-	-
<i>Lagurus ovatus</i> L.	N	-	-	-	-
<i>Lamprckia aurea</i> (L.) Moench	N	-	-	-	-

Affected grass species	Reaction to rust species:				
	<i>P. graminis</i>	<i>P. rubigo-vera</i>	<i>P. glaucum</i>	<i>P. coronata</i>	
<i>Leptolona cognitana</i> (Schult.)	-	-	-	-	-
Chase	-	-	-	-	-
H. Dewey	-	-	-	-	-
<i>Linnodesa arkansana</i> (Nutt.) L.	N	R	F	-	-
<i>L. perenne</i> L.	N	R	F	-	-
<i>L. subulatum</i> Vis.	N	-	R	-	-
<i>L. temulentum</i> L.	N	-	R	-	-
<i>Molinia altissima</i> L.	-	-	F	-	-
<i>M. bulbosa</i> Geyer	-	-	F	-	-
<i>M. geyeri</i> Munro	-	-	N	-	-
<i>M. caerulea</i> Walt.	-	-	-	-	-
<i>M. nutans</i> L.	-	-	-	-	-
<i>Milium effusum</i> L.	N	-	-	-	-
<i>Molinia caerulea</i> (L.) Moench.	N	-	-	-	-
<i>Muhlenbergia cuspidata</i> (Torr.)	N	-	-	-	-
Rydb.	N	-	-	-	-
<i>M. mexicana</i> (L.) Trin.	N	-	-	-	-
<i>M. racemosa</i> (Michx.) B.S.P.	N	-	F	-	-
<i>Panicum virgatum</i> L.	N	-	-	-	-
<i>Paspalum setaceum</i> Michx.	-	-	-	-	-
<i>Phalaris angusta</i> Nees	N	-	-	-	-
<i>P. arundinacea</i> L.	N	A	R	-	-
<i>P. canariensis</i> L.	N	A	-	-	-
<i>P. caroliniana</i> Walt.	N	-	-	-	-
<i>P. paradoxa</i> L.	-	-	-	-	-
<i>P. tuberosa</i> L.	-	-	-	-	-

Reaction to rust species:

Affected grass species	P. graminis	P. rubigo-vera	P. glumarum	P. coronata
<i>Phleum boehmeri</i> Wibel.	-	-	-	-
<i>P. paniculatum</i> Huds.	N	A	-	-
<i>P. phleoides</i> (L.) Karst.	N	A	R	F
<i>P. pratense</i> L.	N	A	R	F
<i>Phragmites communis</i> Trin.	N	-	-	-
<i>Poa alpina</i> L.	N	A	-	-
<i>P. ampla</i> Merr.	N	A	-	-
<i>P. annua</i> L.	N	A	-	-
<i>P. arachnifera</i> Torr.	N	A	-	-
<i>P. arctica</i> R. Br.	N	A	-	-
<i>P. arida</i> Vasey	N	A	-	-
<i>P. attenuata</i> Trin.	N	A	-	-
<i>P. bulbosa</i> L.	N	A	-	-
<i>P. canbyi</i> (Scribn.) Piper	N	A	-	-
<i>P. chapmaniana</i> Scribn.	N	A	-	-
<i>P. compressa</i> L.	N	A	-	-
<i>P. curta</i> Rydb.	N	A	-	-
<i>P. cusickii</i> Vasey	N	A	-	-
<i>P. epilis</i> Scribn.	N	A	-	-
<i>P. fendleriana</i> (Steud.) Vasey	N	A	-	-
<i>P. fertilis</i> Hegetschw.	N	A	-	-
<i>P. glauca</i> Vahl.	N	N	-	-
<i>P. glaucifolia</i> Scribn. & Will.	N	N	-	-
<i>P. gracillima</i> Vasey	N	N	-	-
<i>P. howelli</i> Vasey & Scribn.	N	N	-	-
<i>P. interior</i> Rydb.	N	N	-	-
<i>P. juncea</i> Scribn.	N	N	-	-
<i>P. macrantha</i> Rydb.	N	N	-	-
<i>P. nemoralis</i> L.	N	N	-	-
<i>P. nervosa</i> (Hook.) Vasey	N	N	-	-
<i>P. nevadensis</i> Vasey	N	N	-	-
<i>P. palustris</i> L.	N	N	-	-
<i>P. pratensis</i> L.	N	N	-	-

Affected grass species	: P. graminis	: P. graminis	: P. rubigo-vera	: P. glumarum	: P. coronata	Reaction to rust species:
<i>Poa scabrella</i> (Thurb.) Benth.	-	-	-	-	-	-
<i>P. secunda</i> Presl.	N A R	R F	:	N	-	-
<i>P. sphondyloides</i> Trin.	N N -	R F	:	N	-	-
<i>P. stenantha</i> Trin.	-	-	-	-	-	-
<i>P. sterilis</i> Bieb.	-	-	-	-	-	-
<i>P. sylvestris</i> A. Gray	-	-	-	-	-	-
<i>P. tibetica</i> Munro	-	-	-	-	-	-
<i>P. trivialis</i> L.	-	-	F	-	-	F
<i>Polypogon monspeliensis</i> (L.) Desf.	-	-	-	-	-	-
<i>Puccinellia distans</i> (L.) Parl.	N -	-	-	-	-	-
<i>P. maritima</i> (Huds.) Parl.	-	-	-	-	-	-
<i>P. nutkaensis</i> (Presl.) Fern. & Weath.	N -	-	-	-	-	-
<i>P. nuttalliana</i> (Schult.) Hitchc.	N -	-	-	N	-	-
<i>P. sumila</i> (Vasey) Hitchc.	N -	-	-	N	-	-
<i>P. tenuiflora</i> (Griseb.) Scribn. & Merr.	-	-	-	N	-	-
<i>Schedonnardus paniculatus</i> (Nutt.) Trel.	-	-	F	:	-	-
<i>Schizachne purpurascens</i> (Torr.) Swallen	-	-	-	-	-	-
<i>Secale montanum</i> Guss.	-	-	-	N	-	-
<i>Setaria lutescens</i> (Weigel) F. T. Hubb.	-	-	F	:	-	-
<i>Sitanion hansenii</i> (Scribn.) J. G. Smith	-	-	-	N	-	-
<i>S. hystrrix</i> (Nutt.) J. G. Smith	-	-	-	N A	-	-
<i>S. jubatum</i> J. G. Smith	-	-	-	N A	-	-

Affected grass species	: P. graminis	: P. rubigo-vera :	P. glumarum	: P. coronata	Reaction to rust species:
Sorghastrum nutans (L.) Nash	- - -	N - -	- - -	- - -	- - -
S. halense (L.) Pers.	- - -	F	- - -	- - -	F
Spartina cynosuroides (L.) Roth	- - -	- - -	- - -	- - -	- F
S. gracilis Trin.	- - -	- - -	- - -	- - -	R F
Sphenopholis nitida (Spreng.) Scribn.	- - -	F	- - -	- - -	- F
S. obtusata (Michx.) Scribn.	- A	- -	- - -	- - -	R F
S. pallens (Spreng.) Scribn.	- - -	F	- - -	- - -	- F
Sporobolus asper (Michx.) Kunth.	N - -	- -	- - -	- - -	- F
Sporobolus cryptandrus (Torr.) A. Gray	N - -	R F	- - -	- - -	R F
S. heterolepis (A. Gray) A. Gray	- -	- -	- - -	- - -	- F
Stipa comata Trin. and Rupr.	N - -	- -	- - -	- - -	- F
S. coronata Thurb.	N - -	- -	- - -	- - -	- F
S. pulchra Hitchc.	N - -	- -	- - -	- - -	- F
S. spartea Trin.	- - -	- -	- - -	- - -	- F
S. viridula Trin.	- - -	- -	- - -	- - -	R F
Triodia flavia (L.) Smyth	N - -	F	- - -	- - -	- F
Trisetum canescens Buckl.	N - -	- -	- - -	- - -	- F
T. cernuum Trin.	- - -	- -	- - -	- - -	- F
T. flavescens (S.) Beauv.	- A	R F	- - -	- - -	A -
T. montanum Vasey	- -	-	N - -	- - -	- F
T. sesquiflorum Trin.	N - -	-	N - -	- - -	- F
T. spicatum (L.) Richt.	- A	- F	- N -	- - -	N - R F

Table 2. Summary of recorded reactions of wild and cultivated grasses to six varieties of Puccinia graminis in the United States and Canada.

Affected grass species ^{a/}	Reaction to stem rust varieties: <i>Puccinia graminis</i> :	<i>Agrostis</i> : <i>avenae</i>	<i>phleiprat.</i>	<i>dose</i>	<i>secalis</i> : <i>tritici</i>
<i>Agropyron caninum</i> (L.) Beauv.	- - -	- - -	- - -	- - -	- - -
<i>A. ciliare</i> (Trin.) Franch.	- - -	- - -	- - -	- - -	- - -
<i>A. cristatum</i> (L.) Gaertn.	- - -	- - -	- - -	- - -	N A R F :
<i>A. dasystachyum</i> (Hook.) Scribn.	- - -	- - -	- - -	- - -	N A R -
<i>A. desertorum</i> (Fisch.) Schult.	- - -	- - -	- - -	- - -	- - -
<i>A. elmeri</i> Scribn.	- - -	- - -	- - -	- - -	- - -
<i>A. elongatum</i> (Host) Beauv.	- - -	- - -	- - -	- - -	- A -
<i>A. imbricatum</i> (Stev.) Roen. &	- - -	- - -	- - -	- - -	- A -
<i>A. Schult.</i>	- - -	- - -	- - -	- - -	- A -
<i>A. inerne</i> (Scribn. & Smith) Rydb.	- - -	- - -	- - -	- - -	- - -
<i>A. intermedium</i> (Host) Beauv.	- - -	- - -	- - -	- - -	- - -
<i>A. pauciflorum</i> (Schwein.) Hitchc.	- - -	- - -	- - -	- - -	- - -
<i>A. repens</i> (L.) Beauv.	- - -	- - -	- - -	- - -	N A R F :
<i>A. saxicola</i> (Scribn. & Smith)	- - -	- - -	- - -	- - -	N A R F :
<i>Piper</i>	- - -	- - -	- - -	- - -	- - -
<i>A. semicoastatum</i> (Steud.) Nees	- - -	- - -	- - -	- - -	- - -
<i>A. sibiricum</i> (Willd.) Beauv.	- - -	- - -	- - -	- - -	- - -
<i>A. smithii</i> Rydb.	- - -	- - -	- - -	- - -	- - -
<i>A. spicatum</i> (Pursh) Scribn. &	- - -	- - -	- - -	- - -	- N A R -
<i>A. Smith</i>	- - -	- - -	- - -	- - -	- A -
<i>A. subsecundum</i> (Link) Hitchc.	- - -	- - -	- - -	- - -	N A -
<i>A. trichophorum</i> (Link) Richt.	- - -	- - -	- - -	- - -	- - -
<i>A. triticeum</i> Gaertn.	- - -	- - -	- - -	- - -	- - -
<i>A. villosum</i> (L.) Link	- - -	- - -	- - -	- - -	- - -
<i>Agrostis alba</i> L.	N A -	- - -	- - -	- - -	- - -
<i>A. canina</i> L.	- A -	- - -	- - -	- - -	- - -
<i>A. castellana</i> Bciss. & Reut.	- - -	- - -	- - -	- - -	- - -
<i>A. exarata</i> Trin.	- - -	- - -	- - -	- - -	- - -
<i>A. hiemalis</i> (Walt.) B.S.P.	N - -	- A - -	- - -	- - -	- - -

^{a/} Insofar as possible, A. S. Hitchcock's "Manual of the Grasses of the United States" (U. S. Dept. Agr. Misc. Publ. No. 200, 1935) is being followed.

Affected grass species	Reaction to stem rust varieties:	Puccinia graminis:
	agrostidis: avenae	poae: phleiprat.: secalis: tritici
<i>A.</i> oregonensis Vasey	- - -	- - -
<i>A.</i> palustris Huds.	- - -	- - -
<i>A.</i> retrofracta Willd.	- - -	- - -
<i>A.</i> spica-venti L.	- - -	- - -
<i>A.</i> stolonifera L.	- - -	- - -
<i>A.</i> tenuis Sibth.	- - -	- - -
<i>A.</i> verticillata Vill.	- - -	- - -
<i>Alopecurus geniculatus</i> L.	- A -	- A -
<i>A.</i> myosuroides Huds.	- - -	- - -
<i>A.</i> pratensis L.	- N A -	- N A R -
<i>Amnophila arenaria</i> (L.) Link	- - -	- A -
<i>Andropogon scoparius</i> Michx.	- - -	- - - F
<i>Anthoxanthum aristatum</i> Boiss.	- - -	N - -
<i>A.</i> odoratum L.	- - - F	N - - F
<i>Arrhenatherum elatius</i> (L.) Mert. & Koch	- - -	N A R -
<i>Avena fatua</i> L.	- - -	N - -
<i>Beckmannia erucaeformis</i> (L.)	- - -	- A -
Host	- - -	R F
<i>Bouteloua curtipendula</i> (Michx.)	- - -	- - - F
Torr.	- - -	- - - F
<i>Brachypodium distachyon</i> L.	- - -	- - - F
<i>Brizoidium siculum</i> Link	- - -	- - - F

Affected grass species	Reaction to stem rust varieties:			
	<i>Agrostis</i>	<i>Ovinae</i>	<i>Phleiorat.</i>	<i>Poae</i>
<i>Bromus brachystachys</i> Horn	-	-	-	-
<i>B. brevis</i> Steud.	-	-	-	-
<i>B. brizaeformis</i> Fisch. & Mey.	-	-	-	-
<i>B. carinatus</i> Heck & Arn.	-	-	-	-
<i>B. catharticus</i> Vahl.	-	-	-	-
<i>B. ciliatus</i> L.	-	-	-	-
<i>B. commutatus</i> Schrad.	-	-	-	-
<i>B. erectus</i> Huds.	-	-	-	-
<i>B. hordeaceus</i> L.	-	-	-	-
<i>B. inermis</i> Leyss.	-	-	-	-
<i>B. japonicus</i> Thunb.	-	-	-	-
<i>B. kalmii</i> A. Gray	-	-	-	-
<i>B. lanuginosus</i> Poir.	-	-	-	-
<i>B. latiglumis</i> Hitchc.	-	-	-	-
<i>B. macrostachys</i> Desf.	-	-	-	-
<i>B. madritensis</i> L.	-	-	-	-
<i>B. mollis</i> L.	-	-	-	-
<i>B. pacificus</i> Shear	-	-	-	-
<i>B. pumpeianus</i> Scribn.	-	-	-	-
<i>B. purgans</i> L.	-	-	-	-
<i>B. rigidus</i> Roth	-	-	-	-
<i>B. rubens</i> L.	-	-	-	-
<i>B. secalinus</i> L.	-	-	-	-
<i>B. sitchensis</i> Trin.	-	-	-	-
<i>B. squarrosum</i> L.	-	-	-	-
<i>B. sterilis</i> L.	-	-	-	-
<i>B. suksdorfii</i> Vasey	-	-	-	-
<i>B. tectorum</i> L.	-	-	-	-
<i>B. tomentellus</i> Boiss.	-	-	-	-
<i>Calamagrostis canadensis</i> (Michx.) Beauv.	-	R	A	F
<i>Cynodon dactylon</i> (L.) Pers.	-	-	-	F

Affected grass species	Reaction to stem rust varieties:	Puccinia graminis:
	: agrostidii : avenae	: phleiprat.: pose
		: secalis : tritici
<i>Cynosurus cristatus</i> L.	- - -	: - - - F : - - - -
<i>Dactylis glomerata</i> L.	- A - -	: N A R - : - - - F : - - - F : N A R F
<i>Dactyloctenium aegyptium</i> (L.) Richt.	- - -	: - - - F : - - - -
<i>Darthonia pilosa</i>	- - -	: - - - F : - - - -
<i>D. spicata</i> (L.) Beauv.	- - -	: - - - F : - - - -
<i>Desschampsia caespitosa</i> (L.) Beauv.	- - -	: - A - - : - - - -
<i>D. elongata</i> (Hock.) Munro	- - -	: - A - - : - - - -
<i>D. flexuosa</i> (L.) Trin.	- - -	: - - - F : - - - -
<i>Echinochloa crusgalli</i> (L.) Beauv.	- - -	: - - - F : - - - -
<i>Elymus ambiguus</i> Vasey & Scribn.	- - -	: - - - R : - - - -
<i>E. canadensis</i> L.	- - -	: - - - R F : - - - -
<i>E. condensatus</i> Presl.	- - -	: - - - R : - - - -
<i>E. dahuricus</i> Turcz.	- - -	: - - - R : - - - -
<i>E. flavescens</i> Scribn. & Smith	- - -	: - - - R : - - - -
<i>E. glaucus</i> Buckl.	- - -	: - - - R F : - A R : - - - -
<i>E. innovatus</i> Beal	- - -	: - - - A - - : - - - -
<i>E. junceus</i> Fisch.	- - -	: - - - R F : - - - -
<i>E. macounii</i> Vasey	- - -	: - - - A - - : - - - -
<i>E. sibiricus</i> L.	- - -	: - - - R F : - - - -
<i>E. triticoidea</i> Buckl.	- - -	: - - - R F : - - - -
<i>E. villosus</i> Muhl.	- - -	: - - - R F : - - - -
<i>E. virescens</i> Piper	- - -	: - - - R F : - - - -
<i>E. virginicus</i> L.	- - -	: - - - R F : - - - -
<i>Eragrostis abyssinica</i> (Jacq.) Link	- - -	: - - - F : - - - -

Affected grass species	Reaction to stem rust varieties:
	agrostidis : avenae : phleiprat.
	poae : socialis : tritici

Eragrostis pectinacea (Michx.)

Nees

Festuca dertonensis (All.)	- - -
Aschers. & Graebn.	: - -
F. elatior L.	: - -
F. gigantea (L.) Vill.	: - -
F. idahoensis Elmer	: - -
F. myuros L.	: - -
F. obtusa Spreng.	: - -
F. occidentalis Hook.	: - -
F. octoflora Walt.	: - -
F. ovina L.	: - -
F. pacifica Piper	: - -
F. rubra L.	: - -
F. scabrella Torr.	: - -
F. thurberi Vasey	: - -
F. viridula Vasey	: - -

Glyceria canadensis (Michx.)

Trin.	- - -
G. pauciflora Presl	: - -

Hierochloe odorata (L.) Beauv.

Holcus lanatus L.	- A -
H. mollis L.	- A -

Hordeum brevisubulatum (Trin.)

Link.	- - -
H. bulbosum L.	: - -
H. gussonianum Parl.	: - -
H. jubatum L.	: - -
H. murinum L.	: - -
H. nodosum L.	: - -

Affected grass species	Reaction to stem rust varieties:				
	agrostidii	avenae	phleinorae	boae	secalis : tritici
<i>H. pusillum</i> Nutt.	- - -	- R -	- - -	-	N A - -
<i>H. spontaneum</i> C. Koch	- - -	- R F	- - -	-	- A - -
<i>Hystrix patula</i> Moench	- - -	- R -	- - -	-	N A - -
<i>Koeleria cristata</i> (L.) Pers.	- A - -	N A - F	- N A - -	-	N A - -
<i>Limnodea arkansana</i> (Nutt.)	-	N - -	- - -	-	- A - F
L. H. Dewey	- - -	N - -	- - -	-	- - -
<i>Lolium multiflorum</i> Lam.	- - -	- R -	- A R -	-	- - - F
<i>L. perenne</i> L.	- - -	- R F	- A R -	-	- - - F
<i>L. temulentum</i> L.	- - -	- R -	- - -	-	- - - T
<i>Melica altissima</i> L.	- - -	- - -	-	-	- - - F
<i>Milium effusum</i> L.	- - -	N - -	- - -	-	- - -
<i>Muhlenbergia racemosa</i> (Michx.) B.S.P.	- - -	- - -	- F	-	- - - F
<i>Panicum virgatum</i> L.	- - -	- - -	-	-	N - -
<i>Phalaris arundinacea</i> L.	- - -	F	- A - F	-	- - -
<i>P. canariensis</i> L.	- - -	-	N A - -	-	- - - F
<i>Phleum boehmeri</i> Willd.	- - -	- R -	- - -	-	- - -
<i>P. paniculatum</i> Huds.	- - -	- A - -	- - -	-	- - - F
<i>P. pratense</i> L.	- - -	N A R F	N A - -	-	- - - F
<i>Poa ampla</i> Merr.	- - -	- A R F	- - -	-	- - -
<i>P. annua</i> L.	- - -	- - - F	- - -	-	- A - F
<i>P. irida</i> Vasey	- - -	- - - F	- - -	-	- - -
<i>P. attenuata</i> Trin.	- - -	- - - F	- - -	-	- - -
<i>P. bulbosa</i> L.	- - -	- A - -	- - -	-	- - -

	Reaction to stem rust varieties:	<i>Puccinia graminis</i>			
	<i>:aerostidis</i>	<i>:avenae</i>	<i>:phleiprat.</i>	<i>:secalis</i>	<i>:tritici</i>
<i>P. canbyi</i> (Scribn.) Piper	- - -	- - -	- - R F	- - -	- - -
<i>P. compressa</i> L.	- - -	- - -	- - F	- - -	- - -
<i>P. curta</i> Rydb.	- - -	- - -	- - R	- - -	- - -
<i>P. cusickii</i> Vasey	- - -	- - -	- - R F	- - -	- - -
<i>P. epilis</i> Scribn.	- - -	- - -	- - R F	- - -	- - -
<i>P. fertilis</i> Hegetschw.	- - -	- - -	- - R F	- - -	- - -
<i>P. glaucifolia</i> Scribn. & Will.	- - -	- - -	- - A	- - -	- - -
<i>P. gracillima</i> Vasey	- - -	- - -	- - A	- - -	- - -
<i>P. interior</i> Rydb.	- - -	- - -	- - A	- - F	- - -
<i>P. juncea</i> Scribn.	- - -	- - -	- - A	- - F	- - -
<i>P. nemoralis</i> L.	- - -	- - -	- - A	- - F	- - -
<i>P. nervosa</i> (Hook.) Vasey	- - -	- - -	- - A	- - F	- - -
<i>P. nevadensis</i> Vasey	- - -	- - -	- - N A	- - F	- - -
<i>P. palustris</i> L.	- - -	- - -	- - N A	- - F	- - -
<i>P. pratensis</i> L.	- - -	- - -	- - N A	- - F	- - -
<i>P. scabrella</i> (Thurb.) Benth.	- - -	- - -	- - R F	- - -	- - -
<i>P. secunda</i> Presl	- - -	- - -	- - R F	- - -	- - -
<i>P. sphondyloides</i> Trin.	- - -	- - -	- - R F	- - -	- - -
<i>P. stenantha</i> Trin.	- - -	- - -	- - R F	- - -	- - -
<i>P. sterilis</i> Bieb.	- - -	- - -	- - R F	- - -	- - -
<i>P. sylvestris</i> A. Gray	- - -	- - -	- - N	- - -	- - -
<i>P. trivialis</i> L.	- - -	- - -	- - N	- - -	- - -
<i>Polypogon monspeliensis</i> (L.)	- - -	- - -	- - -	- - -	- - -
Desf.	- - -	- - -	- - A	- - -	- - -
<i>Schedomardus paniculatus</i> (Nutt.)	- - -	- - -	- - F	- - -	- - -
Trel.	- - -	- - -	- - F	- - -	- - -
<i>Sitanion hystrix</i> (Nutt.)	- - -	- - -	- - F	- - -	- - -
J. G. Smith	- - -	- - -	- - F	- - -	- - -
<i>S. jubatum</i> J. G. Smith	- - -	- - -	- - F	- - -	- - -
<i>Sorghum halapense</i> (L.) Pers.	- - -	- - -	- - F	- - -	- - -

Affected grass species	: egregitidis	: avenae	Reaction to stem rust varieties:	Puccinia graminis: pore : secalis : tritici
---------------------------	------------------	-------------	----------------------------------	--

Sphenopholis nitida (Spreng.)

Scribn.: - - - : - - - F : - - - : - - - : - - - : - - -

S. obtusata (Michx.) Scribn.: - - - : N A - - : - - - : - - -

Sporobolus asper (Michx.) Kunth.: - - - : - - - F : - - - : - - - : - - -

S. cryptandrus (Torr.) L. Gray.: - - - : - - - F : - - - : - - - : - - -

Stipa pulchra Hitchc.: - - - : - - - : - - - F : - - - : - - -

S. viridula Trin.: - - - : - - - R F : - - - F : - - - : - - -

Triodia flava (L.) Smith: - - - : - - - F : - - - : - - - : - - -

Trisetum flavescens (L.) Beauvois: - - - : - A - - : - - - : - - - : - - -

T. spicatum (L.) Richt.: - - - : - A - - : - - - : - - - : - - -

BIBLIOGRAPHY

1. Arthur, J. C. Preliminary list of Iowa Uredineae and memorandum of Iowa Ustilagineae. Bull. Iowa Agr. Coll. Nov. 1884.
2. _____ Cultures of Uredineae in 1902. Bot. Gaz. 35: 10-23. 1903.
3. _____ Cultures of Uredineae in 1904. Journ. Mycol. 11: 50-67. 1905.
4. _____ Cultures of Uredineae in 1905. Journ. Mycol. 12: 11-27. 1906.
5. _____ Cultures of Uredineae in 1906. Journ. Mycol. 13: 189-205. 1907.
6. _____ Cultures of Uredineae in 1907. Journ. Mycol. 14: 7-26. 1908.
7. _____ Cultures of Uredineae in 1908. Mycologia 1: 225-226. 1909.
8. _____ Cultures of Uredineae in 1909. Mycologia 2: 213-240. 1910.
9. _____ The Uredinales (Rusts) of Iowa. Proc. Iowa Acad. Sci. 31: 229-255. 1926.
10. _____ Manual of the rusts in United States and Canada. 438 pp. Lafayette, Ind. 1934.
11. Bailey, Dixon L. Physiologic specialization in Puccinia graminis avenae Erickss. and Henn. Minnesota Agr. Exp. Sta. Tech. Bull. 35. 1925.
12. Barker, H. D., and H. K. Hayes. Rust resistance in timothy. Phytopath. 14: 363-371. 1924.
13. Bisby, G. R., A. H. R. Buller, and John Dearness. The fungi of Manitoba. 194 pp. Longmans, Green and Co. 1929.
14. Bisby, G. R., et al. The fungi of Manitoba and Saskatchewan. 189 pp. Nat. Res. Council of Canada. Ottawa. 1938.
15. Bolley, Henry L., and F. J. Pritchard. Rust problems. Facts, observations and theories. Possible means of control. North Dakota Agr. Exp. Sta. Bull. 68. 1906.
16. Carleton, M. A. Cereal rusts of the United States. U. S. Dept. Agr. Bull. 16. 1899.

17. Chester, K. S., and Clyde Jamison. Physiologic races of wheat leaf rust involved in the 1938 epiphytotic. *Phytopath.* 29: 962-967. 1939.
18. Cooke, Wm. B. Preliminary host index to fungi of Mount Shasta, California. *Plant Dis. Reporter Suppl.* 123: 125-133. 1940
19. _____ Some parasitic and saprobic fungi of southern Ohio. *Plant Dis. Reporter* 25: 190-200. 1941.
20. Cotter, R. U., and M. N. Levine. Physiologic specialization in Puccinia graminis secalis. *Journ. Agr. Res.* 45: 297-315. 1932.
21. Dietz, S. M. The alternate host of crown rust, Puccinia coronata Cord. *Journ. Agr. Res.* 33: 953-970. 1926.
22. _____ The effect of the alternate hosts on physiologic forms. (Abstract.) *Phytopath.* 16: 83-84. 1926.
23. Fischer, George W. Comparative studies of certain cultures of Puccinia rubigo-vera and Puccinia tomipara on wild grasses. *Phytopath.* 25: 657-685. 1935.
24. _____ Grass diseases occurring in the Pullman nursery unit of the Soil Conservation Nurseries, Pullman, Washington, during 1939. *Plant Dis. Reporter* 24: 108-114. 1940.
25. _____ Grass diseases in the Pacific Northwest in 1940. *Plant Dis. Reporter* 24: 481-497. 1940.
26. Fraser, W. F. Rusts of Nova Scotia. *Trans. Nova Scotian Inst. Sci.* 12: 313-445. 1913.
27. _____ Cultures of heteroecious rusts in 1918. *Mycologia* 11: 129-133. 1919.
28. _____ Cultures of Puccinia clematidis (DC.) Lagerh. and Puccinia impatiens (Schw.) Arth. *Mycologia* 12: 292-295. 1920.
29. _____ Culture experiments with heteroecious rusts in 1922, 1923, and 1924. *Mycologia* 17: 78-86. 1925.
30. _____, and I. L. Connors. The Uredinales of the prairie provinces of western Canada. *Trans. Roy. Soc. Canada*, 3d. ser. 19: 279-308. 1925.
31. _____, and G. A. Ledingham. The studies of the crown rust, Puccinia coronata Corda. *Proc. Canad. Phytopath. Soc.* 2 (1931): 56-66. pl. 1932.

32. Freeman, E. M., and E. C. Johnson. The rusts of the grain in the United States. U. S. Dept. Agr. Bur. Plant Ind. Bull. 216. 1911.
33. Fromme, F. D. Diseases of cereal and forage crops in the United States in 1920. Plant Dis. Bull. Suppl. 15: 115-176.. 1921.
34. Garrett, A. O. The smuts and rusts of Utah. Mycologia 2: 265-304. 1914.
35. _____ The smuts and rusts of Utah. II. Mycologia 6: 240-258. 1914.
36. _____ The smuts and rusts of Utah. III. Mycologia 11: 202-215. 1919.
37. _____ The smuts and rusts of Utah. IV. Mycologia 13: 101-110. 1921.
38. _____ The smuts and rusts of Utah. V. Mycologia 17: 202-209. 1925.
39. _____ The Uredinales or rusts of Utah. Bull. Univ. Utah Biol. Ser. 28: 1-81. 1937.
40. Hardison, John R. Grass diseases in Michigan in 1940. Plant Dis. Reporter 25: 120-125. 1941.
41. Haskell, R. J. Summary of plant diseases in the United States in 1918. IV. Diseases of cereal and forage crops. Plant Dis. Bull. Suppl. 4: 119-159. 1919.
42. _____ Diseases of cereal and forage crops in the United States in 1923. Plant Dis. Reporter Suppl. 35: 244-317. 1924.
43. _____ Diseases of cereal and forage crops in the United States in 1925. Plant Dis. Reporter Suppl. 48: 301-381. 1926.
44. _____, and Jessie I. Wood. Diseases of cereal and forage crops in the United States in 1922. Plant Dis. Reporter Suppl. 27: 164-266. 1923.
45. Hitchcock, A. S., and M. A. Carleton. Preliminary report on rust and grain. Kansas Agr. Exp. Sta. Bull. 38. March 1893.
46. _____ and _____ Second report on rusts of grain. Kansas Agr. Exp. Sta. Bull. 46. May 1894.
47. Hoerner, G. R. Infection capabilities of crown rust of oats. Phytopath 12: 4-15. 1922.
48. Hotson, J. W. Key to the rusts of the Pacific Northwest. Univ. Washington Publ. Biol. 3: 1-193. 1934.

49. Humphrey, H. B., C. W. Hungerford, and A. G. Johnson. Stripe rust (Puccinia glumarum) of cereals and grasses in the United States. Journ. Agr. Res. 29: 209-227. 1924.
50. Hungerford, C. W. Studies on the life history of stripe rust, Puccinia glumarum (Schm.) Erikss. and Henn. Journ. Agr. Res. 24: 607-620. 1923.
51. _____, and C. E. Owens, Specialized varieites of Puccinia glumarum and hosts for variety tritici. Journ. Agr. Res. 25: 363-401. 1923.
52. Hunt, W. R. The Uredinales or rusts of Connecticut and the other New England States. Connecticut Geol. & Nat. Hist. Surv. Bull. 36. 1926.
53. Jackson, H. S. The Uredinales of Indiana. Indiana Acad. Sci. Proc. 1915: 429-475. 1916.
54. _____ The Uredinales of Oregon. Brooklyn Botanic Garden Mem. 1: 198-297. 1918.
55. _____ The Uredinales of Indiana, III. Proc. Indiana Acad. Sci. 1920: 165-182. 1921.
56. _____, and E. B. Mains. Aecial stage of the orange leaf rust of wheat, Puccinia triticina Eriks. Journ. Agr. Res. 22: 151-171. 1921.
57. _____, and Margaret Newton. Hybridization between Puccinia graminis tritici and Puccinia graminis avenae. Proc. World's Grain Exhib. & Conf. 2: 219-223. 1933.
58. Kern, F. D., H. W. Thurston, C. R. Orton, and J. F. Adams. The rusts of Pennsylvania. Pennsylvania Agr. Exp. Sta. Bull. 239. 1929.
59. Kirby, R. S., and W. A. Archer. Diseases of cereal and forage crops in the United States in 1926. Plant Dis. Reporter Suppl. 53: 110-208. 1927.
60. Levine, M. M. A statistical study of the comparative morphology of biologic forms of Puccinia graminis. Journ. Agr. Res. 24: 539-568. 1923.
61. Mains, E. B. Host specialization in the leaf rust of grasses, Puccinia rubigo-vera. Papers Michigan Academy Sci. 17: 289-394. 1932.
62. Melchers, L. E. Diseases of cereal and forage crops in the United States in 1924. Plant Dis. Reporter Suppl. 40: 106-191. 1925.

63. Melhus, I. E., S. M. Dietz, and Florence Willey. Alternate hosts and biologic specialization of crown rust in America. Iowa Agr. Exp. Sta. Bull. 72.. 1922.
64. _____, L. W. Durrell, and R. S. Kirby. Relation of barberry to stem rust in Iowa. Iowa Agr. Exp. Sta. Res. Bull. 57: 283-325. 1920.
65. Mercer, W. H. Investigations of timothy rusts in North Dakota during 1913. Phytopath. 4: 20-22. 1914.
66. Murphy, H. C. Physiologic specialization in Puccinia coronata avenae. U. S. Dept. Agr. Tech. Bull. 433. 1935.
67. Newton, Margaret. Studies in wheat stem rust (Puccinia graminis). Trans. Roy. Soc. Canada 16: 153-210. 1922.
68. _____, and T. Johnson. Stripe rust, Puccinia glumarum, in Canada. Can. Jour. Res. 14: 89-108. 1936.
69. _____, and A. M. Brown. New physiologic forms of Puccinia graminis tritici. Scient. Agr. 9: 208-215. 1929.
70. Pammel, L. H. Fungus diseases of Iowa forage plants. Iowa Weather and Crop Service Monthly Review. 1891.
71. _____ The relation of native grasses to Puccinia graminis in the region of Iowa, western Illinois, Wisconsin, southern Minnesota, and eastern South Dakota. Proc. Iowa Acad. Sci. 26: 163-192. 1920.
72. _____, and C. M. King. Four new fungous diseases in Iowa. Iowa State Coll. Bull. 131. 1912.
73. Peltier, George L. Physiologic forms of wheat stem rust in Kansas and Nebraska. Phytopath. 23: 343-356. 1933.
74. _____, and A. F. Thiel. Stem rust in Nebraska. Nebraska Agr. Exp. Sta. Res. Bull. 42 1927.
75. Pritchard, F. M. A. preliminary report on the yearly origin and dissemination of Puccinia graminis. Bot. Gaz. 52: 169-192. 1911.
76. Rosen, H. R. The behavior of telia of Puccinia graminis in the south. Mycologia 13: 111-113. 1921.
77. Sanford, G. B., and W. C. Broadfoot. Stripe rust in Alberta. Scient. Agr. 9: 337-344. 1929.

78. Sanford, G. B., and W. C. Broadfoot. The relative susceptibility of cultivated and native hosts in Alberta to stripe rust. *Scient. Agr.* 13: 714-721. 1933.
79. Schade, Arthur L. A preliminary list of the parasitic fungi of Idaho. *Plant Dis. Reporter Suppl.* 95: 77-113. 1936.
80. Sprague, Roderick. A preliminary check list of the parasitic fungi on cereals and other grasses in Oregon. *Plant Dis. Reporter* 19: 156-186. 1935.
81. _____ Additions to the check list of the parasitic fungi on cereals and other grasses in Oregon (1935-37). *Plant Dis. Reporter* 21: 412-422. 1937.
82. Stakman, E. C. A preliminary report on the relation of grass rusts to the cereal rust problem. (Abst.). *Phytopath.* 4: 411. 1914.
83. _____ The black stem rust and the barberry. *U. S. Dept. Agr. Yearbook* 1918: 1-28. 1918.
84. _____ Diseases of cereal and forage crops in the United States in 1921. *Plant Dis. Reporter Suppl.* 21: 139-254. 1922
85. _____, and Louise Jensen. Infection experiments with timothy rust. *Journ. Agr. Res.* 5: 211-216. 1915.
86. _____, and M. N. Levine. Effect of certain ecological factors on the morphology of the urediniospores of Puccinia graminis. *Journ. Agr. Res.* 16: 43-77. 1919.
87. _____ Puccinia graminis poae in the United States. *Journ. Agr. Res.* 28: 541-548. 1924.
88. _____, and F. J. Piemeisel. Biologic forms of Puccinia graminis on wild grasses and cereals. (Abst.). *Phytopath.* 6: 99-100. 1916.
89. _____ Biologic forms of Puccinia graminis on cereals and grasses. *Journ. Agr. Res.* 10: 429-495. 1917.
90. _____, and M. N. Levine. Plasticity of forms of Puccinia graminis. *Journ. Agr. Res.* 15: 221-250. 1918.
91. Thiel, A. F. The overwintering of urediniospores of Puccinia graminis tritici in North Carolina. *Journ. Elisha Mitchell Sci. Soc.* 54: 247-255. 1938.

92. Webber, H. J. Catalogue of the flora of Nebraska. Rept. Nebraska Agr. 1889: 63. 1890.
93. Willis, M. A. Notes on Puccinia glumarum. Idaho Agr. Exp. Sta. Ann. Rept. 1917: 19. 1918.

A 19.19:131

AGRICULTURAL EXPERIMENT STATION DEPARTMENT
CLEMSON COLLEGE LIBRARY

THE PLANT DISEASE REPORTER

Issued By

Division of Mycology and Disease Survey

BUREAU OF PLANT INDUSTRY

UNITED STATES DEPARTMENT OF AGRICULTURE

Supplement 131

THE ASCOMYCETES OF GEORGIA

August 15, 1941



The Plant Disease Reporter is issued as a service to plant pathologists throughout the United States. It contains reports, summaries, observations, and comments submitted voluntarily by qualified observers. These reports often are in the form of suggestions, queries, and opinions, frequently purely tentative, offered for consideration or discussion rather than as matters of established fact. In accepting and publishing this material the Division of Mycology and Disease Survey serves merely as an informational clearing house. It does not assume responsibility for the subject matter.

THE ASCOMYCETES OF GEORGIA

By Julian H. Miller, Department of Plant
Pathology, University of Georgia

Plant Disease Reporter
Supplement 131

August 15, 1941

Introduction

Georgia is surrounded by states with much early mycological development, but heretofore there has never been published a list of any of its fungi. In 1897 Underwood (6) said, "Georgia - nothing is known of its fungous flora except a few scattering species reported by Mr. Ravenel in his *exsiccatae*." These collections from the Ravenel station at Darien, Georgia, constitute the only references to fungi to get into the literature of the period.

This present list contains many names found in the papers of L. von Schweinitz, M. J. Berkeley, and M. A. Curtis, or Berkeley and Ravenel, which is to be expected as the soil, climate, and host plants are very similar to those of the Carolinas. On the other hand some fungi new to the literature of the region, as well as many hosts, are cited for the first time.

The fungi listed represent chiefly collections of the writer and students extending over the past 20-year period, with additions since 1937 by George Thompson, and references from papers by B. B. Higgins, W. A. Jenkins, John R. Cole, and J. B. Demaree. There are 221 genera and 761 species in this paper. Only one collection is cited from a county, except when the fungus occurs on a different host. The species are arranged alphabetically within taxonomic groups, and under each is placed the hosts and county in which collected.

Most of the collecting has been in the piedmont region of north-east Georgia and the adjoining mountain counties. Only a few excursions have been undertaken in the southern part of the State, and the great coastal plain swamps are still for the most part a virgin field for the mycologist. Long periods of drought are the rule in this piedmont area and the rains do not last long enough during the growing season for fleshy fungi. This is the chief reason for the relatively few Discomycetes and the larger proportion of Pyrenomycetes on woody hosts. Middle and north Georgia are then especially favorable for the latter, and the increased number of hosts over more northern states adds to their complexity.

The scheme of classification follows in part recent books by Bessey (1), Gähnemann and Dodge (3), and Nannfeldt (4), along with views previously expressed by the writer in various papers; and is an attempt

to approach a natural system. The primary separations into Plectomycetes, Discomycetes, and Pyrenomycetes follow traditional lines. Within the first group the only radical departure is the inclusion of the family Ceratostomataceae. This is probably a temporary move, but at the present time it seems logical as the ascci in certain species develop from cells at different levels and there are no paraphyses.

The Discomycetes are divided into operculates and inoperculates after Boudier (2), while the species in the former are arranged according to Seaver (5), and in the latter chiefly after Nannfeldt (4).

The separations in the Pyrenomycetes are based on internal or perithecial centrum characters discovered by F. von Höhnel, F. Theissen, H. and P. Sydow, and others. The order Lophiostomatales includes perithecial forms with a compressed ostiole, and constitutes a connecting link between the Hysteriales and Sphaeriales.

The Sphaeriales concept comprises forms with true perithecia, with definite walls and ostioles and free paraphyses. The Hypocreaceae, based on color and texture, is not entirely a natural group as set up in this paper, but the other families seem to constitute phylogenetic centers, with many connecting forms. The last family Phyllachoraceae, with a well developed clypeus, is placed here because the centrum is wholly that of the Sphaeriales rather than Dothideales.

Perithecial forms with ascii in locules, either one or many, are grouped in the Dothideales and Pseudosphaeriales. The former is characterized by fasciculate ascii arising from a central plectenchyma at the base of the cavity; while in the latter the ascii lie among interthelial threads or paraphysoids, connected at top and bottom of the locule.

An attempt has been made to apply the International Rules of Nomenclature to specific names where practicable, especially in the use of Fries, "Systema Mycologicum", as the starting point for the Ascomycetes. To secure this conformity a few changes have been made such as Mitrula paludosa Fr. for the generally accepted Mitrula phalloides (Bull.) Chev., and Hypoxyton fragiforme (Pers. ex Fr.) Kickx, for Hypoxyton coccineum Bull. In many other cases it has been impossible to arrive at a solution, because of the lack of access to types, which are for the most part in European herbaria.

The correct application of specific names has been especially difficult in many groups owing to the lack of recent monographs. Names are fairly correct in the operculate Discomycetes, Dasyphypha, Lachnum, Lophodermium, Hysteriales, Hypocreaceae, Diaporthaceae, and in the Xylariaceae. Many of the names in the other groups are only temporary expedients. For example, the large group labelled Eutypella fraxinicola contains morphologically similar forms occurring on any firm deciduous wood. So far each host form bears a separate name, but only cultural and cross-inoculation studies coupled with examinations of types will

show whether there should be more than one species, and the correct name or names.

The writer wishes to express his appreciation for aid in preparation of the manuscript to Miss Gwendolyn Burton, and for help in identifying specimens to Miss Edith Cash, F. J. Seaver, W. W. Diehl, J. A. Stevenson, L. E. Wehmeyer, M. L. Lohman, G. R. Bisby, and Miss E. M. Wakefield.

Literature Cited

1. Bassey, E. A. A text-book of mycology. 495 pp. 1935.
2. Boudier, E. Historiore et classification des Discomyctes d'Europe. 221 pp. 1907.
3. Gäumann, E. A. and C. W. Dodge. Comparative morphology of the fungi. 701 pp. 1928.
4. Nannfeldt, J. A. Studien über die Morphologie und Systematik der nichtlichenisierten inoperculaten Discomyceten. 368 pp. 1932.
5. Seaver, F. J. North American cup fungi. 284 pp. 1928.
6. Underwood, L. M. Alabama Agr. Exp. Stat. Bull. 80: 121. 1897.

GEORGIA ASCOMYCETES

A. PLECTOMYCETES

	Page
I. GYNOASCALES	35
II. MYRIANGIALES	35
III. ERYSIPHALES	
1. Erysiphaceae	35
2. Perisporiaceae	37
3. Ceratostomataceae	38

B. DISCOMYCETES CPERCULATAE

I. PEZIZALES	
1. Pezizaceae	38
2. Helvellaceae	39

DISCOMYCETES INOPERCULATAE

II. OSTROPALES	
1. Ostropaceae	40

III.	HELOTIALES	
1.	Dermateaceae	40
2.	Phaciidaeae	43
3.	Hyaloscyphaceae	45
4.	Helotiaceae	46
5.	Patellariaceae	48
6.	Geoglossaceae	49
IV.	HISTERIALES	
1.	Hysteriaceae	50
V.	TUBERALES	
1.	Elaphomycetaceae	51
VI.	TAPHRINALES	
1.	Taphrinaceae	51
VII.	MICROTHYRIALES	52

C. PYRENOMYCETES

I.	LOPHIOSTOMATALES	
1.	Lophiostomataceae	53
II.	SPHAERIALES	
1.	Hypocreaceae	54
2.	Xylariaceae	57
3.	Allantosphaeriaceae	62
4.	Diaporthaceae	66
5.	Phyllachoraceae	74
III.	PSEUDOSPHAERIALES	75
IV.	DOTHIDEALES	
1.	Dothideaceae	86
2.	Mycosphaerellaceae	87

GEORGIA ASCOMYCETESA. PLECTOMYCETESI. GYMNOGASCALES

1. Aspergillus niger Van Tiegh.

Cn' Allium cepa L., Medicago sativa L., Clarke.

II. MYRIANGIALES

1. Elsinoë randii Jenkins & Bit.

On Carya pecan (Marsh.) Engl. & Graebn., Dougherty.

2. Elsinoë solidaginis Jenkins & Ukkelb.

On Solidago edisoniana Mack., S. fistulosa Mill.,
S. leavenworthii T. & G., S. sempervirens L., S. serotina Ait., Chatham.

3. Elsinoë veneta (Burk.) Jenkins.

On Rubus idaeus L., R. occidentalis L., Clarke,

4. Myriangium asterinosporum (Ell. & Ev.) Mill.

On Crataegus collina Chapm., Clarke; C. crus-galli L.,
Walton; C. michauxii Pers., C. spathulata Michx., Clarke; C. uniflora
Moench., Greene; C. viridis L., Oglethorpe; Ilex decidua Walt., Walton;
Malus angustifolia (Ait.) Michx., Washington; M. pumila Mill., Clarke.

5. Myriangium duriaeae Mont. & Berk.

On Liquidambar styraciflua L., Clarke; Nyssa biflora Walt.,
Clarke; N. sylvatica Marsh., Clarke, DeKalb, Rabun, Ware; Quercus nigra L.,
Clarke.

6. Myriangium tuberculans Miles

On Carya alba (L.) K. Koch, C. glabra (Mill.) Sweet,
Clarke; C. pecan (Marsh.) Engl. & Graebn., Clarke, Dougherty; Carya sp.,
Clarke.

III. ERYSPHAEALES1. Erysiphaceae

1. Erysiphe cichoracearum DC

Cn' Ambrosia artemisiifolia L., Aster ericoides L. var.
platyphyllus T. & G., A. sagittifolius Wed. var. dissitiflorus Burg.,
Aster sp., Cucumis melo L., Cucurbita pepo L., Dahlia sp., Helianthus
annuus L., H. scaberrimus Ell., H. tuberosus L., Plantago rugelii Dene.,
Verbena sp., Xanthium canadense Mill., Zinnia elegans Jacq., Clarke.

2. Erysiphe gerardiae Schw.

On Gerardia virginica (L.) BSP., Clarke.

3. Erysiphe graminis DC.

On Hordeum pusillum Nutt., H. vulgare L., Clarke; Triticum aestivum L., Clarke, Washington.

4. Erysiphe lagerstroemiae West.

On Lagerstroemia indica L., Clarke, Liberty.

5. Erysiphe liriodendri Schw.

On Liriodendron tulipifera L., Clarke.

6. Erysiphe polygoni DC.

On Lathyrus odoratus L., Oenothera biennis L., O. laciniata Hill, Phaseolus vulgaris L., Pisum arvense L. var., P. sativum L., Polygonum aviculare L., P. pennsylvanicum L., Trifolium dubium Sibth., T. incarnatum L., T. pratense L., T. procumbens L., Vigna sinensis (L.) Endl., Clarke.

7. Microsphaera alni DC. ex Wint.

On Azalea calendulacea Michx., Rabun; Carya pecan (Marsh.) Engl. & Graebn., Catalpa bignonioides Walt., Ceanothus americanus L., Clarke; Cornus alternifolia L. f., Rabun; Syringa vulgaris L., Clarke.

8. Microsphaera diffusa Cke. & Pk.

On Iespedeza striata (Thunb.) H. & Arn., Phaseolus vulgaris L., Clarke.

9. Microsphaera euphorbiae Berk. & Curt.

On Euphorbia corollata L., Clarke, Rabun.

10. Microsphaera quercina (Schw.) Burr.

On Quercus alba L., Q. marilandica Muench., Q. nigra L., Q. velutina Lam., Clarke.

11. Microsphaera ravenelii Berk.

On Gleditsia triacanthos L., Clarke.

12. Microsphaera vaccinii (Schw.) Cke. & Pk.

On Vaccinium vacillans Kalm, Clarke.

13. Phyllactinia corylea Pers. ex Karst.

On Castanea dentata (Marsh.) Borkh., Rabun; Cornus florida L., Quercus nigra L., Q. stellata Wang., Ulmus alata Michx., Clarke.

14. Podosphaera leucotricha (Ell. & Ev.) Salm.

On Malus pumila Mill., Jonathan, Red June, Rome Beauty, Rabun.

15. Podosphaera oxyacanthae (DC.) D By.

On Prunus domestica L., Prunus umbellata Ell., Clarke.

16. Sphaerotheca humuli (DC.) Burr.
On *Taraxacum officinale* Weber, Clarke.
17. Sphaerotheca pannosa (Wallr.) Lev.
On *Rosa* sp., Clarke.
18. Uncinula circinata Cke. & Pk.
On *Acer rubrum* L., Clarke.
19. Uncinula flexuosa Pk.
On *Aesculus georgiana* Sarg., Clarke.
20. Uncinula geniculata Ger.
On *Morus rubra* L., Clarke.
21. Uncinula macrospora Pk.
On *Ulmus alata* Michx., Clarke.
22. Uncinula necator (Schw.) Burr.
On *Vitis labrusca* L. var. Concord, Rabun.
23. Uncinula parvula Cke. & Pk.
On *Celtis georgiana* Small, Clarke.
24. Uncinula salicis (DC.) Wint.
On *Salix humilis* Marsh., Rabun.

2. Perisporiaceae

1. Capnodium citri Berk. & Desm.
On *Gardenia jasminoides* Ellis, Pierce.
2. Meliola amphitricha Fr.
On *Acer negundo* L., Clarke; *Magnolia virginiana* L., Pierce;
Persea pubescens (Pursh) Sarg., Pierce, Washington.
3. Meliola bidentata Cke.
On *Bignonia capreolata* L., Oglethorpe.
4. Meliola magnoliae Stev.
On *Magnolia virginiana* L., Chatham.
5. Meliola nidulans (Schw. ex Fr.) Cke.
On *Vaccinium virgatum* Ait., *Vaccinium crassifolium* Ait.,
Glynn.
6. Meliola palmicola Wint.
On *Sabal minor* (Jacq.) Pers., Charlton, Glynn.
7. Meliola tenuis Berk. & Curt.
On *Arundinaria macrosperma* Michx., Jenkins; *Arundinaria tecta* (Walt.) Muhl., Charlton, Clarke, Tift.

8. Phaeostigme picea (Berk. & Curt.) Syd.
On Magnolia virginiana L., Chatham, Tift.
9. Scorias spongiosa Schw. ex Fr.
On Alnus rugosa (DuRoi) Spreng., Fagus grandifolia Ehrh.,
Clarke.

3. Ceratostomataceae

1. Ceratostomella fimbriata (Ell. & Halsted) Elliott.
On Ipomoea batatas (L.) Lam., Clarke, Ccone, Tift.
2. Ceratostomella pini Muench
On Pinus echinata Mill., Clarke; P. taeda L., Greene.

B. DISCOMYCETES OPERCULATAE

I. PEZIZALES

1. Pezizaceae

1. Aleuria aurantia (Pers. ex Fr.) Fckl.
On soil, Rabun.
2. Aleuria rutilans (Fr.) Gill.
On soil, Clarke.
3. Ascobolus furfuraceus Pers. ex Fr.
On cow dung, McIntosh.
4. Bulgaria rufa Schw.
On Quercus sp., Clarke, Rabun; on sticks, Clarke.
5. Bulgaria melastoma (Sow. ex Fr.) Seav.
On soil, Clarke.
6. Lachnea hemisphaerica (Wigg. ex Fr.) Gill.
On soil, Clarke.
7. Lachnea scutellata (L. ex Fr.) Gill.
On sticks, Clarke, Ccone.
8. Lamprospora crec'hqueraultii (Crouan) Boud.
On soil, Clarke.
9. Lasiobolus pilosus (Fr.) Sacc.
On cow dung, Clarke, McIntosh.
10. Macropodia macropus (Pers. ex Fr.) Fckl.
On wood soil, Clarke.

11. Otidea grandis Pers. ex Mass.
On soil, Clarke.
12. Otidea leporina (Batsch. ex Fr.) Fckl.
On soil, Clarke.
13. Paxina acetabulum (L. ex Fr.) Kuntze
In woods under pines, Clarke.
14. Paxina sulcata (Pers. ex Fr.) Kuntze
In wood soil, Clarke.
15. Peziza badia Pers. ex Fr.
In woods, Clarke
16. Peziza brunneoatra Desm.
In woods, Clarke
17. Peziza repanda Wahl. ex Fr.
In woods, Clarke.
18. Peziza succosa Berk.
In wood soil, Clarke.
19. Peziza vesiculosa Bull. ex Fr.
In soil, Clarke.
20. Peziza sp.
In soil, Clarke.
21. Pithya cupressina (Batsch. ex Fr.) Fckl.
On Juniperus sp., DeKalb; Thuja occidentalis L., Clarke.
22. Plectania occidentalis (Schw.) Seav.
In woods, Clarke.
23. Pseudoplectania nigrella (Pers. ex Fr.) Fckl.
In woods, Clarke.
24. Urnula craterium Schw. ex Fr.
On Quercus sp., Clarke.

2. Helvellaceae

1. Helvella elastica Bull. ex Fr.
In woods, Clarke.
2. Helvella lacunosa Afz. ex Fr.
In woods, Clarke.

3. Morchella conica Pers. ex Krombh.
In woods, Clarke.
4. Morchella esculenta Pers. ex Fr.
In woods, Clarke.
5. Morchella semilibera Fr.
In woods, Clarke.

DISCOMYCETESINCOPERCULATAEII. OSTROPALES1. Ostropaceae

1. Naemacyclus niveus (Pers. ex Fr.) Sacc.
On *Pinus sylvestris* L., Clarke.
2. Schizoxylon insigne (DeNot.) Rehm.
On *Carya alba* (L.) K. Koch, Clarke; *C. carolinæ-septentrionalis* (Ashe) Engl. & Graebn., Oglethorpe; *C. glabra* (Mill.) Sweet, *Corylus americana* Walt., *Fraxinus pennsylvanica* Marsh. var. *lanceolata* (Borkh.) Sarg., Clarke; *Hamamelis virginiana* L., Rabun; *Ilex opaca* Ait., *Juglans nigra* L., *Salix alba* L., *Solidago altissima* L., Clarke; *Viburnum prunifolium* L., Oglethorpe; *Viburnum rufidulum* Raf., *Vitis rotundifolia* Michx., Clarke.
3. Stictis fimbriata Schw.
On *Pinus taeda* L., Clarke, Oglethorpe.
4. Stictis radiata Pers. ex Fr.
On *Erigeron canadensis* L., *Holcus halepensis* L., *Ligustrum vulgare* L., *Melia azedarach* L., *Pueraria hirsuta* Schneid., *Rumex crispus* L., Clarke; *Sambucus canadensis* L., Rabun; *Smilax glauca* Walt., *Solidago* sp., *Zea mays* L., Clarke.
5. Stictis sp.
On *Cyrilla racemiflora* L., Dooly.
6. Vibrissa truncorum Alb. & Schw. ex Fr.
On *Liquidambar styraciflua* L., *Quercus alba* L., Clarke.

III. HELOTIALES1. Dermateaceae

1. Calloria fusarioides (Berk.) Fr.
On *Boehmeria cylindrica* (L.) Sw., *Pilea pumila* (L.) Gray, Clarke.

2. Dermatea crataegicola Durand
On *Crataegus michauxii* Pers., *C. spathulata* Michx., Clarke.
3. Diplocarpon earliana (Ell. & Ev.) Wolf
On *Fragaria virginiana* Duch., Clarke, Cobb.
4. Diplocarpon rosae (Schw.) Wolf.
On *Rosa* sp., Clarke.
5. Discohainesia oenotherae (Cke. & Ell.) Nannf.
On *Castanea mollissima* Bl., *Liriodendron tulipifera* L.,
Oenothera biennis L., *Rhus glabra* L., Clarke.
6. Drepanopeziza populi-albae (Kleb.) Nannf.
On *Populus alba* L., Clarke.
7. Fabraea maculata Atk.
On *Amelanchier canadensis* (L.) Medic., *Cydonia oblonga* Mill.,
Clarke.
8. Higginsia hiemalis (Hig.) Nannf.
On *Prunus avium* L., Clarke; *P. cerasus* L., Spalding.
9. Higginsia kerriae (Stew.) Nannf.
On *Kerria japonica* DC., Clarke.
10. Higginsia lutescens (Hig.) Nannf.
On *Prunus serotina* Ehrh., Clarke, Spalding.
11. Mollisia atrata (Pers. ex Fr.) Karst.
On *Ambrosia artemisiifolia* L., *Aster ericoides* L. var.
platyphyllus T. & G., *Bidens frondosa* L., *Chelone glabra* L., *Eupatorium purpureum* L., *Hypericum gentianoides* (L.) BSP., *Sonchus oleraceus* L.,
Clarke.
12. Mollisia cinerea (Batsch ex Fr.) Karst.
On *Aster puniceus* L., *Quercus cinerea* Michx., *Q. coccinea*
Muench., *Vitis rotundifolia* Michx., Clarke.
13. Mollisia polygoni (Lasch) Gill.
On *Polygonum pensylvanicum* L., Clarke.
14. Mollisia scirpina (Pk.) Sacc.
On *Scirpus georgianus* Harp., Clarke.
15. Mollisia sp.
On *Carex crinita* Lam., Clarke.
16. Mollisia sp.
On *Corylus maxima* Mill., Clarke.

17. Mollisia sp.
On *Glyceria nervata* (Willd.) Trin., Clarke.
18. Mollisia sp.
On *Prunus serotina* Ehrh., Clarke
19. Mollisia sp.
On *Salix nigra* L., Clarke
20. Mollisia sp.
On *Sarracenia flava* L., Pierce
21. Mollisia sp.
On *Thuja occidentalis* L., Clarke
22. Naevia sp.
On *Magnolia macrophylla* Michx., DeKalb
23. Pezicula carneae (Cke. & Ell.) Rehm
On *Acer rubrum* L., Clarke.
24. Pezicula carpinea (Pers. ex Fr.) Tul.
On *Carpinus caroliniana* Walt., Clarke
25. Pezicula sp.
On *Alnus rugosa* (DuRoi) Spreng., Clarke.
26. Pezicula sp.
On *Oxydendrum arboreum* (L.) DC., Clarke.
27. Phaeangium magnisporum Cash
On *Betula nigra* L., Clarke
28. Pseudohelotium sacchariferum (Berk.) Sacc.
On *Liquidambar styraciflua* L., Clarke.
29. Pseudopeziza medicaginis (Lib.) Sacc.
On *Medicago arabica* Huds., *M. sativa* L., Clarke
30. Pyrenopeziza foliicola (Karst.) Sacc.
On *Alnus rugosa* (DuRoi) Spreng., Clarke.
31. Pyrenopeziza leucodermis Cash
On *Acer floridanum* (Chapm.) Pax., Elbert; *A. leucoderme* Small, Clarke, Oglethorpe; *A. rubrum* L., Rabun.
32. Pyrenopeziza minuta Cash
On *Tilia heterophylla* Vent. var. *michauxii* (Nutt.) Sarg., Clarke.

33. Pyrenopeziza prinicola (Ell. & Ev.) Cash
On Quercus maxima (Marsh.) Ashe, Walton; Q. rubra L.,
Q. stellata Wang., Clarke.
34. Pyrenopeziza sp.
On Castanea pumila (L.) Mill., Hall.
35. Pyrenopeziza sp.
On Galium pilosum Ait., Clarke.
36. Pyrenopeziza sp.
On Sericocarpus linifolius (L.) BSP., Oglethorpe

2. Phacidiaeae

- (A) 1. Coccomyces dentatus (Schm. ex Fr.) Sacc.
On Rhododendron maximum L., Rabun
2. Coccomyces triangularis (Schw. ex Fr.) Sacc.
On Quercus alba L., Clarke.
3. Coccomyces sp.
On Cliftonia monophylla (Lam.) Sarg., Pierce.
4. Colpoma azaleae (Schw.) Cke.
On Azalea canescens Michx., Clarke.
5. Colpoma juniperinum Cke. & Pk.
On Juniperus virginiana L., Elbert, Rabun.
6. Colpoma quercinum (Pers. ex Fr.) Wallr.
On Castanea dentata (Marsh.) Borkh., Quercus sp., Rabun.
7. Hypoderma commune (Fr.) Duby
On Amsonia tabernaemontana Walt., Clarke; Aster sp.,
Clarke, Rabun; Bidens frondosa L., Bignonia capreolata L., Chelone glabra
L., Eupatorium purpureum L., Fraxinus americana L., Clarke; Helelenium
curtisii Gray, Atkinson; Helianthus microcephalus T. & G., Lespedeza
frutescens (L.) Britt., Clarke; Magnolia tripetala L., Oglethorpe;
Rudbeckia laciniata L., Silphium dentatum Ell., Silphium lapsuum Small,
Solidago altissima L., S. caesia L., S. erecta Pursh, S. odora Ait.,
S. serotina Ait., Vernonia noveboracensis (L.) Willd., Clarke.
8. Hypoderma desmazierii Duby
On Pinus strobus L., Rabun.
9. Hypoderma ilicinum DeNot.
On Quercus nigra L., Clarke, Glynn; Q. virginiana Mill.,
Glynn.

10. Hypoderma lethale Dearn.
On *Pinus echinata* Mill., Clarke.
11. Lophodermium arundinaceum (Schrad. ex Fr.) Chev.
On *Arundinaria tecta* (Walt.) Muhl., Clarke.
12. Lophodermium cyrillicola Tracy & Earle
On *Cyrilla racemiflora* L., Dooly.
13. Lophodermium maculare (Fr.) DeNot
On *Vaccinium vacillans* Kalm, Rabun.
14. Lophodermium nitens Darker
On *Pinus excelsa* Wall., Clarke; *Pinus strobus* L., Rabun, Union.
15. Lophodermium pinastri (Schrad. ex Fr.) Chev.
On *Pinus caribaea* Mor., Clarke, Pierce; *P. echinata* Mill.,
P. jeffreyi Murr., *P. mugo* Turra, *P. palustris* Mill., Clarke, McIntosh;
P. ponderosa Laws, Clarke; *P. rigida* Mill., Union; *P. strobus* L., Clarke,
Rabun; *P. taeda* L., Clarke, Glynn; *P. virginiana* Mill., Clarke, Jackson.
16. Lophodermium punctiforme (Fr.) Fckl.
On *Liriodendron tulipifera* L., Clarke.
17. Lophodermium rubicola Earle
On *Rubus argutus* Lk., Clarke; *Rubus* sp., Glynn.
18. Lophodermium typhinum (Fr.) Lamb.
On *Typha latifolia* L., Clarke.
19. Lophodermium sp.
On *Smilax laurifolia* L., McDuffie.
20. Macroderma curtisii (Berk. & Rav.) von Höhn.
On *Ilex opaca* Ait., Clarke, McIntosh, Rabun, Washington.
21. Rhytisma acerinum Pers. ex Fr.
On *Acer floridanum* (Chapm.) Pax., Washington; *A. rubrum*
L., Clarke, Glynn, Pierce.
22. Rhytisma decolorans Fr.
On *Lyonia ligustrina* (L.) DC., Rabun; *L. ligustrina* (L.)
DC. var. *foliosiflora* (Michx.) Fern., Lincoln.
23. Rhytisma prini Schw. ex Fr.
On *Ilex decidua* Walt., Dooly, Greene.
24. Rhytisma salicinum Pers. ex Fr.
On *Salix tristis* Ait., Rabun.

25. Rhytisma sp.On *Ilex cassine* L., Charlton.(B) 26. Coccophacidium pini (Alb. & Schw. ex Fr.) Rehm.On *Pinus excelsa* Wall., Clarke; *P. strobus* L., Clarke,
Union.27. Propolis leonis (Tul.) Rehm.On *Pinus echinata* Mill., *P. sylvestris* L., Clarke; *Tsuga canadensis* (L.) Carr., Rabun.28. Propolis rhodoleuca (Sommf. ex Fr.) Phil.On *Pinus echinata* Mill., *P. strobus* L., Clarke.29. Propolis versicolor Fr.On *Alnus rugosa* (DuRoi) Spreng., *Azalea canescens* Michx., *Liriodendron tulipifera* L., Clarke; *Quercus nigra* L., Clarke, Washington; *Q. rubra* L., Clarke; *Quercus* sp., Rabun; branches, McIntosh.30. Sphaerangium sp.On *Tilia heterophylla* Vent. var. *michauxii* (Nutt.) Sarg., Clarke.31. Sphaeropeziza arundinariae Cash.On *Arundinaria tecta* (Walt.) Muhl., Clarke, Oglethorpe.3. Hyaloscyphaceae1. Lachnum arundinariae CashOn *Arundinaria tecta* (Walt.) Muhl., Clarke.2. Lachnum ciliare (Schrad. ex Fr.) RehmOn *Quercus alba* L., *Q. nigra* L., Clarke; *Q. phellos* L., Oglethorpe, Washington; *Q. rubra* L., Clarke; *Q. shumardii* Buckl., Oglethorpe; *Q. velutina* Lam., Clarke.3. Lachnum corni CashOn *Cornus amomum* Mill., Clarke, Jackson.4. Lachnum halesiae CashOn *Halesia carolina* L., Clarke5. Lachnum morthieri (Cke.) RehmOn *Hypericum mutilum* L., Clarke.6. Lachnum pollinarium (Cke.) CashOn *Quercus catesbeiae* Michx., Cook, Washington; *Q. montana* Willd., Clarke, Rabun; *Q. prinus* L., Washington; *Q. pumila* Walt., Tift; *Q. rubra* L., Burke; *Q. stellata* Wang., Clarke.

7. Lachnum virginellum (Cke.) Rehm
On Polycodium candidans Small, Clarke.
8. Lachnum virgineum (Batsch ex Fr.) Karst.
On Alnus rugosa (DuRoi) Spreng., Taxodium distichum (L.) Rich., Clarke.
9. Lachnum sp.
On Kermesia lycioides Gaertn. f., Clarke
10. Lachnum sp.
On Quercus maxima (Marsh.) Ashe, Rabun; Q. pumila Walt., Tift.

4. Helotiaceae

1. Atropellis tingens Lohman & Cash
On Pinus echinata Mill., P. taeda L., Clarke; P. virginiana Mill., Clarke, Rabun.
2. Beloniopsis guestphalicum (Rehm) Nannf.
On Carex lurida Wahlenb., Juncus effusus L., Clarke.
3. Cenangium atropurpureum Cash & Davidson
On Pinus taeda L., Clarke.
4. Cenangium balsameum Pk.
On Tsuga canadensis (L.) Carr., Rabun.
5. Cenangium episphaeria Schw.
On Acer rubrum L., Clarke
6. Cenangium ferruginosum Fr.
On Pinus echinata Mill., P. taeda L., Clarke.
7. Chlorociboria aeruginosa (Oed. ex Fr.) Seav.
On Castanea dentata (Marsh.) Borkh., Rabun.
8. Chlorociboria versiformis (Pers. ex Fr.) Seav.
On Castanea dentata (Marsh.) Borkh., Rabun.
9. Chlorociboria sp.
On wood, Clarke.
10. Chlorosplenium chloro (Schw. ex Fr.) Mass.
On Castanea dentata (Marsh.) Borkh., Rabun.
11. Ciboria echinophila (Bull. ex Fr.) Sacc.
On Castanea mollissima Bl., Clarke.
12. Dasyphylla acerina (Cke. & Ell.) Cash
On Acer rubrum L., Rabun.

13. Dasyscypha albopileata (Cke.) Sacc.
On *Magnolia virginiana* L., Washington
14. Dasyscypha ellisiana (Rehm) Sacc.
On *Pinus caribaea* Mor., McIntosh; *P. echinata* Mill.,
P. jeffreyi Murr., Clarke; *P. palustris* Mill., Glynn; *P. strobus* L.,
P. taeda L., Clarke.
15. Dasyscypha nivea (Hedw. f. ex Fr.) Sacc.
On *Leuccthoë catesbeiae* (Walt.) Gray, Lumpkin; *Oxydendrum arboreum* (L.) DC., herbaceous stems, Clarke.
16. Dasyscypha pulveracea (Alb. & Schw. ex Fr.) v. Höhn.
On *Melia azedarach* L., Clarke; *Quercus maxima* (Marsh.) Ashe, Clarke; *Ulmus serotina* Sarg., Clarke.
17. Dasyscypha sp.
On *Andropogon virginicus* L., Clarke
18. Godronia rugosa Ell. & Ev.
On *Oxydendrum arboreum* (L.) DC., Clarke, Elbert, Hall, Lincoln, Morgan.
19. Godronia sp.
On *Cstrya virginiana* (Mill.) K. Koch, Clarke
20. Helotium citrinum Hedw. ex Fr.
On log, Clarke, Rabun.
21. Helotium sp.
On *Solidago altissima* L., Clarke.
22. Ionomidotis fulvo-tingens (Berk. & Curt.) Cash
On *Quercus alba* L., Clarke.
23. Monilinia azaleae Honey
On *Azalea canescens* Michx., Clarke
24. Pezizella minuta Dearn
On *Pinus taeda* L., Gilmer
25. Phaeohypharia inquinans (Pers. ex Fr.) Nannf.
On *Quercus* sp., Catoosa, Clarke.
26. Phialea dearnessii Ell. & Ev.
On *Steironema ciliatum* (L.) Raf., Clarke.
27. Phialea gemmarum (Boud.) Sacc.
On *Populus deltoides* Marsh., Clarke.
28. Phialea phyllophilà (Desm.) Gill. f. fagicola Sacc.
On *Fagus grandifolia* Ehrh., Clarke.

29. Phialea scutula (Pers. ex Fr.) Gill.
On *Impatiens biflora* Walt., Clarke.
30. Scleroterris arundinariae Atk.
On *Arundinaria tecta* (Walt.) Muhl., Clarke.
31. Scleroterris crypta (Cke.) Sacc.
On *Azalea canescens* Michx., Clarke.
32. Sclerotinia carunculoides Sieg. & Jenkins
On *Morus rubra* L., Appling, Lanier, Tift, Webster.
33. Sclerotinia fructicola (Wint.) Rehm.
On *Prunus angustifolia* Marsh., *P. avium* L., *P. cerasus* L.,
P. domestica L., *P. persica* (L.) Stokes, *P. umbellata* Ell., Clarke.
34. Sclerotinia sclerotiorum (Lib.) Mass.
On *Brassica oleracea* L. var. *acephala* DC., *B. oleracea* var.
capitata L., *Daucus carota* L. var. *sativa* DC., Clarke; *Lactuca sativa* L.,
Clarke, Glynn.
35. Sclerotinia seaveri Rehm
On *Prunus serotina* Ehrh., Chatham, Clarke, Peach.
36. Velutaria rufo-olivacea (Alb. & Schw. ex Fr.) Fckl.
On *Liquidambar styraciflua* L., Clarke.

5. Patellariaceae.

1. Agyrium sp.
On wood, Rabun.
2. Angelina rufescens (Schw. ex Fr.) Duby
On *Liriodendron tulipifera* L., Clarke; *Quercus* sp.,
Clarke.
3. Hysteropatella prostii (Duby) Rehm
On *Ulmus alata* Michx., Clarke; *U. americana* L., Hart,
U. serotina Sarg., Clarke.
4. Karschia lignyota (Fr.) Sacc.
On *Juniperus virginiana* L., *Pinus echinata* Mill., Clarke.
5. Karschia stygia (Berk. & Curt.) Mass.
On *Liriodendron tulipifera* L., Clarke, Rabun; *Myrica carolinensis* Mill., Pierce.
6. Karschia sp.
On *Pinus echinata* Mill., Clarke.

7. Lecanidion atratum (Hedw. ex Fr.) Endl.
On *Liriodendron tulipifera* L., Clarke.
8. Lecanidion clavisporum (Berk. & Br.) Sacc.
On *Crataegus viridis* L., Ogletorpe; *Liriodendron tulipifera* L., *Oxydendrum arboreum* (L.) DC., *Quercus* sp., Clarke.
9. Lecanidion fuscoastrum Rehm
On *Quercus nigra* L., *Q. rubra* L., Clarke.
10. Lecanidion sp.
On *Oxydendrum arboreum* (L.) DC., DeKalb
11. Tryblidiella rufula (Spreng. ex Fr.) Sacc.
On *Ficus carica* L., Chatham; *Hibiscus syriacus* L., Clarke; *Morus* sp., McIntosh; *Nyssa sylvatica* Marsh., Colquitt; *Oxydendrum arboreum* (L.) DC., Clarke; *Platanus occidentalis* L., *Quercus nigra* L., *Rhus glabra* L., Clarke; *R. toxicodendron* L., Clarke; *Rhus* sp., McIntosh; on wood, Chatham, Thomas.

6. Geoglossaceae

1. Geoglossum nigritum Cke.
On soil in woods, Rabun.
2. Gloeoglossum difforme (Fr.) Durand
In pine woods, Chatham, Rabun.
3. Lectia chlorocephala Schw. ex Fr.
In pine woods, Clarke.
4. Leotia lubrica Scop. ex Fr.
In mixed woods, Clarke, Rabun.
5. Leotia viscosa Fr.
In woods, Rabun.
6. Microglossum olivaceum (Pers. ex Fr.) Gill.
In woods, Clarke.
7. Microglossum viride (Schrad. ex Fr.) Gill.
In woods, Clarke.
8. Mitrula paludosa Fr.
In swamp on leaves, Clarke.
9. Trichoglossum hirsutum (Pers. ex Fr.) Boud.
On soil, woods, Clarke, Hall, Rabun.
10. Trichoglossum walteri (Berk.) Durand
In pine woods, Rabun.

IV. HYSTERIALES

1. Hysteriaceae

1. Dichaena strumosa Fr.
On *Quercus nigra* L., Clarke, Glynn.
2. Gloniopsis ellisi Cash
On *Smilax laurifolia* L., *S. rotundifolia* L., Clarke.
3. Gloniopsis insignis (Cke. & Hark.) Berl. & Vogl.
On *Lespedeza virginica* (L.) Britt., Clarke.
4. Gloniopsis verbasci (Schw.) Rehm.
On *Berchemia scandens* (Hill) Trel., Wilkinson.
5. Glonium abbreviatum (Schw.) Lohm.
On *Quercus* sp., Clarke.
6. Glonium clavisporum Seav.
On *Vitis rotundifolia* Michx., Clarke.
7. Glonium curtisii (Duby) Lohm.
On *Berchemia scandens* (Hill) Trel., Wilkinson; *Carpinus caroliniana* Walt., *Castanea pumila* (L.) Mill., Clarke; *Cyrilla racemiflora* L., Pierce; *Quercus nigra* L., *Smilax laurifolia* L., *Vaccinium elliottii* Chapm., *Vitis rotundifolia* Michx., Clarke.
8. Glonium lineare (Fr.) DeNot.
On *Quercus nigra* L., *Quercus* sp., Clarke.
9. Glonium simulans Ger.
On *Quercus* sp., Rabun.
10. Glonium stellatum Muhl. ex Fr.
On *Quercus alba* L., Clarke; *Quercus* sp., Hall, Rabun;
on log, Oconee.
11. Glonium sp.
On *Fraxinus pennsylvanica* Marsh., Clarke.
12. Glonium sp.
On *Viburnum orientale* Pall., Clarke.
13. Hysterium angustatum Alb. & Schw.
On *Diatrype stigma* Hoffm. ex Fr., Clarke; *Vaccinium arboreum* Marsh., Baldwin, Clarke; *Vaccinium elliottii* Chapm., Clarke.
14. Hysterium macrosporum Pk.
On *Pinus* sp., White.

15. Hysterium magnosporum Ger.
On *Quercus* sp., *Salix nigra* Marsh., Clarke.
16. Hysterium pulicare Pers. ex Fr.
On *Betula nigra* L., Clarke, Greene, Morgan; *Quercus* sp., Clarke.
17. Hysterographium flexuosum (Schw. ex Fr.) Rehm
On *Acer rubrum* L., *Castanea pumila* (L.) Mill., *Quercus coccinea* Muench., *Q. nigra* L., *Salix babylonica* L., Clarke; *Vitis rotundifolia* Michx., Clarke, Glynn.
18. Hysterographium lesquereuxii (Duby) Sacc.
On *Gleditsia triacanthos* L., Clarke.
19. Hysterographium mori (Schw.) Rehm
On *Catalpa bignonioides* Walt., *Morus rubra* L., Clarke; *Pinus* sp., White.
20. Hysterographium nova-caesariense (Ell.) Roum.
On *Pinus echinata* Mill., Clarke.
21. Hysterographium subrugosum (Cke. & Ell.) Sacc.
On *Castanea dentata* (Marsh.) Borkh., Rabun; *Quercus catesbeiae* Michx., Laurens; *Q. coccinea* Muench., Rabun.
22. Mytilidion karstenii Sacc.
On *Pinus echinata* Mill., Clarke.
23. Mytilidion tortile (Schw. ex Fr.) Sacc.
On *Juniperus virginiana* L., Clarke.
24. Ostreion americanum Duby
On *Quercus* sp., Clarke.
25. Ostreion sp.
On *Quercus alba* L., Clarke.

V. TUBERALES

1. Elaphomycetaceae

1. Elaphomyces cervinus (L. ex Gray) Schl.
In soil, Camden.

VI. TAPHRINALES

1. Taphrinaceae

1. Taphrina caerulescens (Mont. & Desm.) Tul.

On *Quercus alba* L., *Q. coccinea* Muench., Clarke; *Q. georgiana* Curt., DeKalb; *Q. marilandica* Muench., Clarke, Hall; *Q. maxima* (Marsh.) Ashe, White; *Q. montana* Willd., Union; *Q. nigra* L., Clarke, Cobb, Tift; *Q. palustris* Muench., *Q. rubra* L., *Q. velutina* Lam., Clarke; *Q. virginiana* Mill., Charlton.

2. *Taphrina dearnessii* Jenkins

On *Acer rubrum* L., Clarke, DeKalb.

3. *Taphrina deformans* (Berk.) Tul.

On *Prunus persica* (L.) Stokes, Clarke.

4. *Taphrina farlowii* Sadeb.

On *Prunus serotina* Ehrh., Clarke.

5. *Taphrina mirabilis* (Atk.) Gies.

On *Prunus angustifolia* Marsh., Barks, Clarke; *P. umbellata* Ell., Clarke, DeKalb.

6. *Taphrina polystichi* Mix

On *Polystichum acrostichoides* (Michx.) Schott., Clarke, Gwinnett.

7. *Taphrina purpurascens* Robins.

On *Rhus copallina* L., Clarke, DeKalb, Oconee.

8. *Taphrina robinsoniana* Gies.

On *Alnus rugosa* (DuRoi) Spreng., Charlton, Clarke, Oglethorpe.

9. *Taphrina rugosa* Ray

On *Alnus rugosa* (DuRoi) Spreng., Spalding.

10. *Taphrina sacchari* Jenkins

On *Acer saccharum* Marsh., Whitfield.

11. *Taphrina virginica* Seym. & Sadeb.

On *Ostrya virginiana* (Mill.) K. Koch, Clarke.

VII. MICROTHYRIALES

1. *Asterina delitescens* Ell. & Mart.

On *Persea pubescens* (Pursh) Sarg., Laurens, Washington.

2. *Asterina ilices* Ell.

On *Ilex opaca* Ait., Glynn.

3. *Asterina pelliculosa* Berk.

On *Ilex coriacea* (Pursh) Chapm., Charlton.

4. Asterina sabalicola Earle
On Sabal minor (Jacq.) Pers., McIntosh.
5. Aulographum arundinariae Cke.
On Arundinaria tecta (Walt.) Muhl., Clarke, McIntosh.
6. Clypeolella leemingii (Ell. & Ev.) Theiss.
On Galax aphylla L., Rabun.
7. Dimerosporium galactis Ell. & Ev.
On Galax aphylla L., Rabun.
8. Dimerosporium tsugae Dcarn.
On Tsuga canadensis (L.) Carr., Rabun.
9. Englerulaster orbicularis (Berk. & Curt.) v. Höhn.
On Ilex coriacea (Pursh) Chapm., Ilex glabra (L.) Gray,
Pierce; Ilex opaca Ait., Clarke, Washington.
10. Microthyriella cuticulosa (Cke.) v. Höhn.
On Ilex opaca Ait., Glynn, Rabun.
11. Microthyrium microscopicum Desm.
On Magnolia grandifolia L., Quercus coccinea Muench.,
Q. maxima (Marsh.) Ashe, Q. stellata Wang., Clarke.
12. Microthyrium sp.
On Desmodium canadense (L.) DC., Lespedeza frutescens
(L.) Britt., Clarke.
13. Microthyrium sp.
On Pueraria hirsuta Schneid., Clarke.
14. Morenoella quercinum (Ell. & Mart.) Theiss.
On Quercus catesbeiae Michx., Cook; Q. maxima (Marsh.)
Ashe, Clarke, Elbert, Hart, Madison; Q. prinus L., Q. velutina Lam.,
Clarke.
15. Myiocoron smilacis (DeNot.) Sacc.
On Smilax bona-nox L., Clarke, Union; Smilax sp., Clarke.
16. Stigmatea sclerotidea Cke.
On Arundinaria tecta (Walt.) Muhl., Oglethorpe, Washington.

C. PYRENOMYCETES

I. LOPHIOSTOMATALES

1. Lophiostomataceae

1. Lophionema crenatum Ell. & Ev.
On Acer negundo L., Clarke.

2. Lophionema vermisporum (Ell.) Sacc.
On Oenothera biennis L., Clarke.
3. Lophiosphaeria velata (Ell. & Ev.) Lohm.
On Quercus maxima (Marsh.) Ashe, Q. montana Willd.,
Quercus sp., Clarke.
4. Lophiostoma arundinis (Fr.) Ces. & DeNot.
On Scirpus georgianus Harp., Clarke.
5. Lophiostoma caulium (Fr.) Ces. & DeNot.
On Helianthus microcephalus T. & G., Clarke; Hypericum punctatum Lam., Rabun; Lespedeza hirta (L.) Horn., Monarda punctata L., Platanus occidentalis L., Prunella vulgaris L., Rumex crispus L., Sericocarpus asteroides (L.) BSP., Solidago altissima L., S. serotina Ait., Stachys tenuifolia Willd., Yucca filamentosa L., Clarke.
6. Lophiostoma triseptatum Pk.
On wood, Rabun; Celtis georgiana Small, Clarke.
7. Lophiostrema vagabundum Sacc.
On Salix nigra Marsh., Solidago caesia L., Clarke.
8. Lophiostrema sp.
On Lespedeza virginica (L.) Britt., Clarke.

II. SPHAERIALES

1. Hypocreaceae

Nectriæ

1. Gibberella moricola (DeNot.) Sacc.
On Morus alba L., M. rubra L., Clarke.
2. Gibberella zeae (Schw.) Petch
On Holcus halepensis L., Zea mays L., Clarke.
3. Nectria atrofusca (Schw.) Ell. & Ev.
On Staphylea trifolia L., Clarke.
4. Nectria cinnabarina Tode ex Fr.
On Acer rubrum L., Amelanchier canadensis (L.) Medic.,
Betula lutea Michx. f., Union; Elaeagnus umbellata Thunb., Clarke;
Gossypium hirsutum L., Madison; Hibiscus syriacus L., Melia azedarach L.,
Quercus nigra L., Clarke; Quercus sp., Rabun; Robinia pseudo-
acacia L., Tilia heterophylla Vent. var. michauxii (Nutt.) Sarg.,
Clarke.

5. Nectria coccinea Pers. ex Fr.
On Albizzia julibrissin Dur., Carya glabra (Mill.) Sweet,
Clarke; Carya sp., McIntosh.
6. Nectria cucurbitula (Tode ex Fr.) Sacc.
On Pinus taeda L., Clarke.
7. Nectria episphaeria Tode ex Fr.
On Diatrype sp., McIntosh; on Valsa sp., on Morus rubra L.,
Clarke, Greene, Pierce.
8. Nectria ochroleuca (Schw.) Curt.
On Liriodendron tulipifera L., Clarke.
9. Nectria peziza Tode ex Fr.
On decayed mushroom, log, Platanus occidentalis L.,
Clarke.
10. Neocosmospora vasinfекта Erw. Smith
On Arachis hypogaea L., Clay; Crotalaria sp., Tift.
11. Scoleconectria polythalama (Berk.) Seav.
On Fraxinus pennsylvanica Marsh. var. lanceolata (Borkh.)
Sarg., Clarke.
12. Scoleconectria scolecospora (Bref.) Seav.
On Pinus strobus L., Clarke, White.
13. Sphaerostilbe coccophila Tul.
On Fraxinus pennsylvanica Marsh. var. lanceolata (Borkh.)
Sarg., Quercus nigra L., Q. palustris Muench., Clarke; Ulmus alata
Michx., Polk.
14. Thyronectria austro-americana (Speg.) Seeler.
On Albizzia julibrissin Dur., Clarke.
15. Thyronectria pyrrhochlora (Auers.) Sacc.
On Acer saccharum Marsh., Clarke; Celtis georgiana Small,
Clarke; Diospyros virginiana L., Jackson; Rhus glabra L., Clarke.

Hypocreæ ·

1. Balansia hypoxylon (Pk.) Atk.
On Danthonia sericea Nutt., Clarke.
2. Balansia pilulaeformis (Berk. & Curt.) Diehl
On Paspalum pubescens Muhl., Chatham.

3. Claviceps paspali Stev. & Hall.
On *Paspalum dilatatum* Poir., Clarke, Greene; *Paspalum* sp., Clarke.
4. Claviceps tripsaci Stev. & Hall.
On *Tripsacum dactyloides* L., Ogletorpe.
5. Cordyceps acicularis Rav. & Berk.
On mayflies, Clarke.
6. Cordyceps capitata (Holmsk. ex Fr.) Lk.
On *Elaphomyces cervinus* (L. ex Gray) Schl., Camden.
7. Cordyceps militaris (L. ex Fr.) Lk.
On pupa, Clarke, Rabun.
8. Cordyceps sphacelata (Klotzsch) Mass.
On mature wasp, Clarke.
9. Creopus gelatinosus (Tode ex Fr.) Lk.
On rotten wood, *Vitis labrusca* L., Rabun.
10. Dothichloë aristidae Atk.
On *Aristida stricta* Michx., Chatham; *A. virgata* Trin., Hart.
11. Dothichloë atramentosa (Berk. & Curt.) Atk.
On *Andropogon virginicus* L., Chatham, Clarke.
12. Dothichloë limitata Diehl
On *Eragrostis hirsuta* (Michx.) Nees, Clarke; *E. refracta* (Muhl.) Scribn., Thomas; *Sporobolus poiretii* (Roem. & Schult.) Hitchc., Chatham, Decatur.
13. Dothichloë nigricans (Speg.) Chardon
On *Panicum aciculare* Desv., *P. scoparium* Lam., Chatham; *Panicum* sp., Charlton, Chatham.
14. Ephichloë typhina (Pers. ex Fr.) Tul.
On *Glyceria nervata* (Willd.) Trin., Clarke.
15. Hypocrea citrina Pers. ex Fr.
On soil and roots, Clarke.
16. Hypocrea lenta (Tode ex Fr.) Berk. & Br.
On *Acer rubrum* L., Rabun; *Betula nigra* L., *Carya* sp., Clarke; *Liquidambar styraciflua* L., McIntosh; *Quercus* sp., Clarke.
17. Hypocrea olivacea Cke. & Ell.
On *Pinus caribaea* Mor., Pierce.

18. Hypocrea patella Cke. & Pk.
On Liriodendron tulipifera L., Clarke.
19. Hypocrea sulphurea (Schw.) Sacc.
On Quercus nigra L., Quercus sp., Clarke.
20. Hypomyces aurantius (Pers. ex Fr.) Tul.
On Polystictus versicolor L. ex Fr., Stereum lobatum Kze.
ex Fr., Clarke.
21. Hypomyces chrysospermus (Bull. ex Fr.) Tul.
On Boletus sp., Clarke.
22. Hypomyces lactifluorum (Schw. ex Fr.) Tul.
On Lactarius piperatus Fr., L. volemus Fr., Clarke.
23. Hypomyces rosellus (Alb. & Schw. ex Fr.) Tul.
On Polystictus versicolor L. ex Fr. on Fraxinus pennsylvanica Marsh. var. lanceolata (Borkh.) Sarg., Oglethorpe.

2. Xylariaceae

1. Camarops polyspermum (Mont.) Mill.
On Acer negundo L., Liriodendron tulipifera L., Clarke;
Quercus sp., Rabun.
2. Daldinia concentrica (Bolt. ex Fr.) Ces. & DeNot.
On Acer leucoderme Small, Betula nigra L., Clarke;
Quercus sp., wood, Rabun.
3. Daldinia vernicosa (Schw.) Ces. & DeNot.
On Sassafras variifolium (Salisb.) Ktze., Clarke; wood,
Rabun.
4. Hypoxyylon albocinctum Ell. & Ev.
On old Poria punctata Fr., Clarke.
5. Hypoxyylon argillaceum Pers. ex Berk.
On Fraxinus biltmoreana Beadle, Rabun; Fraxinus
pennsylvanica Marsh. var. lanceolata (Borkh.) Sarg., Clarke.
6. Hypoxyylon atropunctatum (Schw. ex Fr.) Cke.
On Acer rubrum L., Fagus grandifolia Ehrh., Ostrya
virginiana (Mill.) K. Koch, Quercus alba L., Clarke; Q. coccinea Muench.,
Rabun; Q. maxima (Marsh.) Ashe, Clarke; Q. nigra L., Bullock, Clarke;
Q. velutina Lam., Quercus sp., Clarke, Greene, Thomas.
7. Hypoxyylon cohaerens Pers. ex Fr.
On Fagus grandifolia Ehrh., Catoosa, Clarke, Rabun,
Union.

8. Hypoxyylon croceum Mill.

On *Liriodendron tulipifera* L., *Quercus* sp., Rabun.

9. Hypoxyylon crocopeplum Berk. & Curt.

On *Acer rubrum* L., Rabun; *Carya* sp., *Quercus nigra* L., Clarke; *Quercus* sp., Rabun.

10. Hypoxyylon culmorum Cke.

On *Arundinaria tecta* (Walt.) Muhl., Chatham, McIntosh, Morgan.

11. Hypoxyylon deustum (Hoffm. ex Fr.) Grev.

On *Fagus grandifolia* Ehrh., Clarke, Union; *Nyssa sylvatica* Marsh., Pierce; *Quercus maxima* (Marsh.) Ashe, Clarke; *Quercus* sp., Bullock, Rabun.

12. Hypoxyylon epiphænum Berk. & Curt.

On *Magnolia virginiana* L., Camden, Dooly, Thomas.

13. Hypoxyylon fragiforme (Pers. ex Fr.) Kickx.

On *Fagus grandifolia* Ehrh., Catoosa, Clarke, Rabun.

14. Hypoxyylon fuscum Pers. ex Fr.

On *Alnus rugosa* (DuRoi) Spreng., Clarke, Jackson, Rabun; *Betula nigra* L., Clarke, Stewart; *Castanea dentata* (Marsh.) Borkh., Clarke, Rabun; *Fraxinus biltmoreana* Beadle, Rabun.

15. Hypoxyylon glomeratum Cke.

On *Acer negundo* L., Clarke; *Fraxinus pennsylvanica* Marsh var. *lanceolata* (Borkh.) Sarg., Thomas; *Quercus* sp., Clarke, Rabun, Thomas.

16. Hypoxyylon grandineum (Berk. & Rav.) Mill.

On *Quercus* sp., Clarke, Rabun.

17. Hypoxyylon howeianum Pk.

On *Betula nigra* L., Clarke; *Castanea dentata* (Marsh.) Borkh., *Fagus grandifolia* Ehrh., *Oxydendrum arboreum* (L.) DC., Rabun; *Quercus alba* L., Clarke; *Q. coccinea* Muench., Rabun; *Q. maxima* (Marsh.) Ashe, Clarke; *Q. nigra* L., Chatham; *Quercus* sp., Clarke.

18. Hypoxyylon hypophlaeum (Berk. & Rav.) Mill.

On *Alnus rugosa* (DuRoi) Spreng., Thomas; *Baccharis halimifolia* L., Pierce; *Carpinus caroliniana* Walt., Clarke, Jackson; *Cercis canadensis* L., *Fraxinus pennsylvanica* Marsh. var. *lanceolata* (Borkh.) Sarg., *Liriodendron tulipifera* L., Clarke; *Magnolia virginiana* L., Bullock; *Ostrya virginiana* (Mill.) K. Koch, Clarke; *Persea pubescens* (Pursh) Sarg., McIntosh; *Quercus* sp., *Vitis labrusca* L., Clarke.

19. Hypoxyylon illitum (Schw.) Curt.

On *Carya* sp., Clarke; *Fagus grandifolia* Ehrh., Union; *Liquidambar styraciflua* L., *Platanus occidentalis* L., Clarke, Rabun, Union; *Quercus alba* L., *Q. virginiana* Mill., Chatham; *Quercus* sp., Clarke.

20. Hypoxyylon maculum (Schw. ex Cke.) Mill.

On *Quercus nigra* L., Clarke, Thomas.

21. Hypoxyylon malleolus Berk. & Rav.

On *Quercus virginiana* Mill., Chatham, Glynn.

22. Hypoxyylon mediterraneum (DeNot.) Mill.

On *Diospyros virginiana* L., DeKalb; *Fagus grandifolia* Ehrh., Union; *Paulownia tomentosa* (Thunb.) Steud., Clarke; *Quercus alba* L., Clarke, DeKalb, Union; *Q. georgiana* Curt., DeKalb; *Q. maxima* (Marsh.) Ashe, Clarke; *Q. montana* Willd., DeKalb; *Q. nigra* L., Bullock, Chatham, Clarke; *Q. rubra* L., Clarke; *Quercus* sp., Clarke, Morgan.

23. Hypoxyylon microplacum (Berk. & Curt.) Mill.

On *Magnolia virginiana* L., Chatham, McIntosh; *Persea pubescens* (Pursh) Sarg., Pierce; *Persea* sp., McIntosh; *Sassafras variifolium* (Salisb.) Ktze., Chatham, Clarke, Rabun, Union.

24. Hypoxyylon notatum Berk. & Curt.

On *Quercus coccinea* Muench., Rabun; *Q. nigra* L., Bullock, Clarke, Thomas.

25. Hypoxyylon papillatum Ell. & Ev.

On *Betula nigra* L., Clarke; *Carya alba* (L.) K. Koch, Rabun; *Quercus montana* Willd., Clarke.

26. Hypoxyylon punctulatum (Berk. & Rav.) Cke.

On *Castanea dentata* (Marsh.) Borkh., Rabun; *Halesia carolina* L., Clarke; *Quercus alba* L., Clarke, Rabun, Union; *Q. maxima* (Marsh.) Ashe, Clarke; *Q. nigra* L., Bullock, Chatham, Clarke; *Q. velutina* Lam., Clarke; *Q. virginiana* Mill., Chatham, McIntosh.

27. Hypoxyylon regale Morg.

On *Quercus* sp., Clarke.

28. Hypoxyylon regale Morg. var. macrospora Mill.

On *Fagus grandifolia* Ehrh., *Quercus alba* L., Rabun; *Q. montana* Willd., Clarke, Rabun; *Q. velutina* Lam., Rabun; *Quercus* sp., Clarke, Rabun.

29. Hypoxyylon rubiginosum Pers. ex Fr.

On *Acer rubrum* L., Rabun, Union; *Aesculus georgiana* Sarg., Clarke; *Alnus rugosa* (DuRoi) Spreng., Clarke, Morgan, Rabun; *Arundinaria tecta* (Walt.) Muhl., Clarke, McIntosh; *Benzoin aestivale* (L.) Nees, Clarke, Union; *Betula nigra* L., Thomas; *Carpinus caroliniana* Walt., Clarke, Jackson; *Carya glabra* (Mill.) Sweet, Clarke; *Carya* sp., Rabun;

Castanea dentata (Marsh.) Borkh., Union; *C. pumila* (L.) Mill., Catalpa *bignonioides* Walt., *Celtis georgiana* Small, Clarke; *Cercis canadensis* L., *Cinnamomum camphora* Nees & Eberm., Thomas; *Cliftonia monophylla* (Lam.) Sarg., Pierce; *Cornus florida* L., Clarke, Union; *Crataegus spathulata* Michx., Clarke; *Fagus grandifolia* Ehrh., Clarke, Rabun, Union; *Fraxinus pennsylvanica* Marsh. var. *lanceolata* (Borkh.) Sarg., Clarke, Union; *Juglans nigra* L., *Ligustrum vulgare* L., Clarke; *Magnolia virginiana* L., Camden; *Myrica cerifera* L., Glynn; *Nyssa sylvatica* Marsh., *Ostrya virginiana* (Mill.) K. Koch, Paulownia *tomentosa* (Thunb.) Steud., *Platanus occidentalis* L., *Populus nigra* L., Clarke; *Prunus serotina* Ehrh., Thomas; *P. umbellata* Ell., Clarke; *Pyrus communis* L., Thomas; *Quercus maxima* (Marsh.) Ashe, Union; *Q. nigra* L., Chatham, Clarke; *Quercus* sp., Clarke, Rabun; *Rhododendron maximum* L., *Rhus copallina* L., Union; *R. glabra* L., *R. toxicodendron* L., *Salix alba* L., *Sambucus canadensis* L., *Viburnum rufidulum* Raf., Clarke.

30. *Hypoxyylon rumpens* (Cke.) Mill.

On *Crataegus spathulata* Michx., Clarke, Oglethorpe; *Crataegus viridis* L., Oglethorpe.

31. *Hypoxyylon sassafras* (Schw. ex Fr.) Curt.

On *Magnolia virginiana* L., McIntosh; *Persea pubescens* (Pursh) Sarg., Glynn, Pierce; *Persea* sp., McIntosh; *Sassafras variifolium* (Salisb.) Ktze., Rabun, Thomas, Union.

32. *Hypoxyylon sclerophaeum* Berk. & Curt.

On *Liquidambar styraciflua* L., Oglethorpe; *Sassafras variifolium* (Salisb.) Ktze., Clarke.

33. *Hypoxyylon serpens* Pers. ex Fr.

On *Acer rubrum* L., Rabun; *Carya* sp., Clarke; *Fagus grandifolia* Ehrh., Rabun; *Liriodendron tulipifera* L., Clarke; *Quercus montana* Willd., Clarke, Union; *Q. prinus* L., Bullock, Thomas; *Q. stellata* Wang., Clarke; *Quercus* sp., Thomas; *Rhododendron maximum* L., Union.

34. *Hypoxyylon serpens* Pers. ex Fr. var. *macrospora* Mill.

On *Prunus umbellata* Ell., *Quercus nigra* L., Clarke; wood, Oglethorpe.

35. *Hypoxyylon stygium* (Lev.) Sacc.

On *Fraxinus* sp., Thomas; *Myrica* sp., McIntosh; *Persea pubescens* (Pursh) Sarg., Glynn; *Quercus nigra* L., Clarke; *Quercus* sp., Chatham.

36. *Hypoxyylon tinctor* (Berk.) Cke.

On *Acer floridanum* (Chapm.) Pax., Pierce; *A. leucoderme* Small, *A. negundo* L., Clarke; *A. rubrum* L., Clarke, Glynn, Rabun; *Carpinus caroliniana* Walt., Clarke; *Fraxinus* sp., Morgan; *Magnolia virginiana* L., Thomas; *Nyssa* sp., Morgan; *Platanus occidentalis* L., Clarke; *Quercus nigra* L., Bullock, Thomas; *Quercus* sp., Camden, Clarke; *Vitis rotundifolia* Michx., Clarke.

37. Hypoxylon truncatum (Schw. ex Fr.) Mill.

On *Acer rubrum* L., *Betula nigra* L., *Cercis canadensis* L., Clarke; *Fagus grandifolia* Ehrh., Clarke, Union; *Magnolia virginiana* L., Thomas; *Myrica cerifera* L., Glynn; *Quercus alba* L., Clarke, Greene, McIntosh, Rabun, Union; *Q. coccinea* Muench., Union; *Q. maxima* (Marsh.) Ashe, Clarke, DeKalb, Rabun; *Q. montana* Willd., Rabun; *Q. nigra* L., Bullock, Chatham, Clarke, Glynn, McIntosh; *Q. stellata* Wang., *Q. velutina* Lam., Clarke; *Q. virginiana* Mill., Camden, Chatham, Glynn; *Quercus* sp., Clarke, McIntosh, Rabun, Thomas.

38. Numularia broomeiana (Berk. & Curt.) Mill.

On *Fraxinus pennsylvanica* Marsh. var. *lanceolata* (Borkh.) Sarg., Clarke.

39. Numularia discincola (Schw. ex Fr.) Cke.

On *Aucلانشier canadensis* (L.) Medic., *Carya alba* (L.) K. Koch, Clarke; *Malus pumila* Mill., Catoosa, Rabun.

40. Numularia sp.

On *Quercus alba* L., Clarke, Rabun.

41. Penzigia frustulosa (Berk. & Curt.) Mill.

On *Salix nigra* Marsh., Clarke; wood, Bullock.

42. Poronia oedipus Mont.

On horse dung, Clarke.

43. Rosellinia aquila (Fr.) DeNot.

On *Berchemia scandens* (Hill) Trel., Wilkinson; *Carpinus caroliniana* Walt., *Cornus florida* L., Clarke; *Fraxinus* sp., Thomas; *Magnolia virginiana* L., Chatham; *Quercus alba* L., Rabun; *Quercus* sp., McIntosh; *Salix alba* L., Clarke; *Vitis rotundifolia* Michx., Glynn.

44. Rosellinia glandiformis Ell. & Ev.

On *Acer negundo* L., Clarke; *Quercus maxima* (Marsh.) Ashe, Clarke; *Quercus* sp., Rabun, White.

45. Rosellinia pulveracea (Ehrh. ex Fr.) Fckl.

On *Magnolia cordata* Michx., Oglethorpe; *Platanus occidentalis* L., Clarke; *Quercus coccinea* Muench., Banks.

46. Rosellinia subiculata (Schw. ex Fr.) Sacc.

On *Castanea dentata* (Marsh.) Borkh., Union; *Liriodendron tulipifera* L., Clarke, White; *Quercus virginiana* Mill., Chatham; *Quercus* sp., Rabun; wood, Bullock, Clarke, McIntosh.

47. Rosellinia trichota (Cke. & Ell.) Ell. & Ev.

On *Pinus taeda* L., Oglethorpe

48. Rosellinia ulmaticola (Berk. & Curt.) Sacc.
On wood, Oglethorpe.

49. Xylaria arbuscula Sacc.
On Cephalanthus occidentalis L., Clarke.

50. Xylaria bulbosa (Pers. ex Fr.) Berk. & Br.
On Quercus sp., Clarke.

51. Xylaria cornu-danae (Schw.) Berk.
On Quercus sp., Rabun.

52. Xylaria cubensis Mont.
On Acer rubrum L., Rabun; Quercus sp., Bullock, Clarke, Hall,
Rabun.

53. Xylaria filiformis Alb. & Schw. ex Fr.
On Ilex opaca Ait., Rabun.

54. Xylaria herculea (Miquel) Cke.
On Quercus sp., Clarke.

55. Xylaria hypoxylon (L. ex Fr.) Grev.
On Castanea dentata (Marsh.) Borkh., Quercus coccinea
Muench., Rabun; Quercus sp., Bullock, Clarke.

56. Xylaria ianthino-velutina Mont.
On Magnolia grandiflora L., Clarke.

57. Xylaria mali Fromme
On Malus pumila Mill., Walker.

58. Xylaria multiplex (Kze. & Fr.) Berk. & Curt.
On Quercus cinerea Michx., Laurens.

59. Xylaria oxyacanthae Tul.
On Carya alba (L.) K. Koch, Clarke.

60. Xylaria persicaria (Schw. ex Fr.) Curt.
On Liquidambar styraciflua L., Clarke.

3. Allantsphaeriaceae

1. Acanthorhynchus sp.

On Sabal minor (Jacq.) Pers., Wilkinson; Sabal palmetto
(Walt.) Todd, Glynn.

2. Anthostoma dryophilum (Curt.) Sacc.
On Castanea dentata (Marsh.) Borkh., Rabun

3. Anthostoma gastrinum (Fr.) Sacc.
On *Quercus alba* L., Hall; *Q. montana* Willd., Clarke; *Q. nigra* L., Clarke, Deoly.
4. Anthostoma saprophilum Ell. & Ev.
On *Acer negundo* L., Clarke.
5. Anthostomella leucobasis (Ell. & Mart.) Sacc.
On *Sabal minor* (Jacq.) Pers., Glynn; *S. palmetto* (Walt.) Todd, Pierce.
6. Anthostomella minor Ell. & Ev.
On *Sabal minor* (Jacq.) Pers., McIntosh, Ware; *S. palmetto* (Walt.) Todd, McIntosh, Pierce.
7. Anthostomella sepelibilis (Berk. & Curt.) Sacc.
On *Smilax bona-nox* L., Clarke; *S. laurifolia* L., Clarke, Morgan, Pierce; *Smilax* sp., Clarke.
8. Anthostomella sp.
On *Aster ericoides* L. var. *platyphyllus* T. & G., *Solidago altissima* L., *S. odora* Ait., *Solidago* sp., Clarke.
9. Anthostomella sp.
On *Liriodendron tulipifera* L., Clarke.
10. Anthostomella sp.
On *Smilax laurifolia* L., Burke.
11. Calosphaeria barbirostris (Duf. ex Fr.) Ell. & Ev.
On *Quercus alba* L., Clarke; *Quercus* sp., Rabun.
12. Calosphaeria sp.
On *Quercus prinus* L., Clarke
13. Diatrype asterostroma Berk. & Curt.
On *Magnolia virginiana* L., Camden, McDuffie; *Nyssa biflora* Walt., Washington; *N. sylvatica* Marsh., Clarke, Glynn, Laurens, Pierce.
14. Diatrype platystoma (Schw. ex Fr.) Curt.
On *Acer rubrum* L., Union; *Carpinus caroliniana* Walt., Jackson.
15. Diatrype stigmella Hoffm. ex Fr.
On *Acer rubrum* L., Rabun; *Quercus alba* L., Union; *Q. coccinea* Muench., Rabun, Union; *Q. montana* Willd., DeKalb; *Q. nigra* L., Clarke; *Quercus* sp., Barrow, Bullock, Greene, McIntosh.
16. Diatrype tremellophora Ell.
On *Magnolia virginiana* L., Glynn.

17. Diatrypē virescens (Schw.) Curt
On *Fagus grandifolia* Ehrh., Catoosa, Clarke, Greene, Rabun,
Union.
18. Diatrypella discoidea Cke. & Pk.
On *Betula lutea* Michx. f., Union; *Carpinus caroliniana* Walt.,
Quercus sp., Clarke.
19. Diatrypella discoidea Cke. & Pk. v. alni Cke.
On *Alnus rugosa* (DuRoi) Spreng., Clarke, Rabun.
20. Diatrypella favacea (Fr.) Nits.
On *Acer negundo* L., Clarke; *A. rubrum* L., Clarke, McDuffie,
Rabun; *Alnus rugosa* (DuRoi) Spreng., Clarke; *Berchemia scandens* (Hill)
Trel., Glynn; *Betula nigra* L., Clarke, Morgan; *Broussonetia papyrifera* (L.)
Vent., *Castanea mollissima* Bl., Clarke; *Cephalanthus occidentalis* L.,
Glynn; *Crataegus viridis* L., Oglethorpe; *Cyrilla racemiflora* L., Jenkins;
Eupatorium capillifolium (Lam.) Small, *Fagus grandifolia* Ehrh., *Fraxinus*
americana L., *F. pennsylvanica* Marsh. var. *lanceolata* (Borkh.) Sarg.,
Hibiscus syriacus L., Clarke; *Ilex cassine* L., Colquitt; *Juniperus*
virginiana L., Glynn; *Lonicera morrowii* A. Gray, *Maclura pomifera* (Raf.)
Schn., *Magnolia soulangeana* Soul., Clarke; *Magnolia virginiana* L., Mc-
Duffie; *Morus rubra* L., Pierce; *Nyssa sylvatica* Marsh., Clarke, Glynn;
Prunus angustifolia Marsh., Dooly; *Quercus nigra* L., Clarke, Glynn;
Quercus stellata Wang., *Tilia heterophylla* Vent. var. *michauxii* (Nutt.)
Sarg., *Ulmus americana* L., *Ulmus pumila* L., Clarke.
21. Diatrypella fraxini Ell. & Ev.
On *Fraxinus pennsylvanica* Marsh. var. *lanceolata* (Borkh.)
Sarg., Greene.
22. Diatrypella prominens Howe.
On *Platanus occidentalis* L., Clarke, Oglethorpe.
23. Diatrypella quercina (Pers. ex Fr.) Nits.
On *Acer rubrum* L., Clarke; *Berchemia scandens* (Hill.) Trel.,
Washington; *Crataegus spathulata* Michx., Clarke; *C. viridis* L., Ogle-
thorpe; *Fraxinus americana* L., Clarke; *Ilex opaca* Ait., Clarke, Washington;
Magnolia virginiana L., Thomas; *Morus rubra* L., Clarke; *Populus*
deltoides Marsh., Oglethorpe; *Quercus prinus* L., *Salix nigra* Marsh.,
Tilia heterophylla Vent. var. *michauxii* (Nutt.) Sarg., Clarke.
24. Diatrypella subfulva (Berk. & Curt.) Sacc.
On *Acer rubrum* L., *Celtis georgiana* Small, *Crataegus crus-*
galli L., *Quercus alba* L., *Q. maxima* (Marsh.) Ashe, Clarke; *Ulmus* *ameri-*
cana L., Oglethorpe.
25. Endoxyla inusta (Cke.) Ell. & Ev.
On *Juniperus* sp., McIntosh.

26. Eutypa acharii Tul.
On *Cornus florida* L., Rabun.
27. Eutypa lata (Pers. ex Fr.) Tul.
On *Liriodendron tulipifera* L., Clarke.
28. Eutypa spinosa (Pers. ex Fr.) Tul.
On *Quercus* sp., Clarke, Rabun.
29. Eutypa velutina (Wallr.) Sacc.
On *Acer negundo* L., *Morus rubra* L., Clarke.
30. Eutypa sp.
On *Fraxinus americana* L., Clarke.
31. Eutypa sp.
On *Smilax laurifolia* L., Burke.
32. Eutypella berchemiae (Cke.) Sacc.
On *Berchemia scandens* (Hill) Trel., Washington.
33. Eutypella capillata Ell. & Ev.
On *Robinia pseudo-acacia* L., Clarke.
34. Eutypella cerviculata (Fr.) Sacc.
On *Alnus rugosa* (DuRoi) Spreng., Clarke, Rabun; *Prunus serotina* Ehrh., *Quercus velutina* Lam., Clarke.
35. Eutypella constellata (Berk. & Curt.) Berl. & Vogl.
On *Carya glabra* (Mill.) Sweet, Clarke.
36. Eutypella fraxinicola (Cke. & Pk.) Sacc.
On *Acer leucoderme* Small, *A. negundo* L., *A. rubrum* L.,
Aesculus georgiana Sarg., Clarke; *A. octandra* Marsh., Oglethorpe;
A. pavia L., Washington; *Amelanchier canadensis* (L.) Medic., *Azalea canescens* Michx., *Carya alba* (L.) Koch, *C. glabra* (Mill.) Sweet, Clarke; *C. laciniosa* (Michx. f.) Loud., Greene; *C. pecan* (Marsh.) Engl. & Graebn., *Catalpa bignonioides* Walt., *Cercis canadensis* L., Clarke; *Diospyros virginiana* L., Glynn; *Elaeagnus umbellata* Thunb., *Fagus grandifolia* Ehrh., *Fraxinus americana* L., *F. pennsylvanica* Marsh. var. *lanceolata* (Borkh.) Sarg., *Gleditsia triacanthos* L., Clarke; *Hydrangea arborescens* L., DeKalb; *Ilex opaca* Ait., *Lonicera japonica* Thunb., Clarke; *Magnolia grandiflora* L., Glynn; *Melia azedarach* L., *Morus rubra* L., Clarke; *Nyssa sylvatica* Marsh., Colquitt; *Rhus glabra* L., *Rosa* sp., *Salix nigra* Marsh., *Staphylea trifolia* L., *Tilia heterophylla* Vent. var. *michaui* (Nutt.) Sarg., Clarke; *Ulmus fulva* Michx., Oglethorpe; *Ulmus pumila* L., Clarke; *Viburnum setigerum* (Michx.) Rehd., McDuffie; *Vitis rotundifolia* Michx., Clarke.

37. Eutypella microcarpa Ell. & Ev.

On *Ailanthus altissima* (Mill.) Sw., *Albizzia julibrissin* Dur., *Broussonetia papyrifera* (L.) Vent., *Carpinus caroliniana* Walt., *Elaeagnus umbellata* Thunb., *Melia azedarach* L., *Morus rubra* L., *Sambucus canadensis* L., Clarke; *Smilax laurifolia* L., McIntosh.

38. Eutypella platani (Schw.) Sacc.

On *Platanus occidentalis* L., Clarke.

39. Eutypella rugiella (Cke. & Ell.) Sacc.

On *Acer rubrum* L., Clarke.

40. Eutypella scoparia (Schw.) Ell. & Ev.

On *Ulmus parvifolia* Jacq., Clarke.

41. Eutypella sepulta (Berk. & Curt.) Dearn.

On *Smilax glauca* Walt., *Smilax laurifolia* L., Clarke; *Smilax rotundifolia* L., McDuffie; *Smilax* sp., Clarke.

42. Eutypella tumida (Ell. & Ev.) Weh.

On *Robinia pseudo-acacia* L., Rabun; *Ulmus americana* L., Clarke.

43. Eutypella venusta (Ell.) Sacc.

On *Robinia pseudo-acacia* L., Rabun.

44. Eutypella sp.

On *Fraxinus pennsylvanica* Marsh. var. *lanceolata* (Borkh.) Sarg., Clarke.

45. Quaternaria persoonii Tul.

On *Liriodendron tulipifera* L., Clarke.

4. Diaporthaceae1. Apioporthe phomaspora (Cke. & Ell.) Weh.

On *Myrica cerifera* L., Jenkins.

2. Apioporthe vepbris (DeLacr.) Weh.

On *Rubus argutus* Lk., Clarke.

3. Calospora sp.

On *Liriodendron tulipifera* L., Clarke.

4. Calospora sp..

On *Quercus prinus* L., Clarke.

5. Cryptodiaporthe aculeans (Schw.) Weh.

On *Rhus copallina* L., Clarke, Columbia, Greene; *R. glabra* L., Clarke; *Rhus* sp., McIntosh.

6. Cryptodiaporthe myinda (Cke. & Ell.) Weh.
On *Acer rubrum* L., Jenkins, Rabun.
7. Cryptodiaporthe paulula (Cke. & Ell.) Weh.
On *Nyssa sylvatica* Marsh., Clarke.
8. Cryptodiaporthe salicina (Curr.) Weh.
On *Salix nigra* Marsh., Clarke.
9. Cryptodiaporthe sp.
On *Cercis canadensis* L., Clarke.
10. Cryptospora cinctula (Cke. & Pk.) Sacc.
On *Castanea pumila* (L.) Mill., Clarke.
11. Cryptospora femoralis (Pk.) Sacc.
On *Alnus rugosa* (DuRci) Spreng., Clarke.
12. Cryptospora tomentella (Pk.) Berl. & Vogl.
On *Betula nigra* L., Clarke.
13. Cryptosporrella aurea (Fckl.) Sacc.
On *Liquidambar styraciflua* L., McDuffie.
14. Cryptosporrella umbrina (Jenkins) Jenkins & Weh.
On *Rosa* sp., Fulton.
15. Diaporthe amorphae Ell. & Ev.
On *Amorpha fruticosa* L., Clarke.
16. Diaporthe ampelopsisidis (Ell.) Ell. & Ev.
On *Pseudera quinquefolia* (L.) Greene, Dooly.
17. Diaporthe araliae Ell. & Ev.
On *Aralia spinosa* L., Columbia, DeKalb.
18. Diaporthe arctii (Lasch) Nits.
On *Agave virginica* L., Oglethorpe; *Ambrosia artemisiifolia* L., *A. trifida* L., *Asclepias variegata* L., *Cassia chamaecrista* L., *Che-lone glabra* L., *Chenopodium ambrosioides* L. var. *anthelminticum* (L.) Gray, *Chrysanthemum leucanthemum* L., *Cirsium altissimum* (L.) Spreng., *Daucus carota* L., *Decumaria barbara* L., *Elephantopus tomentosus* L., *Eupatorium capillifolium* (Lam.) Small, *E. hyssopifolium* L., Clarke; *E. maculatum* Just., Lumpkin; *E. purpureum* L., *E. rotundifolium* L., *Euphorbia corollata* L., *Firmiana platanifolia* (L.) R. Br., *Gerardia flava* L., *Helianthus atrorubens* L., *H. divaricatus* L., *H. microcephalus* T. & G., *Hibiscus esculentus* L., *Lactuca canadensis* L., *Lespedeza virginica* (L.) Britt., *Ligusticum canadensis* (L.) Britt., Clarke; *Magnolia tripetala* L., Oglethorpe; *Monarda punctata* L., *Oenothera biennis* L., *Phaseolus vulgaris* L., *Phytolacca decandra* L., *Platanus occidentalis* L., *Polygonum pensylvanicum* L., *P. sagittatum* L., *Polymnia canadensis* L., *Pycnanthemum*

pycnanthemoides (Leav.) Fern., *Rudbeckia laciniata* L., *Rumex crispus* L., *Silphium dentatum* Ell., *S. lapsuum* Small, *Smallanthus uvedalia* (L.) Mack., *Solanum melongena* L., *Sonchus oleraceus* L., *Verbesina occidentalis* (L.) Walt., *V. virginica* L., Clarke; *Vernonia acaulis* (Walt.) Gleason, Elbert; *Xanthium canadense* Mill., *Yucca filamentosa* L., Clarke.

19. Diaporthe arctii (Lasch) Nits. var.
On *Solidago conferta* Mill., Clarke.
20. Diaporthe bakeri Weh.
On *Carpinus caroliniana* Walt., Clarke.
21. Diaporthe batatas Hart. & Field.
On *Ipomoea batatas* (L.) Lam., Clarke.
22. Diaporthe dubia Nits.
On *Acer leucoderme* Small, Clarke.
23. Diaporthe eres Nits.
On *Cornus florida* L., Clarke; *Magnolia virginiana* L., Pierce.
24. Diaporthe leiphaemia (Fr.) Sacc. var. raveneliana (Thüm. & Rehm) Weh.
On *Quercus alba* L., Clarke.
25. Diaporthe linearis (Nees ex Fr.) Nits.
On *Aster divaricatus* L., Lumpkin; *A. dumosus* L., *A. ericoides* L. var. *platyphyllus* T. & G., *A. lateriflorus* (L.) Britt., *A. puniceus* L., *A. sagittifolius* Wedd. var. *dissitiflorus* Burg., *A. undulatus* L., *Sericocarpus asteroides* (L.) BSP., Clarke; *Solidago altissima* L., Clarke, Elbert; *S. boottii* Hook, *S. brachyphylla* Chapm., *S. erecta* Pursh, *S. milleriana* Mack., *S. nemoralis* Ait., Clarke; *S. odora* Ait., Clarke, Stephens; *S. serotina* Ait., Clarke.
26. Diaporthe megalospora Ell. & Ev.
On *Sambucus canadensis* L., Clarke.
27. Diaporthe cncostoma (Duby) Fckl.
On *Robinia pseudo-acacia* L., Clarke, Rabun.
28. Diaporthe oxyspora (Pk.) Sacc.
On *Ilex ambigua* (Michx.) Chapm., Gwinnett.
29. Diaporthe padi Otth var. patria Weh.
On *Aesculus hippocastanum* L., Clarke; *A. octandra* Marsh., Oglethorpe.
30. Diaporthe phaseolorum (Cke. & Ell.) Sacc.
On *Phaseolus lunatus* L., Berrien, Clarke.

31. Diaporthe sociabilis Nits. var. sambuci (Ell. & Ev.) Weh.
On Sambucus canadensis L., Clarke.
32. Diaporthe sociata (Cke. & Ell.) Sacc.
On Benzoin aestivale (L.) Nees, Clarke.
33. Diaporthe tetraptera Ell. & Ev.
On Halesia carolina L., DeKalb.
34. Diaporthe viburni Dearn. & Bisby.
On Viburnum rufidulum Raf., Clarke.
35. Diaporthe sp.
On Maclura pomifera (Raf.) Schne., Clarke.
36. Diaporthe sp.
On Oxydendrum arboreum (L.) DC., Clarke.
37. Diaporthe sp.
On Quercus georgiana Curt., DeKalb.
38. Diaporthe sp.
On Schrankia uncinata Willd., Clarke.
39. Diaporthopsis trinucleata (Niessl) v. Höhn.
On Gnaphalium obtusifolium L., Clarke.
40. Diaporthopsis sp.
On Cassia chamaecrista L., Clarke.
41. Diaporthopsis sp.
On Monarda punctata L., Clarke.
42. Endothia gyroza Schw. ex Fr.
On Fagus grandifolia Ehrh., Liquidambar formosana
Hance, Clarke; L. styraciflua L., Clarke, Oglethorpe; Quercus coccinea Muench.,
Q. maxima (Marsh.) Ashe, Q. nigra L., Q. palustris Muench., Q. velutina
Lam., Clarke; Q. virginiana Mill., Glynn; Quercus sp., McIntosh.
43. Endothia parasitica (Murr.) And. & And.
On Castanea dentata (Marsh.) Borkh., Clarke, Rabun, Union
C. mollissima Bl., C. pumila (L.) Mill., Clarke.
44. Endothia viridistroma Weh.
On Cercis canadensis L., Clarke.
45. Glomerella cingulata (Stcnem.) Spauld. & Schrenk.
On Camellia japonica L., Thomas; Ficus carica L., Clarke;
Malus pumila Mill., Clarke, Habersham, Rabun, Union; Pyrus communis L.,
Clarke.

46. Glomerella gossypii Edg.

On *Gossypium hirsutum* L., Barrow, Berrien, Bibb, Brooks, Burke, Calhoun, Carroll, Clarke, Colquitt, Columbia, Cook, Coweta, Crawford, Dodge, Dooly, Early, Franklin, Hart, Irwin, Jackson, Jeff Davis, Jefferson, Lamar, Laurens, Lowndes, Macon, Madison, Marion, Miller, Mitchell, Montgomery, Monroe, Muscogee, Newton, Peach, Pike, Randolph, Rockdale, Seminole, Spalding, Sumter, Talbot, Tattnall, Terrell, Thomas, Tift, Toombs, Wheeler, Whitfield, Worth.

47. Glomerella lindemuthiana Shear

On *Phaseolus vulgaris* L., Clarke, Rabun, Union.

48. Gnomonia dispora Demaree & Cole

On *Carya pecan* (Marsh.) Engl. & Graebn., Lee, Thomas.

49. Gnomonia magnoliae Ell.

On *Magnolia virginiana* L., Pierce, Richmond, Washington.

50. Gnomonia myricae Cke. & Ell.

On *Myrica carolinensis* Mill., Columbia, Pierce.

51. Gnomonia petiolphila (Pk.) Berl. & Vogl.

On *Acer saccharum* Marsh., Clarke

52. Gnomonia setacea (Pers. ex Fr.) Ces. & DeNot.

On *Alnus rugosa* (DuRoi) Spreng., Clarke, Hart, McDuffie; *Betula nigra* L., Clarke, Greene, Hart, Madison; *Carya alba* (L.) K. Koch, Clarke, Gwinnett, Hall; *C. laciniata* (Michx. f.) Loud., Greene, Oglethorpe; *C. ovata* (Mill.) K. Koch, *C. pecan* (Marsh.) Engl. & Graebn., Clarke, Pulaski; *Castanea pumila* (L.) Mill., Hall; *Quercus alba* L., Lincoln; *Q. catesbeiana* Michx., Baldwin; *Q. macrocarpa* Michx., Clarke; *Q. margaretta* Ashe, Clarke, Richmond; *Q. marilandica* Muench., Lincoln; *Q. maxima* (Marsh.) Ashe, Madison; *Q. montana* Willd., Clarke, DeKalb, Hall, Lincoln, Rabun; *Q. oglethorpesis* Duncan, Oglethorpe; *Q. prinoides* L., Clarke, Washington; *Q. pumila* Walt., Tift; *Q. shumardii* Buckl., Oglethorpe; *Q. stellata* Wang., *Q. velutina* Lam., Clarke.

53. Gnomonia ulmea (Schw. ex Fr.) Thüm.

On *Ulmus americana* L., Clarke, Gwinnett, Oglethorpe, Washington.

54. Gnomonia veneta (Sacc. & Speg.) Kleb.

On *Quercus maxima* (Marsh.) Ashe, *Q. stellata* Wang., *Q. velutina* Lam., Hall.

55. Gnomonia sp.

On *Carya alba* (L.) K. Koch, *C. ovalis* (Wang.) Sarg., Clarke.

56. Gnomoniella amoena (Nees) Sacc. var. petiolorum (Schw.) Sacc.

On *Liquidambar styraciflua* L., Clarke, Dooly, Elbert, Madison, McIntosh, Walton.

57. Gnomoniella georgiana Thom. & Mill.
On Liquidambar styraciflua L., Clarke, McDuffie; Nyssa biflora Walt., Columbia, Washington; N. sylvatica Marsh., Clarke.
58. Gnomoniella gnomon (Tode ex Fr.) House
On Alnus rugosa (DuRoi) Spreng., Clarke, Elbert, Greene, Hart; Corylus americana Walt., Clarke; Ostrya virginiana (Mill.) K. Koch, Clarke, Greene.
59. Gnomoniella tenella (Ell. & Ev.) Sacc.
On Acer floridanum (Chapm.) Pax., Elbert; A. leucoderme Small, Clarke; A. rubrum L., Clarke, Lincoln, Rabun, Washington; A. saccharum Marsh., Clarke.
60. Gnomoniella tubiformis (Tode ex Fr.) Sacc.
On Alnus rugosa (DuRoi) Spreng., Clarke.
61. Gnomoniella sp.
On Aesculus octandra Marsh., Elbert.
62. Hercospora tiliae Pers. ex Fr. emend Tul.
On Tilia heterophylla Vent. var. michauxii (Nutt.) Sarg., Clarke.
63. Linospora gleditsiae Mill. & Wolf
On Gleditsia triacanthos L., Clarke.
64. Mimania alni Thom. & Mill.
On Alnus rugosa (DuRoi) Spreng., Clarke.
65. Massariovalsa sudans (Berk. & Curt.) Sacc.
On Acer rubrum L., Clarke; Aesculus octandra Marsh., Oglethorpe; Carya alba (L.) K. Koch, Cornus florida L., Clarke; Nyssa biflora Walt., Washington; Nyssa sylvatica Marsh., Burke, Clarke; Tilia heterophylla Vent. var. michauxii (Nutt.) Sarg., Clarke.
66. Melanconis appendiculata (Otth) Weh.
On Acer rubrum L., Glynn.
67. Melanconis chrysostroma (Fr.) Tul.
On Carpinus caroliniana Walt., Clarke.
68. Melanconis corni Weh.
On Cornus florida L., Clarke.
69. Melanconis decoraensis Ell.
On Betula nigra L., Clarke, Greene.
70. Melanconis hyperopta (Mits.) Weh.
On Carpinus caroliniana Walt., Clarke.

71. Melanconis juglandis (Ell. & Ev.) Graves.
On *Juglans cinerea* L., *J. sieboldiana* Max., Clarke.
72. Melanconis juglandis (Ell. & Ev.) Graves var. caryae Weh.
On *Carya glabra* (Mill.) Sweet, Clarke.
73. Melanconis thelebola (Fr.) Sacc.
On *Alnus rugosa* (DuRoi) Spreng., Clarke, Morgan, Rabun.
74. Ophiiodothella leucospila (Berk. & Curt.) Thom. & Mill.
On *Platanus occidentalis* L., Clarke, Washington.
75. Ophiiodothella vaccinii Boyd.
On *Polycodium candicans* Small, *P. melanocarpum* (Mohr) Small, *P. neglectum* Small, Clarke; *P. stamineum* (L.) Greene, Rabun; *Vaccinium arboreum* Marsh., Clarke; *Zenobia pulverulenta* (Bartr.) Poll., Lincoln.
76. Ophiiodothella sp.
On *Magnolia grandiflora* L., Chatham; *M. virginiana* L., Columbia.
77. Pseudovalsa lanciformis (Fr.) Ces. & DeNot.
On *Betula nigra* L., Clarke.
78. Pseudovalsa sigmoidea (Cke. & Ell.) Sacc.
On *Quercus velutina* Lam., Clarke.
79. Valsa ambiens Pers. ex Fr.
On *Lyonia lucida* (Lam.) K. Koch, Laurens; *Salix nigra* Marsh., Oglethorpe; *Tilia heterophylla* Vent. var. *michauxii* (Nutt.) Sarg., *Ulmus alata* Michx., Clarke.
80. Valsa americana Berk. & Curt.
On *Malus pumila* Mill., Rabun.
81. Valsa ceratophora Tul.
On *Amelanchier canadensis* (L.) Medic., Clarke, *Myrica cerifera* L., Glynn.
82. Valsa chlorodisca Cke. & Ell.
On *Carya* sp., Wilkes.
83. Valsa conspurcata (Schw.) Cke.
On *Liquidambar styraciflua* L., Clarke.
84. Valsa coronata Hoffm. ex Fr.
On *Quercus alba* L., Rabun.

85. Valsa decorticans Fr.

On *Acer rubrum* L., Clarke, Morgan; *Betula nigra* L., Morgan; *Callicarpa americana* L., *Carpinus caroliniana* Walt., *Castanea dentata* (Marsh.) Borkh., *Celtis georgiana* Small, *Crataegus michauxii* Pers., *C. spinulata* Michx., *C. venusta* Beadl., Clarke; *Gossypium hirsutum* L., Madison; *Ilex glabra* (L.) Gray, Jenkins; *Liriodendron tulipifera* L., *Lonicera japonica* Thunb., Clarke; *Lyonia lucida* (Lam.) K. Koch, Glynn; *Nyssa sylvatica* Marsh., *Ostrya virginiana* (Mill.) K. Koch, *Oxydendrum arboreum* (L.) DC., *Prunus persica* (L.) Stokes, Clarke; *Quercus cinerea* Michx., Jenkins; *Q. georgiana* Curt., DeKalb; *Q. maxima* (Marsh.) Ashe, Clarke, Morgan; *Q. rubra* L., Clarke; *Rhus copallina* L., Morgan; *R. glabra* L., Clarke; *R. toxicodendron* L., Jenkins; *Salix nigra* Marsh., Dooly; *Tecoma radicans* (L.) Juss., *Tilia heterophylla* Vent. var. *michauxii* (Nutt.) Sarg.. *Vaccinium arboreum* Marsh., *Vitis rotundifolia* Michx., Clarke.

86. Valsa fraxinina Pk.

On *Fraxinus pennsylvanica* Marsh., Clarke; *Fraxinus pennsylvanica* Marsh. var. *lanceolata* (Borkh.) Sarg., Gleethorpe.

87. Valsa leucostoma Pers. ex Fr.

On *Prunus persica* (L.) Stokes, *P. serotina* Ehrh., Clarke.

88. Valsa minutella Pk.

On *Alnus rugosa* (DuRoi) Spreng., Clarke, Dooly; *Betula nigra* L., *Carya pallida* (Ashe) Engl. & Griseb., Clarke.

89. Valsa morigena Berk. & Curt.

On *Morus alba* L., Clarke.

90. Valsa pallida Ell. & Ev.

On *Salix nigra* Marsh., Clarke.

91. Valsa pauperata Cke. & Ell.

On *Acer rubrum* L., Clarke, Rabun; *Populus alba* L., Clarke.

92. Valsa pini Alb. & Schw. ex Fr.

On *Pinus strobus* L., Clarke, Union.

93. Valsaria aethiops (Cke. & Ell.) Sacc.

On *Morus rubra* L., Clarke.

94. Valsaria celtidis (Cke.) Sacc.

On *Celtis georgiana* Small, Clarke.

95. Valsaria exspirans (Gar.) Sacc.

On *Prunus serotina* Ehrh., Clarke.

96. Valsaria gemmata (Berk. & Rav.) Ell. & Ev.

On *Pinus taeda* L., Glynn.

97. Valsaria insitiva (Tode ex Fr.) Ces. & DeNot.

On *Aesculus octandra* Marsh., Oglethorpe; *Amorpha fruticosa* L., *Carpinus caroliniana* Walt., *Hibiscus syriacus* L., Clarke; *Magnolia virginiana* L., Glynn; *Quercus alba* L., Rabun; *Quercus prinus* L., Clarke.

98. Valsaria rubricosa (Fr.) Sacc.

On *Acer leucoderme* Small, *A. saccharum* Marsh., *Carpinus caroliniana* Walt., *Carya pallida* (Ashe) Engl. & Graebn., Clarke; *Castanea dentata* (Marsh.) Borkh., Clarke, Rabun; *Liriodendron tulipifera* L., Clarke; *Magnolia virginiana* L., Columbia; *Melia azedarach* L., *Paulownia tomentosa* (Thunb.) Steud., *Quercus alba* L., *Q. maxima* (Marsh.) Ashe, *Q. nigra* L., Clarke.

99. Valsella laschii (Nits.) Sacc.

On *Amelanchier canadensis* (L.) Medic., *Carpinus caroliniana* Walt., *Liquidambar styraciflua* L., Clarke; *Liriodendron tulipifera* L., Morgan.

5. Phyllachoraceae1. Abiospora montagnei Sacc.

On *Andropogon glomeratus* (Walt.) BSP., *Andropogon virginicus* L., *Arundinaria tecta* (Walt.) Muhl., *Cynodon dactylon* (L.) Pers., *Elymus australis* Scribn. & Ball., Clarke; *Erianthus brevibarbis* Michx., Pierce; *Gymnopogon ambiguus* (Michx.) BSP., *Smilax herbacea* L., *Tridens flavus* (L.) Hitch., *Uniola latifolia* Michx., *U. laxa* (L.) BSP., Clarke.

2. Phyllachora andropogonis Karst. & Har.

On *Andropogon virginicus* L., Clarke, Rabun.

3. Phyllachora cornuospora Atk.

On *Panicum agrostoides* Spreng., Clarke.

4. Phyllachora graminis (Pers. ex Fr.) Fckl.

On *Elymus virginicus* L., Clarke.

5. Phyllachra lespedezae (Schw.) Sacc.

On *Lespedeza procumbens* Michx., Rabun; *Lespedeza repens* (L.) Bart., Clarke, Rabun.

6. Phyllachora vulgata Theiss. & Syd.

On *Muhlenbergia schreberi* Gmel., Clarke.

7. Phyllachora sp.

On *Arundinaria tecta* (Walt.) Muhl., Clarke, Madison, McIntosh.

8. Phyllachora sp.

On *Eragrostis hirsuta* (Michx.) Nees, Clarke.

9. Phyllachora sp.

On *Panicum clandestinum* L., *P. commutatum* Schult., *P. consanguineum* Kunth, *P. microcarpon* Muhl., *P. xalapense* HBK., Clarke.

10. Phyllachora sp.

On *Paspalum ciliatifolium* Michx., Clarke.

11. Phyllachora sp.

On *Tridens flavus* (L.) Hitch., Clarke

12. Phyllachora sp.

On *Uniola laxa* (L.) BSP., Clarke

III. PSEUDOSPHAERIALES1. Acanthostigma atrobarbum (Cke. & Ell.) Ell. & Ev.

On *Quercus* sp., Clarke.

2. Acanthostigma decastylum (Cke.) Sacc.

On *Quercus* sp., McIntosh.

3. Acrospermoides subulata Thom. & Mill.

On *Morus rubra* L., Clarke, Greene, Washington.

4. Acrospermum compressum Tode ex Fr.

On *Alnus rugosa* (DuRoi) Spreng., Clarke, Hart; *Betula nigra* L., *Boehmeria cylindrica* (L.) Sw., *Celtis georgiana* Small, Clarke; *Celtis laevigata* Willd., Elbert, McDuffie; *Prunella vulgaris* L., *Ulmus alata* Michx., Clarke; *U. americana* L., Greene, Washington.

5. Acrospermum foliicolum Berk.

On *Acer negundo* L., *Aster undulatus* L., Clarke; *Azalea canescens* Michx., Clarke, Hall; *Baptisia bracteata* (Muhl.) Ell., Clarke; *Cercis canadensis* L., Clarke, Greene, Oglethorpe; *Cirsium altissimum* (L.) Spreng., *Coreopsis major* Walt., Clarke; *Cornus florida* L., Clarke, Columbia, Dooly, Greene, Oglethorpe, Walton; *Crataegus michauxii* Pers., *C. uniflora* Moench., *Eupatorium purpureum* L., *Fraxinus pennsylvanica* Marsh. var. *lanceolata* (Borkh.) Sarg., *Hamamelis virginiana* L., Clarke; *Morus rubra* L., Washington; *Ostrya virginiana* (Mill.) K. Koch, Walton; *Polycodium candicans* Small, *Folymnia canadensis* L., *Quercus margareta Ashe*, *Solidago altissima* L., *S. serotina* Ait., Clarke.

6. Acrospermum graminum Lib.

On *Carex crinita* Lam., Clarke; *Erianthus brevibarbis* Michx., Walton; *Panicum* sp., *Paspalum* sp., Clarke.

7. Acrospermum viridulum Berk. & Curt.

On *Quercus alba* L., Greene; *Q. montana* Willd., Clarke, Hall, Rabun; *Q. pumila* Walt., Tift; *Q. rubra* L., Clarke.

8. Acrospermum sp.

On *Morus rubra* L., *Prunus angustifolia* Marsh., *P. umbellata* Ell., Clarke.

9. Acrospermum sp.

On *Smilax glauca* Walt., Clarke, Greene.

10. Aglaoospora profusa (Fr.) DeNot.

On *Robinia pseudo-acacia* L., Clarke.

11. Amphisphaeria hypoxylon Ell. & Ev.

On *Hypoxylon fuscum* Pers. ex Fr. on *Betula nigra* L.; on *H. rubiginosum* Pers. ex Fr. on *Fraxinus pennsylvanica* Marsh., Clarke.

12. Apiosporella sp.

On *Tilia heterophylla* Vent. var. *michauxii* (Nutt.) Sarg., Clarke.

13. Auerswaldiella puccinoides (Speg.) Theiss. & Syd.

On *Laurocerasus caroliniana* (Mill.) Roem., Chatham.

14. Bertia moriformis (Tode ex Fr.) DeNot.

On *Quercus* sp., Rabun.

15. Botryosphaeria quercuum (Schw. ex Fr.) Sacc.

On *Quercus alba* L., Clarke; *Q. coccinea* Muench., Rabun; *Q. rubra* L., Glynn; *Q. virginiana* Mill., Burke; *Quercus* sp., Clarke.

16. Botryosphaeria ribis (Tode ex Fr.) Gross. & Dug.

On *Acer saccharinum* L., Clarke; *Aesculus octandra* Marsh., Oglethorpe; *Ailanthus altissima* (Mill.) Sw., *Albizzia julibrissin* Dur., *Aralia spinosa* L., Clarke; *Betula nigra* L. Morgan; *Chamaecyparis thyoides* (L.) BSP., *Elaeagnus umbellata* Thunb., *Fraxinus pennsylvanica* Marsh. var. *lanceolata* (Borkh.) Sarg., *Gleditsia triacanthos* L., *Hibiscus syriacus* L., *Ilex opaca* Ait., Clarke; *Juglans cinerea* L., Rabun; *Juglans nigra* L., *Ligustrum vulgare* L., *Melia azedarach* L., *Ostrya virginiana* (Mill.) K. Koch, *Paulownia tomentosa* (Thunb.) Steud., *Pinus strobus* L. Clarke; *Populus deltoides* Marsh., Greene; *Populus nigra* L., *Prunus serrulata* Lindl., *Pueraria hirsuta* Schneid., *Rhus copallina* L., *R. glabra* L., Clarke; *Robinia pseudo-acacia* L., Clarke, Rabun; *Salix alba* L., *S. nigra* Marsh., *Sambucus canadensis* L., *S. nigra* L. var. *aurea* Sw., Clarke.

17. Caryospora putaminum (Schw. ex Fr.) DeNot.

On *Carya glabra* (Mill.) Sweet, *C. ovata* (Mill.) K. Koch, *Prunus persica* (L.) Stokes, Clarke.

18. Chaetosphaeria pannicola (Berk. & Curt.) Sacc.

On *Ostrya virginiana* (Mill.) K. Koch, *Platanus occidentalis* L., *Salix nigra* Marsh., Clarke.

19. Chaetosphaeria parvicensis (Cke.) Sacc.
On *Juniperus virginiana* L., Clarke.
20. Coronophora ootheca (Berk. & Curt.) Sacc.
On *Quercus nigra* L., Clarke.
21. Cryptosphaerella annexa (Nits.) v. Höhn.
On *Betula nigra* L., Clarke.
22. Cucurbitaria fraxini Ell. & Ev.
On *Alnus rugosa* (DuRoi) Spreng., Clarke.
23. Cucurbitaria sp.
On *Quercus nigra* L., Glynn.
24. Delacourea sp.
On *Quercus nigra* L., Clarke.
25. Dibotryon morbosum (Schw. ex Fr.) Theiss. & Syd.
On *Prunus angustifolia* Marsh., Clarke, Jackson; *P. serotina* Ehrh., Clarke, Jackson, White; *P. umbellata* Ell., *Prunus* sp., (Japanese plum), Clarke.
26. Didymella lophospora Sacc. & Speg.
On *Quercus nigra* L., Clarke.
27. Didymella prominens Ell. & Ev.
On *Hypericum punctatum* Lam., Clarke.
28. Didymella sp.
On *Lespedeza frutescens* (L.) Britt., Clarke.
29. Didymella sp.
On *Liquidambar styraciflua* L., McIntosh.
30. Didymella sp.
On *Saponaria officinalis* L., Clarke.
31. Didymosphaeria arundinariae Ell. & Ev.
On *Arundinaria tecta* (Walt.) Muhl., Clarke.
32. Didymosphaeria chionanthi Thom. & Mill.
On *Chionanthus virginica* L., Putnam.
33. Didymosphaeria cupula (Ell.) Sacc.
On *Quercus montana* Willd., DeKalb.
34. Didymosphaeria epidermidis (Fr.) Fckl.
On *Aster cricoides* L. var. *platyphyllus* T. & G., *Erigeron canadensis* L., *Sambucus canadensis* L., Clarke; *Viburnum rufidulum* Raf., Morgan.

35. Didymosphaeria graminicola Ell. & Ev.
On *Zea mays* L., Clarke.
36. Didymosphaeria magnoliae Thom. & Mill.
On *Magnolia tripetala* L., Oglethorpe; *M. virginiana* L.,
Pierce, Washington.
37. Didymosphaeria thalictri Ell. & Dearn.
On *Thalictrum macrostylum* (Shuttlew.) Small & Heller, Clarke
38. Didymosphaeria sp.
On *Betula nigra* L., Clarke,
39. Didymosphaeria sp.
On *Camellia japonica* L., Thomas.
40. Didymosphaeria sp.
On *Smilax laurifolia* L., Glynn.
41. Didymosphaeria sp.
On *Ulmus americana* L., Clarke.
42. Didymosphaeria sp.
On *Viburnum prunifolium* L., Oglethorpe.
43. Fenestella phaeospora Sacc.
On *Quercus alba* L., Rabun; *Q. montana* Willd., *Q. prinus*
L., Clarke.
44. Fracchiaea callista (Berk. & Curt.) Sacc.
On *Carpinus caroliniana* Walt., Clarke; *Sorbus americana*
Marsh., Union.
45. Fracchiaea heterogenea Sacc.
On *Cercis canadensis* L., *Morus rubra* L., Clarke; *Myrica* sp
McIntosh; *Pinus strobus* L., *P. taeda* L., *Robinia pseudo-acacia* L., *Salix*
nigra Marsh., *Tilia heterophylla* Vent. var. *michauxii* (Nutt.) Sarg., Clar-
46. Herpotrichia albidotoma (Pk.) Sacc.
On wood, Chatham.
47. Herpotrichia pezizula (Berk. & Curt.) Wint.
On *Acer rubrum* L., Clarke; *Quercus nigra* L., Chatham,
Clarke; *Q. rubra* L., Clarke; *Quercus* sp., McIntosh; *Vitis rotundifolia*
Michx., Clarke; wood, Bullock, Thomas.
48. Karstenula sp.
On *Asimina triloba* (L.) Dunal, DeKalb.
49. Karstenula sp.
On *Ptelea trifoliata* L., DeKalb.

50. Lasiosphaeria hispida (Tode ex Fr.) Fckl.
On *Quercus* sp., Clarke; wood, Clarke, Greene.
51. Lasiosphaeria crina (Pers. ex Fr.) Ces. & DeNot.
On *Liriodendron tulipifera* L., Clarke; wood, Greene.
52. Lasiosphaeria spermoides (Hoffm. ex Fr.) Ces. & DeNot.
On *Rubus argutus* Lk., Clarke.
53. Lasiosphaeria strigosa (Alb. & Schw. ex Fr.) Sacc.
On *Liriodendron tulipifera* L., Clarke; *Quercus* sp. Rabun.
54. Lasiosphaeria sp.
On *Carex lurida* Wahl., Clarke.
55. Lasiosphaeria sp.
On *Erianthus brevibarbis* Michx., Pierce.
56. Leptomassaria simplex (Otth) Petrak.
On *Tilia truncata* Spach, Lumpkin.
57. Leptosphaeria clavigera (Cke. & Ell.) Sacc.
On *Cimicifuga racemosa* (L.) Nutt.; *Lespedeza virginica* (L.) Britt., Clarke.
58. Leptosphaeria comatella (Cke. & Ell.) Sacc.
On *Coreopsis major* Walt., *Daucus carota* L., *Erigeron ramosus* (Walt.) BSP., *Eupatorium hyssopifolium* L., *Foeniculum vulgare* Hill, *Galium pilosum* Ait., *Gerardia virginica* (L.) BSP., *Helianthus microcephalus* T. & G., *Isopappus divaricatus* (Nutt.) T. & G., *Lespedeza virginica* (L.) Britt., *Monarda punctata* L., *Polygonum sagittatum* L., *Saponaria officinalis* L., *Verbesina occidentalis* (L.) Walt., *Xanthium canadensis* Mill., Clarke.
59. Leptosphaeria coniothyrium (Fckl.) Sacc.
On *Baptisia lanceolata* Walt.; Tift; *Rubus idaeus* L., var. Chief, Cuthbert, Latham, Newburgh, New Empire, Red Rath, St. Regis, Viking; *Rubus neglectus* Pk. var. Sodus purple; *Rubus* sp. var. Boyen; *Silphium dentatum* Ell., Clarke.
60. Leptosphaeria culmicola (Fr.) Karst.
On *Arundinaria tecta* (Walt.) Muhl., *Uniola latifolia* Michx., Clarke.
61. Leptosphaeria culmorum Auers.
On *Andropogon virginicus* L., *Tridens flavus* (L.) Hitch., Clarke.
62. Leptosphaeria doliolum (Pers. ex Fr.) DeNot.
On *Datura stramonium* L., *Foeniculum vulgare* Hill, *Hibiscus esculentus* L., *Saponaria officinalis* L., Clarke.

63. Leptosphaeria epicarecta (Cke.) Sacc.
On Carex lurida Wahl., Clarke.
64. Leptosphaeria mesoedema (Berk. & Curt.) Ell. & Ev.
On Erigeron canadensis L., Gnaphalium obtusifolium L.,
Solidago serotina Ait., Verbesina occidentalis (L.) Walt., Verbesina
virginica L., Clarke; weed, Dooly.
65. Leptosphaeria muricata Ell. & Ev.
On Andropogon virginicus L., Glynn.
66. Leptosphaeria ogilviensis (Berk. & Br.) Ces. & DeNot.
On Aster ericoides L. var. platyphyllus T. & G., Aster
patens Ait., Isopappus divaricatus (Nutt.) T. & G., Clarke; weed, Rabun.
67. Leptosphaeria orthogramma (Berk. & Curt.) Sacc.
On Erianthus brevibarbis Michx., Morgan.
68. Leptosphaeria platanicola (Howe) Sacc.
On Platanus occidentalis L., Clarke.
69. Leptosphaeria steironematis Ell. & Ev.
On Steironema ciliatum (L.) Raf., Clarke.
70. Leptosphaeria subconica (Cke. & Pk.) Sacc.
On Ambrosia trifida L., Aster dumosus L., A. ericoides
L. var. platyphyllus T. & G., Boehmeria cylindrica (L.) Sw., Chelone
glabra L., Clarke; Chrysopsis mariana (L.) Nutt., Union; Eupatorium pur-
pureum L., Hibiscus esculentus L., Solidago altissima L., S. brachyphylla
Chapm., S. curtisii T. & G., Verbesina virginica L., Clarke.
71. Leptosphaeria vagabunda Sacc.
On Viburnum rufidulum Raf., Vitis baileyana Muns., Clarke.
72. Leptosphaeria virginica (Cke. & Ell.) Sacc.
On Lepidium virginicum L., Clarke.
73. Leptosphaeria sp.
On Aster sagittifolius Wed. var. dissitiflorus Burg.,
Clarke.
74. Leptosphaeria sp.
On Daucus carota L., Polymnia canadensis L., Smallanthus
uvedalia (L.) Mack., Solidago caesia L., Clarke.
75. Leptosphaeria sp.
On Eupatorium capillifolium (Lam.) Small, Clarke.
76. Leptosphaeria sp.
On Holcus halepensis L., Clarke.

77. Leptosphaeria sp.
On *Juncus effusus* L., Glynn.
78. Leptosphaeria sp.
On *Monarda punctata* L., Clarke.
79. Leptosphaeria sp.
On *Myrica carolinensis* Mill., Pierce; *Myrica cerifera* L.,
Tift.
80. Leptosphaeria sp.
On *Vernonia glauca* (L.) Willd., Clarke.
81. Massaria argus (Berk. & Br.) Fres.
On *Betula lenta* L., Rabun; *Betula nigra* L., Clarke.
82. Massaria epileuca Berk. & Curt.
On *Morus alba* L., *Morus rubra* L., Clarke.
83. Massaria foedans Fr.
On *Celtis georgiana* Small, Clarke.
84. Massaria inquinans Tode ex Fr.
On *Fagus grandifolia* Ehrh., Rabun.
85. Massaria platani Ces.
On *Platanus occidentalis* L., Clarke.
86. Massaria plumigera Ell. & Ev.
On *Morus rubra* L., Clarke, Rabun.
87. Massaria plumigera Ell. & Ev. var. tetraspora Dearn. & House.
On *Acer negundo* L., Clarke; *Viburnum nudum* L., Columbia;
Viburnum rufidulum Raf., Clarke, Morgan, Walton.
88. Massaria ulmi Fckl.
On *Ulmus fulva* Michx., Oglethorpe.
89. Massaria vomitoria Berk. & Curt.
On *Acer leucoderme* Small, Clarke; *Acer rubrum* L.,
McDuffie.
90. Massaria sp.
On *Benzoin aestivale* (L.) Nees, Clarke.
91. Massaria sp.
On *Carpinus caroliniana* Walt., Clarke.
92. Massariella curreyi (Tul.) Sacc.
On *Tilia heterophylla* Vent. var. *michaixii* (Nutt.) Sarg.,
Clarke.

93. Massariella curreyi (Tul.) Sacc. var. americana Pk.
On Tilia heterophylla Vent. var. michauxii (Nutt.) Sarg.,
Clarke.
94. Massariella seriata (Cke.) Sacc.
On Cydonia oblonga Mill., Clarke.
95. Melanomma helicophilum (Cke.) Sacc.
On Quercus velutina Lam., Rabun.
96. Melanomma pulvis-pyrius (Pers. ex Fr.) Fckl.
On wood, Bullock.
97. Melanomma sporadicum Ell. & Ev.
On Quercus sp., Morgan.
98. Melogramma meliae Curt. ex Cke.
On Melia azedarach L., Clarke.
99. Melogramma vagans DeNot.
On Carpinus caroliniana Walt., Greene, Jackson.
100. Melogramma sp.
On Pyrularia pubera Michx., DeKalb.
101. Metasphaeria aulica (Cke. & Ell.) Sacc.
On Impatiens biflora Walt., Clarke.
102. Metasphaeria cavernosa (Ell. & Ev.) Sacc.
On Taxodium distichum (L.) Rich., Glynn, McIntosh.
103. Metasphaeria complanata (Tode ex Fr.) Sacc.
On Ambrosia artemisiifolia L., Aster undulatus L.,
Clarke; Polygonum pennsylvanicum L., Rabun; Rudbeckia laciniata L.,
Clarke.
104. Metasphaeria infuscans Ell. & Ev.
On Andropogon virginicus L., Clarke.
105. Metasphaeria leiostega (Ell.) Sacc.
On Carpinus caroliniana Walt., Fraxinus pennsylvanica
Marsh. var. lanceolata (Borkh.) Sarg., Clarke.
106. Metasphaeria palmetta (Cke.) Sacc.
On Sabal minor (Jacq.) Pers., S. palmetto (Walt.) Todd,
McIntosh.
107. Metasphaeria panicorum (Cke.) Sacc.
On Panicum commutatum Schult., Clarke.

108. Metasphaeria punctulata Ell. & Ev.
On *Panicum clandestinum* L., *P. commutatum* Schult.,
Clarke.
109. Metasphaeria rubida Ell. & Ev.
On *Liriodendron tulipifera* L., Clarke.
110. Metasphaeria sabalensis Cke.
On *Sabal minor* (Jacq.) Pers., McIntosh.
111. Metasphaeria subcutanea (Cke. & Ell.) Sacc.
On *Styrax americana* Lam., Clarke.
112. Metasphaeria sp.
On *Apios tuberosa* Moench., *Boehmeria cylindrica* (L.)
Sw., *Cirsium altissimum* (L.) Spreng., *Daucus carota* L., *Impatiens biflora*
Walt., *Smallanthus uvedalia* (L.) Mack., *Solanum melongena* L., *Stachys*
tenuifolia Willd., *Steironema ciliatum* (L.) Raf., *Vernonia glauca* (L.)
Willd., Clarke.
113. Metasphaeria sp.
On *Lespedeza virginica* (L.) Britt., Clarke.
114. Neopeckia diffusa (Schw.) Starb.
On *Nyssa* sp., Chatham; *Robinia pseudo-acacia* L., Rabun;
wood, Bullock.
115. Ophiobolus acuminatus (Sow. ex Fr.) Duby.
On *Holcus halensis* L., *Panicum clandestinum* L., *Rumex*
verticillatus L., *Scirpus georgianus* Harper, *Setaria glauca* (L.) Beauv.,
Xanthium canadensis Mill., Clarke.
116. Ophiobolus anguillides (Cke.) Sacc.
On *Ambrosia artemisiifolia* L., Banks, Clarke, Oglethorpe,
Union; *A. trifida* L., *Cirsium altissimum* (L.) Spreng., Clarke; *Coreopsis*
major Walt. var. *oemleri* Britt., *Erigeron ramosus* (Walt.) BSP., *Helian-*
thus divaricatus L., *Monarda punctata* L., *Rudbeckia hirta* L., Clarke;
Xanthium canadense Mill., Clarke, Oconee.
117. Ophiobolus fulgidus (Cke. & Pk.) Sacc.
On *Sonchus oleraceus* L., *Vernonia noveboracensis* (L.)
Willd., Clarke.
118. Ophiobolus stictisporus (Cke. & Ell.) Sacc.
On *Arundinaria tecta* (Walt.) Muhl., *Danthonia sericea*
Nutt., Clarke.
119. Ophiobolus sp.
On *Achillea millefolium* L., *Ambrosia artemisiifolia* L.,
Amsonia tabernaemontana Walt., *Cassia chamaecrista* L., *Cimicifuga*
racemosa (L.) Nutt., *Coreopsis major* Walt., *C. major* var. *oemleri* Britt.,
Daucus carota L., *Desmodium canadense* (L.) DC., *D. nudiflorum* (L.) DC.,

D. paniculatum (L.) DC., var. *angustifolium* T. & G., *Firmiana platanifolia* (L.) R. Br., *Helianthus microcephalus* T. & G., *Ligusticum canadense* (L.) Britt., *Oxypolis rigidior* (L.) Coulter & Rose, *Sanicula canadensis* L., *Smilax laurifolia* L., *Solidago serotina* Ait., Clarke.

120. Ophiobolus sp.

On *Cirsium altissimum* (L.) Spreng., Clarke.

121. Ophiobolus sp.

On *Hibiscus esculentus* L., Clarke.

122. Ophiobolus sp.

On *Juncus effusus* L., Clarke.

123. Parodiella perisporioides (Berk. & Curt.) Speg.

On *Desmodium canadense* (L.) DC., Clarke, Meriwether.

124. Physalospora fusca Stev.

On *Carya* sp., Glynn.

125. Physalospora obtusa (Schw.) Cke.

On *Acer negundo* L., Clarke, McDuffie; *A. rubrum* L., *Aesculus pavia* L., *Amorpha fruticosa* L., DeKalb; *Aronia arbutifolia* (L.) Ell., Jenkins; *Baccharis halimifolia* L., Jenkins, Wilkes; *Baptisia perfoliata* (L.) R. Br., Jenkins; *Benzoin aestivale* (L.) Nees, Clarke, DeKalb; *Berchemia scandens* (Hill) Trelease, McDuffie; *Callicarpa americana* L., DeKalb, McDuffie; *Calycanthus floridus* L., *Carya alba* (L.) K. Koch, Clarke; *C. cordiformis* (Wang.) K. Koch, Oglethorpe; *Castanea alnifolia* Nutt., Cook; *Ceanothus americanus* L., *Cephalanthus occidentalis* L., *Cirsium altissimum* (L.) Spreng., *Citrus trifoliata* L., *Cocculus carolinus* (L.) DC., *Cornus amomum* Mill., *Cotinus coggyria* Scop., *Cotoneaster francheti* Bois., Clarke; *Crataegus marshallii* Eggers, Oglethorpe; *Crataegus* sp., Clarke, Pierce; *Cyrilla racemiflora* L., Jenkins, Pierce; *Euonymus americanus* L., *Feniculum vulgare* Hill, Clarke; *Gelsemium sempervirens* (L.) Ait. f., Columbia; *Ilex ambigua* (Michx.) Chapm., Gwinnett; *I. glabra* (L.) Gray, Columbia, Glynn, Jenkins; *Itea virginica* L., *Lespedeza virginica* (L.) Britt., Clarke; *Liriodendron tulipifera* L., McDuffie; *Lonicera sempervirens* L., *Ludwigia alternifolia* L., Clarke; *Lyonia lucida* (Lam.) K. Koch, Jenkins; *Magnolia macrophylla* Michx., DeKalb; *Magnolia virginiana* L., Glynn, Jenkins, Pierce; *Malus pumila* Mill., Clarke, Rabun; *Myrica cerifera* L., Jenkins, Laurens; *Nerium oleander* L., Dooly; *Oenothera laciniata* Hill, Clarke; *Ostrya virginiana* (Mill.) K. Koch, Columbia; *Oxydendrum arboreum* (L.) DC., *Physocarpus opulifolius* (L.) Maxim, *Pinus strobus* L., Clarke; *Pinus virginiana* Mill., Rabun; *Pistacia chinensis* Bge., *Platanus occidentalis* L., Clarke; *Populus deltoides* Marsh., Jenkins; *Prunus persica* (L.) Stokes, *P. serotina* Ehrh., *Rhamnus caroliniana* Walt., *Rubus argutus* Lk., *Rubus* sp., var. *brainard*, *Rumex crispus* L., *Rumex obtusifolius* L., *Salix babylonica* L., *Solidago odora* Ait., *Spiraea prunifolia* Sieb. & Zucc., *S. thunbergii* Sieb., *Steironema ciliatum* (L.) Raf., *Tecoma radicans* (L.) Juss., *Thuja occidentalis* L., Clarke; *Ulmus americana* L., *U. fulva* Michx., Oglethorpe;

Viburnum acerifolium L., Clarke; *V. nudum* L., Columbia; *V. obovatum* Walt., Jenkins; *Vitis labrusca* L. var. Catawba, *V. rotundifolia* Michx., Clarke.

126. Physalospora sp.
On *Tecoma radicans* (L.) Juss., Clarke.
127. Pleomassaria carbini (Fckl.) Sacc.
On *Carpinus caroliniana* Walt., Clarke.
128. Pleosphaeria echinata (Ell. & Ev.) Mill.
On *Acer rubrum* L., Oglethorpe; *Crataegus spathulata* Michx., *Fraxinus pennsylvanica* Marsh. var. *lanceolata* (Borkh.) Sarg., Clarke.
129. Pleospora compositarum Earle
On *Helenium tenuifolium* Nutt., Clarke.
130. Pleospora diaporthoides Ell. & Ev.
On *Ambrosia artemisiifolia* L., Clarke.
131. Pleospora herbarum (Pers. ex Fr.) Rabh.
On *Ambrosia artemisiifolia* L., Clarke.
132. Pleospora thümeniana Sacc.
On *Yucca aloifolia* L., Clarke.
133. Pleospora vulgaris Niessl.
On *Daucus carota* L., Clarke; *Eupatorium capillifolium* (Lam.) Small, Oglethorpe; *Foeniculum vulgare* Hill, *Rubbeckia hirta* L., *Verbesina occidentalis* (L.) Walt., *V. virginica* L., *Vitis baileyana* Muns., Clarke.
134. Pleospora sp.
On *Eupatorium capillifolium* (Lam.) Small, Pierce.
135. Pleospora sp.
On *Juncus tenuis* Willd., Clarke.
136. Pleospora sp.
On *Uniola latifolia* Michx., Clarke.
137. Pyrenophora relicina (Fckl.) Sacc.
On *Secale cereale* L., *Triticum aestivum* L., Clarke.
138. Rhopographus clavisporus (Cke. & Pk.) Sacc.
On *Andropogon virginicus* L., *Rynchospora glomerata* (L.) Vahl, Clarke, Madison; *Setaria glauca* (L.) Beauv., Clarke.
139. Rhopographus zae Pat.
On *Zea mays* L., Clarke.

140. Rosenscheldia héliopsidis (Schw. ex Fr.) Theiss. & Syd.
On *Helianthus divaricatus* L., Clarke.
141. Teichospora ohiensis Ell. & Ev.
On *Salix nigra* Marsh., Ogletorpe.
142. Trichodothis comata (Berk. & Rav.) Theiss. & Syd.
On *Magnolia virginiana* L., Washington.
143. Trichosphaeria pilosa (Pers. ex Fr.) Fckl.
On *Quercus* sp., Clarke.
144. Trichosphaeria pulchriseta (Pk.) Ell. & Ev.
On *Celtis georgiana* Small, *Quercus* sp., Clarke.
145. Tympanopsis euomphala (Berk. & Curt.) Starb.
On *Carpinus caroliniana* Walt., *Fraxinus pennsylvanica*
Marsh. var. *lanceolata* (Borkh.) Sarg., *Quercus* sp., Clarke.
146. Urosporella americana Atk.
On *Cassis chamaecrista* L., *Lespedeza virginica* (L.) Britt.,
Clarke.
147. Venturia asteroides Ell. & Mart.
On *Quercus catesbeii* Michx., Richmond; *Q. maxima* (Marsh.)
Ashe, *Q. rubra* L., *Q. velutina* Lam., Clarke.
148. Venturia graminicola Wint.
On *Carex pennsylvanica* Lam., Clarke.
149. Venturia inaequalis (Cke.) Wint.
On *Malus pumila* Mill., Banks, Clarke, Habersham, Rabun,
Union; *Pyracantha coccinea* Roem. var. *lalandi* Dipp., Clarke.
150. Venturia oxydendri Wolf.
On *Oxydendrum arboreum* (L.) DC., Clarke, Hall, Hart,
Lincoln.
151. Venturia pyrina Aderh.
On *Pyrus communis* L., Clarke.
152. Zignoella pulviscula (Curr.) Sacc.
On *Quercus velutina* Lam., Clarke; *Quercus* sp., Clarke,
Rabun.

IV. DOTHIDEALES

1. Dothidomycetidae

1. Coccoidella scutula (Berk. & Curt.) v. Höhn.
On *Persea pubescens* (Pursh) Sarg., Charlton, McIntosh.

2. Dethides collecta (Schw.) Ell. & Ev.

On *Acer negundo* L., *Alnus rugosa* (DuRoi) Spreng., Oglethorpe; *Asimina triloba* (L.) Dunal, DeKalb; *Azalea canescens* Michx., Clarke; *Bignonia capreolata* L., Clarke, Oglethorpe; *Foeniculum vulgare* Hill, Clarke; *Fraxinus pennsylvanica* Marsh. var. *lanceolata* (Borkh.) Sarg., Oglethorpe; *Hibiscus syriacus* L., Clarke; *Lonicera flava* Sims, DeKalb; *L. japonica* Thunb., Clark, Oglethorpe; *Melia azedarach* L., *Rhus glabra* L., Clarke; *R. toxicodendron* L., *Sambucus canadensis* L., Oglethorpe.

3. Dothidella ribesia (Pers. ex Fr.) Theiss. & Syd.

On *Ribes curvatum* Smell, DeKalb.

4. Dothidella trifolii (Pers. ex Fr.) Bayl.-Ell. & Stan.

On *Trifolium incarnatum* L., Clarke, Elbert; *T. repens* L., Clarke.

2. Mycosphaerellaceae

1. Didymellina iridis (Desm.) v. Höhn.

On *Iris* sp., Clarke.

2. Guignardia aesculi (Pk.) Stew.

On *Aesculus georgiana* Sarg., Clarke.

3. Guignardia bidwellii (Ell.) Viala & Ravaz.

On *Parthenocissus tricuspidata* (Sieb. & Zucc.) Planch. *Vitis labrusca* L., *V. rotundifolia* Michx., Clarke.

4. Guignardia bumeliae Thom. & Mill.

On *Bumelia lycioides* Gertn. f., Putnam.

5. Guignardia magnoliae (Schw.) Mill.

On *Magnolia virginiana* L., Richmond, Washington.

6. Guignardia sp.

On *Cliftonia monophylla* (Lam.) Sarg., Pierce.

7. Guignardia sp.

On *Typha latifolia* L., Clarke.

8. Guignardia sp.

On *Uvularia perfoliata* L., Clarke.

9. Mycosphaerella aquatica (Cke.) Mill.

On *Quercus nigra* L., Clarke, McIntosh; *Q. virginiana* Mill., Cook.

10. Mycosphaerella arachidicola W. A. Jenkins

On *Arachis hypogaea* L., Spalding, Tift.

11. Mycosphaerella arachnoidea Wolf
On *Morus rubra* L., Clarke.
12. Mycosphaerella arbutifoliae (Pk.) House
On *Aronia arbutifolia* (L.) Ell., Clarke.
13. Mycosphaerella areola Ehrl. & Wolf.
On *Cossyphum hirsutum* L., Clarke.
14. Mycosphaerella berkeleyii W. A. Jenkins.
On *Arachis hypogaea* L., Clarke, Spalding, Tift.
15. Mycosphaerella bolleana Hig.
On *Ficus carica* L., Clarke, Spalding.
16. Mycosphaerella bumeliae (Cke.) Mill.
On *Bumelia lycioides* Gaertn. f., Clarke; *Bumelia* sp., McIntosh.
17. Mycosphaerella caroliniana (Wolf.) Mill.
On *Oxydendrum arboreum* (L.) DC., Clarke, Gwinnett, Hall, Rabun.
18. Mycosphaerella carvigena Demaree & Cole
On *Carya pecan* (Marsh.) Engl. & Graebn., Pulaski.
19. Mycosphaerella catesbeyi (Cke.) Mill.
On *Quercus catesbaei* Michx., Cook, McIntosh.
20. Mycosphaerella cercidicola (Ell. & Kellm.) Wolf
On *Cercis canadensis* L., Clarke, Elbert.
21. Mycosphaerella colorata (Pk.) Earle
On *Kalmia latifolia* L., Rabun.
22. Mycosphaerella confusa Wolf
On *Rubus argutus* Lk., *R. flagellaris* Willd., Clarke; *R. floridus* Tratt., Oglethorpe; *R. idaeus* L., *R. neglectus* Pk., *Rubus* sp. var. Boysen, Clarke.
23. Mycosphaerella corni (Schw.) Mill.
On *Cornus florida* L., Clarke.
24. Mycosphaerella cruenta Latham
On *Glycine max* Merr., *Phaseolus vulgaris* L., *Stizolobium deerianum* Bort., *Vigna sinensis* (L.) Endl., Clarke.
25. Mycosphaerella dendroides (Cke.) Demaree & Cole
On *Carya laciniosa* (Michx. f.) Loud., Oglethorpe; *Carya pecan* (Marsh.) Engl. & Graebn., Thomas.

26. Mycosphaerella effigurata (Schw.) House
On *Fraxinus americana* L., DeKalb; *F. biltmoreana* Beadle,
Hart; *F. pennsylvanica* Marsh. var. *lanceolata* (Borkh.) Sarg., Clarke.
27. Mycosphaerella fragariae (Tul.) Lind.
On *Fragaria virginiana* Duch., Clarke.
28. Mycosphaerella fraxinicola (Schw.) House
On *Fraxinus biltmoreana* Beadle, Gwinnett, Hart; *F. pennsylvanica* Marsh. var. *lanceolata* (Borkh.) Sarg., Clarke, Greene.
29. Mycosphaerella gordoniae (Cke.) Mill.
On *Gordonia lasianthus* L., McIntosh.
30. Mycosphaerella gossypina (Atk.) Earle
On *Gossypium hirsutum* L., Clarke.
31. Mycosphaerella maculiformis (Pers. ex Fr.) Schroet.
On *Acer rubrum* L., *Baptisia bracteata* (Muhl.) Ell.,
Clarke; *Carya alba* (L.) K. Koch, Gwinnett; *Castanea mollissima* Bl.,
Firmiana platanifolia (L.) R. Br., Clarke; *Liquidambar styraciflua* L.,
Clarke, Lincoln, Walton; *Liriodendron tulipifera* L., Clarke; *Magnolia*
fraseri Walt., Rabun; *Populus alba* L., *P. nigra* L., Clarke; *Quercus*
coccinea Muench., Clarke, Gwinnett; *Q. maxima* (Marsh.) Ashe, Gwinnett.
32. Mycosphaerella mori Wolf
On *Morus alba* L., Clarke.
33. Mycosphaerella myricae Miles
On *Myrica carolinensis* Mill., McDuffie, Pierce.
34. Mycosphaerella nigrita (Cke.) Mill.
On *Quercus lyrata* Walt., Oglethorpe.
35. Mycosphaerella nyssaecola (Cke.) Wolf
On *Nyssa ogeche* Marsh., Tift; *Nyssa sylvatica* Marsh.,
Clarke, Jones, Rabun.
36. Mycosphaerella oleina (Cke.) Mill.
On *Osmanthus americanus* (L.) B. & H., McIntosh.
37. Mycosphaerella persica Hig. & Wolf
On *Prunus persica* (L.) Stokes, Clarke, Spalding.
38. Mycosphaerella virensata Hig.
On *Vitis labrusca* L., Spalding.
39. Mycosphaerella pinodes (Berk. & Brox.) Vestergr.
On *Pisum arvense* L. var. Austrian Winter Pea, Clarke,
Jackson, Oconee.

40. Mycosphaerella platanifolia (Cke.) Wolf
On *Platanus occidentalis* L., Clarke, Gwinnett, Madison,
McIntosh.
41. Mycosphaerella populorum Thomp.
On *Populus deltoides* Marsh., Clarke, Wilkes.
42. Mycosphaerella punctiformis (Pers. ex Fr.) Schroet.
On *Acer leucoderme* Small, Greene; *Aesculus pavia* L., De-
Kalb; *Amelanchier canadensis* (L.) Medic., Clarke, Rabun; *A. laevis* Wieg.,
Asimina parviflora (Michx.) Dunal, Clarke; *Carya alba* (L.) K. Koch,
Clarke, Hall; *C. ovalis* (Wang.) Sarg., Clarke, Oglethorpe; *C. pallida*
(Ashe) Engl. & Graebn., Clarke, McDuffie; *C. pecan* (Marsh.) Engl. &
Graebn., Clarke; *Castanea dentata* (Marsh.) Borkh., Gwinnett; *Chionanthus*
virginica L., Putnam; *Corylus maxima* Mill., *Crataegus marshallii* Eggl.,
Oglethorpe; *C. michauxii* Pers., *Diospyros virginiana* L., *Fagus grandi-*
folia Ehrh., Clarke; *Halesia carolina* L., Putnam; *Hamamelis virginiana* L.,
DeKalb, Rabun; *Magnolia tripetala* L., Clarke, DeKalb; *Ostrya virginiana*
(Mill.) K. Koch, Clarke, Walton; *Populus tomentosa* Carr., Clarke;
Prunus serotina Ehrh., Hall; *Quercus alba* L., Clarke, Gwinnett; *Q. mari-*
ländica Muench., Hall; *Q. maxima* (Marsh.) Ashe, Clarke; *Q. montana*
Willd., Clarke, Hall, Lincoln; *Q. nigra* L., *Q. phellos* L., Clarke;
Q. velutina Lam., Gwinnett; *Styrax grandifolia* Ait., *Tilia heterophylla*
Vent. var. *michauxii* (Nutt.) Sarg., Clarke; *Ulmus americana* L., Greene;
U. pumila L., *Vaccinium cnoonum* Ait., *V. arboreum* Marsh., Clarke;
V. vacillans Kalm, Lincoln; *Viburnum rufidulum* Raf., Clarke.
43. Mycosphaerella pyrina (Ell. & Ev.) Mill.
On *Pyrus sinensis* Lindl. x *P. communis* L., Clarke.
44. Mycosphaerella rosicola Davis
On *Rosa* sp., Clatham, Clarke, Tift.
45. Mycosphaerella rubi Roark
On *Rubus argutus* Lk., *R. flagellaris* Willd., Clarke.
46. Mycosphaerella sarraceniae (Schw.) House
On *Sarracenia flava* L., Tift.
47. Mycosphaerella sassafras (Ell. & Ev.) Bubák & Kabat
On *Sassafras variifolium* (Salisb.) Ktze., Clarke.
48. Mycosphaerella sentina (Fr.) Schroet.
On *Pyrus communis* L., Clarke.
49. Mycosphaerella smilacicola (Cke.) Overh.
On *Smilax glauca* Walt., Clarke; *S. laurifolia* L., Clarke,
Elbert, Tift; *S. rotundifolia* L., Clarke, Elbert.

50. Mycosphaerella spleniata (Cke. & Pk.) House
On *Quercus alba* L., Clarke; *Q. austrina* Small,
Lee; *Q. margareta* Ashe, Richmond; *Q. prinus* L., Washington; *Q. stellata*
Wang., Clarke.
51. Mycosphaerella staphylina (Ell. & Ev.) Mill.
On *Staphylea trifolia* L., Clarke.
52. Mycosphaerella tulipifera (Schw.) Hig.
On *Liriodendron tulipifera* L., Clarke, Madison.
53. Mycosphaerella typhae (Lasch) Lind.
On *Typha latifolia* L., Clarke.
54. Mycosphaerella ulmi Kleb.
On *Ulmus americana* L., Clarke.
55. Mycosphaerella weigeliae (Sacc. & Trott.) Fairm.
On *Diervilla florida* Sieb. & Zucc., Clarke.
56. Mycosphaerella sp.
On *Acer saccharum* Marsh., Clarke.
57. Mycosphaerella sp.
On *Amsonia tabernaemontana* Walt., Clarke.
58. Mycosphaerella sp.
On *Catalpa bignonioides* Walt., Clarke.
59. Mycosphaerella sp.
On *Crataegus michauxii* Pers., Clarke.
60. Mycosphaerella sp.
On *Crataegus ravenelii* Sarg., Wilkes.
61. Mycosphaerella sp.
On *Elaeagnus umbellata* Thunb., Clarke.
62. Mycosphaerella sp.
On *Eupatorium purpureum* L., Clarke
63. Mycosphaerella sp.
Fraxinus caroliniana Mill., Tift.
64. Mycosphaerella sp.
On *Gerardia virginica* (L.) BSP., Clarke.
65. Mycosphaerella sp.
On *Gleditsia triacanthos* L., Clarke.
66. Mycosphaerella sp.
On *Hamamelis virginiana* L., Putnam.

67. Mycosphaerella sp.
On *Helianthus microcephalus* T. & G., Clarke.
68. Mycosphaerella sp.
On *Ligusticum canadense* (L.) Britt., Clarke.
69. Mycosphaerella sp.
On *Liquidambar styraciflua* L., Madison.
70. Mycosphaerella sp.
On *Magnolia cordata* Michx., Clarke, Putnam
71. Mycosphaerella sp.
On *Magnolia virginiana* L., Dooly, Pierce, Washington.

72. Mycosphaerella sp.
On *Prunus serotina* Ehrh., Clarke.
73. Mycosphaerella sp.
On *Robinia pseudo-acacia* L., Clarke.
74. Mycosphaerella sp.
On *Salix babylonica* L., Clarke.
75. Mycosphaerella sp.
On *Sericocarpus asteroides* (L.) BSP., Clarke.
76. Mycosphaerella sp.
On *Solidago boottii* Hook., Clarke.
77. Mycosphaerella sp.
On *Solidago caesia* L., Clarke.
78. Mycosphaerella sp.
On *Symplocos tinctoria* (L.) L'Her., Clarke.

79. Mycosphaerella sp.
On *Ulmus alata* Michx., *Ulmus serotina* Sarg., Clarke.
80. Phaeosphaerella, sp.
On *Alnus rugosa* (DuRoi) Spreng., Clarke.
81. Pseudoplea briosiana (Poll.) v. Höhn.
On *Medicago sativa* L., *Trifolium* sp., Clarke.
82. Sphaerognomonia carpinea (Fr.) Poteb.
On *Acer rubrum* L., *Alnus rugosa* (DuRoi) Spreng., *Betula nigra* L., Clarke; *Carpinus caroliniana* Walt., Clarke, Columbia, Madison; *Castanea dentata* (Marsh.) Borkh., *Corylus maxima* Mill., Clarke; *Ostrya virginiana* (Mill.) K. Koch, Columbia.

83. Sphaeropomonia polystigma (Ell. & Ev.) Thüm. & Mill.

On *Quercus alba* L., Clarke; *Q. cinerea* Michx., Washington; *Q. coccinea* Muench., Clarke; *Q. georgiana* Curt., DeKalb; *Q. margareta* Ashe, Clarke; *Q. marilandica* Muench., Jones; *Q. maxima* (Marsh.) Ashe, Clarke, DeKalb, McDuffie; *Q. nigra* L., *Q. palustris* Muench., *Q. prinus* L., Clarke; *Q. velutina* Lam., Clarke, Greene.

(Department of Plant Pathology, University of Georgia, Athens, Ga.)

919.19

AGRICULTURAL REFERENCE DEPARTMENT,
CLEMSON COLLEGE LIBRARY

THE PLANT DISEASE REPORTER

Issued By

Division of Mycology and Disease Survey

BUREAU OF PLANT INDUSTRY

UNITED STATES DEPARTMENT OF AGRICULTURE

Supplement 132

The Wheat Stem Rust Epidemic of Kansas in 1940

October 1, 1941



The Plant Disease Reporter is issued as a service to plant pathologists throughout the United States. It contains reports, summaries, observations, and comments submitted voluntarily by qualified observers. These reports often are in the form of suggestions, queries, and opinions, frequently purely tentative, offered for consideration or discussion rather than as matters of established fact. In accepting and publishing this material the Division of Mycology and Disease Survey serves merely as an informational clearing house. It does not assume responsibility for the subject matter.

THE WHEAT STEM RUST EPIDEMIC OF KANSAS IN 1940 1/

By L. E. Melchers, Plant Pathologist, Kansas Agricultural Experiment Station. 2/

Plant Disease Reporter
Supplement 132

October 1, 1941

Loss from stem rust of wheat, Puccinia graminis tritici Pers., in Kansas the past 6 years has been a matter of concern to those connected with the hard winter wheat industry of the Plains area. There is no other 6-year period in the history of wheat production in Kansas in which 4 stem-rust epiphytotics are recorded. The total loss from stem rust during these 6 years (1935-1940) is as large or larger than the combined loss which had occurred in Kansas up to that time, since the epiphytic of 1904.

The loss from stem rust has stimulated research on the stem-rust problems affecting wheat and oats in Kansas and added attention is being directed to the matter of breeding for resistance to stem and leaf rusts of hard winter wheats and spring oats adapted to this area. Although the present breeding program, emphasizing stem-rust resistance, has been under way only about 5 years, substantial progress has been made in obtaining certain hybrids combining stem-rust resistance with resistance to other diseases and insects. In order to obtain such characters as quality, yield, winter hardiness, insect resistance, and other essential qualities, cooperative experiments with the Departments of Entomology and Agronomy have been conducted. It has been recognized by plant breeders in the Great Plains area, the hard winter wheat region, that cognizance must be taken of the fact that stem rust is a hazard to wheat production and must be considered in the future; that a variety, no matter how excellent it may be in other respects, will never be what it should be unless it has resistance to stem rust as well as to certain other diseases.

Loss of major importance from stem rust of wheat occurred in Kansas in 1935, 1937, 1938, and 1940, and for each of the first 3 of these a published report on the pertinent facts as related to the epiphytology of stem rust has been recorded 3/. The 1940 record is given in the present report. When leaf rust, Puccinia triticina Eriks. [P. rubigo-vera tritici (Eriks. & Henn.) Carl.], was a factor during any of these years, recognition of this fact was made, as well as of any other disease or condition that was of importance in evaluating the loss from stem rust.

1/ Contribution No. 418 from the Department of Botany.

2/ The author gratefully acknowledges the help of John C. Miller, Extension Specialist in Plant Pathology, Kansas State College, who accompanied him on the field trip in which wheat fields were examined.

3/ Johnston, C.C., et al. The stem rust epidemic of 1935 in Kansas. Plant Disease Reporter Supplement 92. 1936.

Johnston, C.C., L.E. Melchers, and J.O. Miller. The wheat stem rust epidemic of 1937 in Kansas. Plant Disease Reporter Supplement 107. 1938.

Melchers, L.E., and C.C. Johnston. The wheat stem and leaf rust epidemics of 1938 in Kansas. Plant Disease Reporter Supplement 116. 1939.

Crop Conditions Leading Up to the Stem-rust Epidemic of 1940

In 1940 Kansas was still struggling with the prolonged drouth conditions that have prevailed in the State for the past 9 years. It was the lack of moisture in the fall of 1939 that set the stage for much of the trouble that was to follow in the spring of 1940 when stem rust appeared.

In June 1939, heavy rains fell and it appeared as if the row crops were off to a good start. The latter part of July, however, was dry, and hot weather and drying winds began to show their effect on corn and sorghums. Although heavy rains fell the first half of August, high temperatures, scorching winds, and lack of rain during the last of August, quickly dissipated what moisture remained. These same conditions were making it impossible to prepare land for a satisfactory seedbed for the 1940 wheat crop. Dry, hot weather prevailed in September over the entire State. No relief from the drouth occurred in October, November, and part of December. The soil was dry for several feet below the surface. The entire fall of 1939 was one of the warmest and driest in the records of the Weather Bureau in Kansas. Trees, shrubbery, pastures and alfalfa were severely damaged. The vast areas of wheat lands that had been disked or plowed were dry. A very small wheat acreage was planted on land that had enough moisture to give the crop a start, but each succeeding week saw the wheat deteriorating. In desperation thousands of acres were sown in late November and December in soil that was bone dry. A rain about the middle of November helped some of the wheat that had started to grow and aided some of the seed in other fields to germinate. Rains were not heavy, nor were they distributed over a wide enough area in the wheat belt to be of much benefit. This was especially true of the western quarter of the State. Towards the end of December snows fell in western Kansas to a depth of 1 to 6 inches and this, no doubt, gave some of the wheat a start, but they came too late, as will be shown later. Some farmers drilled wheat after the snow had fallen. Traveling in central and western Kansas in November and December, one was struck by the absence of anything green -- the fields were bare of growth. By the middle of December crop conditions were estimated as 35 percent of normal for wheat, probably the poorest prospect for that time of year in the history of the State. Temperatures remained abnormally high for that time of year, the lowest temperature at Manhattan up to December 24 being 16° F.

Following this, severe winter weather with some subzero temperatures occurred in January, the lowest being -11° on January 17. Farmers were still attempting to sow their wheat, whenever there was a break in the cold spell, although warnings had been given by the Agricultural Experiment Station that such a practice was futile.

Some improvement was observed in the wheat in April, but the crop estimate on April 1 was 59,400,000 bushels, the lowest in Kansas since 1917. Eastern Kansas wheat fields were fair to good. Conditions west of a line running north and south of Salina were poor. Much of the wheat in this area did not emerge until March and therefore could have little

prospect of maturing. April rainfall, however, for Kansas was normal, and May and June had normal or almost normal rainfall; parts of May were unusually cool, all of which favored a very late wheat crop. In May the crop was estimated at 72,000,000 bushels ^{4/}, and much of the late wheat had made what appeared, to many, a promising start and the prospects of a good crop.

During the last week in May a trip was made through southern Kansas by College officials, who reported that thousands of acres of wheat were from 2 to 3 weeks late. These fields and a large acreage in the western part of the State that were not so far along, were faced with 2 dangerous possibilities. If the weather were to remain cool with sufficient moisture to allow the wheat to make a crop, stem rust would no doubt destroy the wheat, and if abundant moisture did not fall and seasonable temperatures prevailed, this late crop would "burn up." As will be shown, stem rust caused excessive damage, not only to this large acreage of late wheat, but also to the balance of the crop in south-central Kansas, which was a week to 10 days late.

Climatic Conditions in Kansas as Affecting Stem-rust Development in 1940

An examination of figure 1 will show the daily precipitation and maximum and minimum temperatures for the period April 1 to July 30. During most of April and up to May 3, temperatures were too low for infection and spread of stem rust. This graph indicates that moisture was favorable for stem rust development throughout this period up to perhaps the middle of July, although the distribution of rainfall for the June 15 to July 24 period was not so favorable as for the other "rust years." During May and June, the days remained moderately cool, and this, together with the absence of hot, drying winds which generally prevail at this time of year, prevented excessive loss of moisture. Heavy dews were frequent during the critical periods.

As mentioned in a former publication ^{5/}, stem rust spores require, besides moisture, a minimum temperature not below 55-60° F. for their best development. If we accept 60° F. as the minimum temperature allowing abundant germination and infection to occur, figures 1 to 3 show some points of interest as compared with the epiphytology of stem rust in Kansas in 1935, 1937, and 1938. On April 2 and 3 (fig. 1) there was a short period favorable for infection and records show that moisture was sufficient. It is believed that some infection may have occurred at that time if spores were present in southern Kansas. They could have come from Mexico and Texas where rust was present in abundance at this time. But the minimum temperatures remained too low throughout April to allow stem-rust development in Kansas.

^{4/} The total wheat crop for Kansas 1940 according to the Bureau of Agricultural Economics is 123,848,000 bushels.

^{5/} Plant Disease Reporter Supplement 92. 1936.

The early part of the season (April) was apparently too cool for infection and spread of stem rust in Texas and Oklahoma; otherwise, very heavy losses might have occurred in the Plains area, especially in those regions of Oklahoma and Kansas where the wheat was 10 to 14 days late. It is believed this is the main reason that an epidemic of major importance in Kansas was escaped.

On April 15 and 28 the minimum temperatures approach the point favorable for infection but these short periods are probably of little consequence. Several prolonged, as well as short favorable "infection periods" from May 5 to June 12 are indicated in figure 1. It was during these periods that stem-rust infection and spread undoubtedly occurred and made way for the epidemic that followed.

When the period of May 15 to July 15, 1940 (figs. 1 to 3) is compared with other years, it will be found that favorable, prolonged minimum temperatures extended much further into June and July than ordinarily occurs in Kansas. After July 15, 1940, it is doubtful, however, whether stem rust spread to any extent, even in the late fields, since the maximum temperatures were too high. By that time most of the damage had occurred and the main crop was harvested.

It has been frequently observed and mentioned in the reports on stem-rust epiphytology in Kansas, that the critical period for stem-rust infection and spread in the wheat crop is from about May 15 to June 15 ^{6/}. This is well demonstrated by figures 2 and 3, in which the graphs show favorable infection periods for the period May 15 to June 15, 1935, 1937, 1938 and 1940. In 1940 there were only a few, rather long favorable infection periods which is more like the situation which prevailed during the 1937 epiphytotic, while in 1938, there were numerous very short periods. In 1935 the actual number of days favorable for infection was less than any of the other years mentioned.

The graphs show that the main, favorable infection periods were later in 1940 than in other years and continued into late June and the first two weeks of July. This is significant and helps to explain the outbreak of 1940. Just as important as the favorable environment of 1940 and the presence of spores, is the fact that the wheat crop in southern, central, and parts of eastern Kansas was late and stem rust had ample time to spread and injure the crop. This, of course, does not include the extremely late wheat from seed that germinated after December; most of these fields were a complete failure because of rust and hot weather. As already stated north-central Kansas had wheat free of stem-rust damage. This was also true of eastern Kansas where fields were not late and where Kawvale or Iobred was extensively grown.

^{6/} Plant Disease Reporter Supplement 107: 83-94. 1938.

Plant Disease Reporter Supplement 116: 51-68. 1939.

Melchers, L. E. Climate in relation to plant diseases. Trans. Kans. Acad. Sci. (In press).

Isolated areas in eastern Kansas planted to fields of soft wheat of the susceptible varieties were damaged by stem rust, but such acreages were not large. Osage County has the largest loss reported in eastern Kansas.

The Northward Spread of Stem Rust

In 1940, as in 1935, 1937, and 1938, there was every indication that a northward movement of stem-rust spores took place. On May 22, stem rust of wheat was reported by C. O. Johnston at Medford, Oklahoma. From this point south, through central Oklahoma, stem rust increased in prevalence. About this time stem rust was extremely heavy in north-central Texas and in south-central Texas at College Station. Very heavy rains had fallen over this entire area and there was every indication that stem rust would be prevalent and furnish abundant inoculum for the States to the north. Oklahoma had thousands of acres of late wheat which made the situation potentially dangerous. In this connection, it is of interest to examine the reports of the findings in spore traps exposed at Manhattan, Clay Center, and Salina, Kansas (table 1). These places are indicated in figure 4. Of the three stations reported, the heaviest rust spore loads of the air are carried by the wind passing over Clay Center, Kansas. Although no detailed readings for stations in western Kansas are available and only that of Manhattan for the eastern part of the State is given, yet circumstantial evidence leads the writer to believe that probably fewer spores occurred in the air over the eastern and western third of the States for the same dates. It has always been apparent that the heaviest spore loads coming from the southern States enter south-central Kansas and then proceed northward, gradually spreading out in a fan-shaped area as they approach the center of Kansas.

No records were taken of the rust spores in the air around the last of April or up to May 8 (table 1), although such information would be highly desirable each year. Favorable infection periods occurred from May 5 to 8 and if spores were present, infection no doubt did occur. On May 9 readings at Manhattan showed no spores present, yet if readings had been taken at Salina and Clay Center on that date, spores might have been found. It seems certain that spores must have been present in the air in Kansas at this time or earlier, because of the infected wheat reported by several persons and in various areas of southern Kansas on May 26-28. It is believed that wheat in a vast area of Kansas, as well as Oklahoma, may have been infected as early as May 1 to 15 from spores carried by southerly winds. The only readings made at the 3 stations on one date, May 12, however, do not indicate the presence of rust spores, but a reading on May 15 at Manhattan shows 480 spores per square foot per 24 hours. By June 8, stem rust in wheat was found in all fields observed in southern Kansas, and heavy infection was appearing on the stems of the plants in Sumner and Sedgwick Counties, and in areas of Oklahoma south of these Counties. North of Sedgwick County, only primary stem-rust lesions were observed on June 8.

It is of interest to note what the stem-rust conditions were in the Dallas-Sherman, Texas, area at the same time. On June 2 and 3, E. C. Stakman observed that stem rust was exceedingly heavy with 20 percent rust on the necks of the wheat plants. Some fields had 60 percent rust on the stems and were about a week from harvest.

Table 1. -- Stem rust spore counts, Kansas, 1940 ^{a/}

Date	Number of stem rust spores per sq. ft. per 24 hours b/		
	Salina	Clay Center	Manhattan
May 9			0
12	0	0	0
15	480		
19			480
21		22,560	
23			0
25			480
29		480	
31			0
June 3	13,440	2,580	1,440
4	1,440	9,600	5,280
5	480	3,840	480
6		7,200	
7			960
10		480	480
11			480
13	480		480
14	30,720		10,500
15		33,120	9,500
16		480	
17		1,440	4,800
18		71,520	26,880
19		104,640	12,240
20		49,920	
21		31,680	
24		76,800	
25		18,240	

a/ These counts were made by Max C. Markley, Cargill, Inc., Minneapolis, Minnesota.

b/ Microscopic slides, coated with an adhesive, are exposed to the air in a prescribed manner and location. Each exposure is for a 24-hour period.

The importance of this area and other fields in northern Texas to the States to the north lay in the vast supply of inoculum they furnished. The rust was in the uredial stage in Texas on June 2 and 3 and some fields were so heavily rusted as to appear distinctly discolored when observed from a distance. On June 2 and 3 moderate to strong winds were blowing from the south, which, no doubt, were carrying rust spores into Oklahoma and Kansas. On those dates a note on weather conditions at Manhattan shows: June 2, "Warm, bright day following heavy dew and high humidity. Strong southerly winds blew all day." June 3, "Strong southerly winds all day. Slight dew, hot, relative humidity 50%." The spore trap readings for June 3 to 6 are extremely interesting in that the numbers are very high, showing conclusively that the winds were loaded with stem rust spores. The minimum temperatures for these dates were favorable, moisture was sufficient for infection as 1.5 inches of rain occurred on June 7. This unquestionably precipitated a large amount of inoculum on the Kansas wheat. On June 14 the heaviest spore loads of the season were being reported from all 3 Kansas stations and the readings taken from June 14 to June 25 show a uniformly heavy spore load in the air. From June 14 to about June 30, temperature and moisture were very favorable and stem rust was spreading rapidly over central and parts of eastern Kansas. The amount of infection that occurred in June gave a substantial start which spread into the late wheat maturing in the first 2 weeks of July.

Several other points of interest with respect to the stem-rust epiphytotic in 1940 and the development of the wheat crop should be mentioned. As already stated, much of the crop was 10 to 14 days later than normal. This does not consider the large acreage in which the seed did not germinate until December or later and in which the wheat heads were in flower about June 15 to 20. The lateness of all this wheat made conditions ideal for the stem rust epiphytotic. The wheat crop in the north-central counties was 2 weeks in advance of the crop in the southern part of the State, a very unusual situation. The crop was ripening about June 15 in the north-central area and was harvested soon thereafter. No stem-rust damage occurred in that area; in fact, little stem rust was present. But on this same date stem rust was severe in central and southern Kansas.

Route Followed in Stem-rust Survey, 1940

Mr. John O. Miller, extension plant pathologist, and the writer made a trip through central Kansas where stem rust was most likely to become severe and where the crop was late. This route is shown in figure 4, the trip being made on June 12-14. Other areas of the State were visited on earlier and later dates by college officials, but these places are not indicated on the map. Mr. John O. Miller and the author examined hundreds of fields, and notes were taken on the amount and location of stem rust on plants, the condition of the field, days remaining before harvest, and estimated damage. In August letters were written to County Agents, who in turn questioned millers and farmers in

their counties in order to obtain a cross-section opinion for their county as to how much loss occurred. The figures in figure 4 represent the estimates of loss expressed in the several counties. Those counties (fig. 4) which reported losses, represent the area which produced 63 percent of the entire wheat crop of Kansas in 1940.

Magnitude and Types of Losses in 1940

Losses varied considerably according to locality and crop conditions and it is difficult to reach a single figure on the loss for the State. An estimate of an average loss of 7 percent for the State has been made and is believed to be fairly accurate. The heaviest loss occurred in those counties in the southern part of central Kansas indicated in figure 4. This area had considerable wheat that was very late and succulent when stem rust was most severe. Some of this wheat was not harvested and other fields produced light-weight grain of little value. The loss in this area was solely that resulting from stem rust and not heat injury. Lyon, Franklin, and Osage Counties in the central part of eastern Kansas had considerable injury. Other than these 2 areas, the infection was only moderate, light, or trace as indicated in figure 4, the numbers indicating percent loss.


As in other recent epiphytotics, the loss from stem rust consisted of actual reduction in yield, reduced grade due to shrivelling, and abandoned fields. No figures are available for the latter, but it is known that most fields of very late wheat were a total loss.

Leaf rust of wheat Puccinia triticina, [P. rubigo-vera tritici] was not a factor in the 1940 wheat crop and no appreciable loss could be assigned to it. In fact none of the other diseases, such as black chaff, basal glume blotch, Septoria glume blotch, or Septoria nodorum on the nodes, foot and root rots, etc., that complicated the estimated losses from stem rust in 1938, was present in sufficient amounts in 1940 to make the matter of estimates on stem-rust loss confusing. On a basis of 7 percent loss, the reduction in yield from stem rust in Kansas was about 9,321,892 bushels.

Varietal Susceptibility to Stem Rust

Kansas does not have a good commercial hard winter wheat that is resistant to stem rust. Kanred, Turkey, and Tenmarq were heavily attacked in some fields although Kanred does show a little more resistance than the other 2 varieties. Among the other hard wheats, Early Blackhull and Blackhull had very little stem rust. Kawvale and Iobred in eastern Kansas were definitely outstanding in their field resistance and showed no appreciable damage. Wherever fields of Fulcaster, Harvest Queen, and Michigan Wonder were encountered, the plants were heavily rusted. Although Iobred, Kawvale, Early Blackhull, Blackhull, and Kanred are recognized as possessing some resistance to stem rust, none has the degree of resistance

necessary to protect the Kansas wheat crop from severe losses when stem rust becomes severe. For this reason, increased efforts have been and are being devoted to the matter of obtaining hybrids that are resistant to stem rust and that possess all other agronomic qualities necessary in this region. Promising hybrids in the F_3 to F_8 generations are being subjected to annual artificial epiphytotics of stem and leaf rust in the Botany rust nursery. It is hoped that before long Kansas will be growing a satisfactory rust-resistant, hard winter wheat.



MAXIMUM AND MINIMUM AIR TEMPERATURES, RAINFALL AND PERIODS FAVORABLE FOR THE DEVELOPMENT OF STEM RUST AT MANHATTAN, KANSAS
FROM APRIL 1st TO JULY 30, 1910

FIG. I




FIG. 2 MAXIMUM AND MINIMUM AIR TEMPERATURES, RAINFALL AND PERIODS FAVORABLE FOR THE DEVELOPMENT OF STEM RUST AT MANHATTAN, KANSAS, FROM MAY 15 TO JUNE 24, 1935, AND 1937.





FIG. 3 MAXIMUM AND MINIMUM AIR TEMPERATURES, RAINFALL AND PERIODS FAVORABLE FOR THE DEVELOPMENT OF STEM RUST AT MANHATTAN, KANSAS, FROM MAY 15 TO JUNE 24, 1938, AND 1940.

Kansas Stem Rust Epiphytotic, 1940



+ Riley, Clay and Saline counties where rust spore traps were exposed.

Areas where heaviest stem rust damage occurred.



Fig. 4.

A19.19

AGRICULTURAL REFERENCE DEPARTMENT
CLEMSON COLLEGE LIBRARY

THE PLANT DISEASE REPORTER

Issued by

THE PLANT DISEASE SURVEY, DIVISION OF MYCOLOGY AND DISEASE SURVEY
BUREAU OF PLANT INDUSTRY, UNITED STATES DEPARTMENT OF AGRICULTURE


SUPPLEMENT 133

INDEX TO SUPPLEMENTS 130 - 132

December 31, 1941

(Issued June 15, 1942)

The Plant Disease Reporter is issued as a service to plant pathologists throughout the United States. It contains reports, summaries, observations, and comments submitted voluntarily by qualified observers. These reports often are in the form of suggestions, queries, and opinions, frequently purely tentative, offered for consideration or discussion rather than as matters of established fact. In accepting and publishing this material the Division of Mycology and Disease Survey serves merely as an informational clearing house. It does not assume responsibility for the subject matter.



105

INDEX TO

THE PLANT DISEASE REPORTER

SUPPLEMENTS 130 - 132, 1941

Prepared by Nellie W. Nance

Plant Disease Reporter

Supplement 133

December 31, 1941

Fischer, George W., and Moses N. Levine. Summary of the recorded data on the reaction of wild and cultivated grasses to stem rust (Puccinia graminis), leaf rust (P. rubigo-vera), stripe rust (P. flumarum), and crown rust (P. coronata) in the United States and Canada. Supplement 130:1-30.

Miller, Julian H. The Ascomycetes of Georgia. Supplement 131: 31-93.

Melchers, L. E. The wheat stem rust epidemic of Kansas in 1940. Supplement 132:95-103. 4 figures.

A

Acanthorhynchus, 62.
Acanthostigma, 75.
Acer spp., Diatrypella favacea, 64.
Eutypella fraxinicola, 65.
Gnomoniella tenella, 71.
Hypoxyロン tinctor, 60.
Massaria vomitoria, 81.
Physalospora obtusa, 84.
Pyrenopeziza leucodermis, 42.
Rhytisma acerinum, 14.
Valsaria rubricosa, 74.
leucoderme, Daldinia concentrica, 57.
Diaporthe dubia, 68.
Mycosphaerella punctiformis, 90.
negundo, Acrospermum foliicolum, 75.
Anthostoma saprophilum, 63.
Camarops polyspermum, 57.
Dothidea collecta, 87.
Eutypa velutina, 65.
Hypoxyロン glomeratum, 58.
Lophionema crenatum, 53.
Massaria plumigera var. tetraspore, 81.

Acer negundo, Meliola amphitricha, 37.
Rosellinia glandiformis, 61.
ruborum, Cerangium episphaeria, 46.
Cryptodiaporthe myinda, 67.
Basiscypha acerina, 46.
Diatrype platystoma, 63.
Diatrype stigma, 63.
Diatrypella quercina, 64.
Diatrypella subfulva, 64.
Eutypella rugiella, 66.
Herpotrichia pezizula, 78.
Hypocrea lenta, 56.
Hypoxyロン atropunctatum, 57.
Hypoxyロン crocopeplum, 58.
Hypoxyロン rubiginosum, 59.
Hypoxyロン serpens, 60.
Hypoxyロン truncatum, 61.
Hysterographium fleruecum, 51.
Massariovalsa sudans, 71.
Melanechis appendiculata, 71.
Mycosphaerella maculiformis, 89.
Nectria cinnabarinia, 54.
Pezicula carnes, 42.
Pleosphaeria echinata, 85.
Sphaerognomon carpinea, 92.
Tabularia deamersii, 52.
Uncinula circinata, 37.
Valsa decorticans, 73.

- Acer rubrum*, *Valsa pauperata*, 73.
Xylaria cubensis, 62.
saccharinum, *Botryosphaeria ribis*, 76.
saccharum, *Gnomonia petiolophila*, 70.
Mycosphaerella sp., 91.
Taphrina sacchari, 52.
Thronectria pyrrhochlora, 55.
Achillea millefolium, *Ophiobolus* sp., 83.
Acrospermoides subulata, 75.
Acrospermum, 75, 76.
Aesculus spp., *Diaporthe padi* var. *patria*, 68.
Eutypella fraxinicola, 65.
georgiana, *Guignardia aesculi*, 87.
Hypoxyton rubiginosum, 59.
Uncinula flexuosa, 37.
octandra, *Botryosphaeria ribis*, 76.
Gnomoniella sp., 71.
Massariovalsa sudans, 71.
Valsaria insitiva, 74.
pavia, *Mycosphaerella punctiformis*, 90.
Physalospora obtusa, 84.
Agave virginica, *Diaporthe arctii*, 67.
Aglaospora profusa, 76.
Agyrium, 48.
Ailanthus altissima, *Botryosphaeria ribis*, 76.
Eutypella microcarpa, 66.
Albizzia julibrissin, *Botryosphaeria ribis*, 76.
Eutypella microcarpa, 66.
Nectria coccinea, 55.
Thronectria austro-americana, 55.
Aleuria, 38.
Allium cepa, *Aspergillus niger*, 35.
Alnus rugosa, *Acrospermum compressum*, 75.
Cryptospora femoralis, 67.
Cucurbitaria fraxini, 77.
Diatrypella discoidea var. *alni*, 64.
Diatrypella favacea, 64.
Dothidea collecta, 87.
Eutypella cerviculata, 65.
Gnomonia setacea, 70.
Gnomoniella gnomon, 71.
Alnus rugosa, *Gnomoniella tubiformis*, 71.
Hypoxyton fuscum, 58.
Hypoxyton hypophlaeum, 58.
Hypoxyton rubiginosum, 59.
Lachnum virgineum, 46.
Mamiana alni, 71.
Melanconis thelebola, 72.
Pezicula sp., 42.
Phaeosphaerella sp., 92.
Propolis versicolor, 45.
Pyrenopeziza foliicola, 42.
Scorias spongiosa, 38.
Sphaerognomonia carpinea, 92.
Taphrina robinsoniana, 52.
Taphrina rugosa, 52.
Valsa minutella, 73.
Ambrosia spp., *Diaporthe arctii*, 67.
Ophiobolus anguillides, 83.
artemisiifolia, *Erysiphe cichoracearum*, 35.
Metasphaeria complanata, 82.
Mollisia atrata, 41.
Ophiobolus sp., 83.
Pleospora diaporthoides, 85.
Pleospora herbarum, 85.
trifida, *Leptosphaeria subconica*, 80.
Amelanchier spp., *Mycosphaerella punctiformis*, 90.
canadensis, *Eutypella fraxinicola*, 65.
Fabraea maculata, 41.
Nectria cinnabarina, 54.
Numularia discincola, 61.
Valsa ceratophora, 72.
Valsella laschii, 74.
Amorpha fruticosa, *Diaporthe amorphae*, 67.
Physalospora obtusa, 84.
Valsaria insitiva, 74.
Amphisphaeria, 76.
Arisonia tabernaemontana, *Hypoderma commune*, 43.
Mycosphaerella sp., 91.
Ophiobolus sp., 83.
Andropogon spp., *Apiospora montagnei*, 74.
virginicus, *Dasyphypha* sp., 47.
Dothichloë atramentosa, 56.
Leptosphaeria culmorum, 79.

- Andropogon virginicus, Leptosphaeria muricata, 80.
 Metasphaeria infuscans, 82.
 Phyllachora andropogonis, 74.
 Rhopographus clavisporus, 85.
 Angelina rufescens, 48.
 Anthostoma, 62, 63.
 Anthostomella, 63.
 Apicporthe, 66.
 Apios tuberosa, Metasphaeria sp., 83.
 Apiospora montagnoi, 74.
 Apiosporella, 76.
 Arachis hypogaea, Mycosphaerella arachidicola, 87.
 Mycosphaerella berkeleyii, 88.
 Neocosmospora vasinfcta, 55.
 Aralia spinosa, Botryosphaeria ribis, 76.
 Diaporthe araliae, 67.
 Aristida spp., Dothichloë aristidae, 56.
 Aronia arbutifolia, Mycosphaerella arbutifoliae, 88.
 Physalospora obtusa, 84.
 Arundinariae spp., Meliola tenuis, 37.
 tacta, Apiospora montagnoi, 74.
 Aulographum arundinariae, 53.
 Didymosphaeria arundinariae, 77.
 Hypoxylon culmorum, 58.
 Hypoxylon rubiginosum, 59.
 Lachnum arundinariae, 45.
 Leptosphaeria culmicola, 79.
 Lophodermium arundinaceum, 44.
 Ophiobolus stictisporus, 83.
 Phyllachora sp., 74.
 Scleroterris arundinariae, 48.
 Sphaeropeziza arundinariae, 45.
 Stigmata sclerotidea, 53.
 Asclepias variegata, Diaporthe arctii, 67.
 Ascobolus furfuraceus, 38.
 Asimina parviflora, Mycosphaerella punctiformis, 90.
 triloba, Dothidea collecta, 87.
 Karstenula sp., 78.
 Aspergillus riger, 35.
 Aster spp., Diaporthe linearis, 68.
 Erysiphe cinnracearum, 35.
 Hypoderma commune, 43.
 Leptosphaeria ogilviensis, 80.
 Aster spp., Leptosphaeria subconica, 80.
 ericooides var. platyphyllus, Anthostomella sp., 63.
 Didymosphaeria epidermidis, 77.
 Mollisia atrata, 41.
 puniceus, Mollisia cinerea, 41.
 sagittifolius var. dissitiflorus, Leptosphaeria sp., 80.
 undulatus, Acrospermum foliicolum, 75.
 Metasphaeria complanata, 82.
 Asterina, 52, 53.
 Atropellis tingens, 46.
 Auerswaldiella pucciniodes, 76.
 Aulographum arundinariae, 53.
 Azalea spp., Eutypella fraxinicola, 65.
 canescens, Acrospermum foliicolum, 75.
 calendulacea, Microspadra alni, 36.
 canescens, Colpoma azaleae, 43.
 Dothidea collecta, 87.
 Monilinia azaleae, 47.
 Propolis versicolor, 45.
 Scleroterris crypta, 48.
- B
- Baccharis halimifolia, Hypoxylon hypophlaeum, 58.
 Physalospora obtusa, 84.
 Balansia, 55.
 Baptisia bracteata, Acrospermum foliicolum, 75.
 Mycosphaerella maculiformis, 89.
 lanceolata, Leptosphaeria coniothyrium, 79.
 perfoliata, Physalospora obtusa, 84.
 Basal glume blotch, wheat, 102.
 Beloniopsis guestphalicum, 46.
 Benzoin aestivale, Diaporthe sociata, 69.
 Hypoxylon rubiginosum, 59.
 Macsaria sp., 31.
 Physalospora obtusa, 84.
 Berchemia scandens, Diatrypella favacea, 64.
 Diatrypella quercina, 64.
 Eutypella berchemiae, 65.

- Berchemia scandens, *Gloniopsis verbasci*, 50.
Gonium curtisii, 50.
Physalospora obtusa, 84.
Rosellinia aquila, 61.
Bertia moriformis, 76.
Betula spp., *Massaria argus*, 81.
lutea, *Diatrypella discoidea*, 64.
Nectria cinnabarinna, 54.
nigra, *Acrospermum compressum*, 75.
Botryosphaeria ribis, 76.
Cryptosphaerella annexa, 77.
Cryptospora tomentella, 67.
Daldinia concentrica, 57.
Diatrypella favacea, 64.
Didymosphaeria sp., 78.
Gnomonia setacea, 70.
Hypocrea lenta, 56.
Hypoxyylon fuscum, 58, 76.
Hypoxyylon howcianum, 58.
Hypoxyylon papillatum, 59.
Hypoxyylon rubiginosum, 59.
Hypoxyylon truncatum, 61.
Hysterium pulicare, 51.
Melanconis decoraensis, 71.
Phaeangium magnisporum, 42.
Pseudovalsa lanciformis, 72.
Sphaerognomonia carpinea, 92.
Valsa decorticans, 73.
Valsa minutella, 73.
Bidens frondosa, *Hypoderma commune*, 43.
Mollisia atrata, 41.
Bignonia capreolata, *Dothidea collecta*, 87.
Hypoderma commune, 43.
Meliola bidentata, 37.
Black chaff, wheat, 102.
Boehmeria cylindrica, *Acrospermum compressum*, 75.
Calloria fusarioides, 40.
Leptosphaeria subconica, 80.
Metasphaeria sp., 83.
Boletus sp., *Hypomyces chrysospermus*, 57.
Botryosphaeria, 76.
Brassica oleracea vars., *Sclerotinia sclerotiorum*, 48.
Broussonetia papyrifera, *Diatrypella favacea*, 64.
Eutypella microcarpa, 66.
Bulgaria, 38.
Bumelia spp., *Mycosphaerella bumeliae*
lycioides, *Guignardia bumeliae*, 87.
Lachnum sp., 46.
- C
- Callicarpa americana*, *Physalospora obtusa*, 84.
Valsa decorticans, 73.
Calloria fusarioides, 40.
Calosphaeria, 63.
Calospora, 66.
Calycanthus spp., *Physalospora obtusa*, 84.
Camarops polyspermum, 57.
Camellia japonica, *Didymosphaeria* sp., 78.
Glomerella cingulata, 69.
Capnodium citri, 37.
Carex crinita, *Acrospermum graminum*, 75.
Mollisia sp., 41.
lurida, *Beloniopsis guestphalicum*, 46.
Lasiosphaeria sp., 79.
Leptosphaeria epicarecta, 80.
pennsylvanica, *Venturia graminicola*, 80.
Carpinus caroliniana, *Diaporthe bakeri*, 68.
Diatrype platystoma, 63.
Diatrypella discoidea, 64.
Eutypella microcarpa, 66.
Fracchiae callista, 78.
Glonium curtisii, 50.
Hypoxyylon hypophlaeum, 58.
Hypoxyylon rubiginosum, 59.
Hypoxyylon tinctor, 60.
Massaria sp., 81.
Melanconis chrysostroma, 71.
Melanconis hyperopta, 71.
Melogramma vagans, 82.
Metasphaeria leiostega, 82.
Pezicula carpinea, 42.
Pleomassaria carpini, 85.
Rosellinia aquila, 61.
Sphaerognomonia carpinea, 92.
Tympanopsis euomphala, 86.
Valsa decorticans, 73.
Valsaria insitiva, 74.

- Carpinus caroliniana*, Valsaria
 rubricosa, 74.
Valsella laschii, 74.
Carya spp., *Caryospora putaminum*, 76.
Eutypella fraxinicola, 65.
Gnomonia sp., 70.
Gnomonia setacea, 70.
Hypocrea lenta, 56.
Hypoxyton illitum, 59.
Hypoxyton rubiginosum, 59.
Mycosphaerella dendroides, 88.
Mycosphaerella punctiformis, 90.
Myriangium tuberculans, 35.
Nectria coccinea, 55.
Physalospora fusca, 84.
Schizoxylon insigne, 46.
Valsa chlorodisca, 72.
alba, *Hypoxyton papillatum*, 59.
Massariovalsa sudans, 71.
Mycosphaerella maculiformis, 89.
Nummularia discincola, 61.
Xylaria oxyacanthae, 62.
glabra, *Eutypella constellata*, 65.
Melanconis juglandis var.
 caryae, 72.
pallida, *Valsa minutella*, 73.
Valsa rubricosa, 74.
pecan, *Elsinoë randii*, 35.
Gnomonia disporea, 70.
Microsphaera alni, 36.
Mycosphaerella caryigena, 88.
Caryospora putaminum, 76.
Cassia chamaecrista, *Diaporthe arctii*, 67.
Diaporthopsis sp., 69.
Ophiobolus sp., 83.
Urosporella americana, 86.
Castanea spp., *Endothia parasitica*, 69.
Hypoxyton rubiginosum, 60.
alnifolia, *Physalospora obtusa*, 84.
dentata, *Anthostoma dryophilum*, 62.
Chlorociboria aeruginosa, 46.
Chlorociboria versiformis, 46.
Chlorosplenium chlorum, 46.
Colpoma quercinum, 43.
Hypoxyton fuscum, 58.
Hypoxyton howeianum, 58.
Hypoxyton punctulatum, 59.
Hysterographium subrugosum, 51.
Castanea dentata, *Mycosphaerella punctiformis*, 90.
Phyllactinia corylea, 36.
Rosellinia subiculata, 61.
Sphaerognomonia carpinea, 92.
Valsa decorticans, 73.
Valsa rubricosa, 74.
Xylaria hypoxylon, 62.
mollissima, *Ciboria echinophila*, 46.
Diatrypella favacea, 64.
Discoschistesia oenotherae, 41.
Mycosphaerella maculiformis, 89.
pumila, *Cryptospora cinctula*, 67.
Glonium curtisii, 50.
Gnomonia setacea, 70.
Hysterographium flexuosum, 51.
Pyrenopeziza sp., 43.
Catalpa bignonioides, *Eutypella fraxinicola*, 65.
Hypoxyton rubiginosum, 60.
Hysterographium mori, 51.
Microsphaera alni, 36.
Mycosphaerella sp., 91.
Cornus americanus, *Microsphaera alni*, 36.
Physalospora obtusa, 84.
Celtis spp., *Acrospermum compressum*, 75.
georgiana, *Diatrypella subfulva*, 64.
Hypoxyton rubiginosum, 60.
Lophiostoma triseptatum, 54.
Massaria foedans, 81.
Thyronectria pyrrhoclora, 55.
Trichosphaeria pulchriseta, 86.
Uncinula parvula, 37.
Valsa decorticans, 73.
Valsa celtidis, 73.
Cenangium, 46.
Cephalanthus occidentalis, *Diatrypella favacea*, 64.
Physalospora obtusa, 84.
Xylaria arbuscula, 62.
Ceratostomella, 38.
Cercis canadensis, *Acrospermum foliicolum*, 75.
Cryptodiaporthe sp., 67.
Endothia viridistroma, 69.
Eutypella fraxinicola, 65.
Fracchiaea heterogona, 78.
Hypoxyton hypophlaeum, 58.

- Cercis canadensis*, *Hypoxyylon rubiginosum*, 60.
Hypoxyylon truncatum, 61.
Mycosphaerella cercidicola, 88.
Chaetosphaeria, 76, 77.
Chamaecyparis thyoides, *Botryosphaeria ribis*, 76.
Chielone glabra, *Diaporthe arctii*, 67.
Hypoderma commune, 43.
Leptosphaeria subconica, 80.
Mollisia atrata, 41.
Chenopodium ambrosioides var.
anthelminticum, *Diaporthe arctii*, 67.
Chionanthus virginica, *Didymosphaeria chionanthi*, 77.
Mycosphaerella punctiformis, 90.
Chlorociboria, 46.
Chlorosplenium chlorae, 46.
Chrysanthemum leucanthemum, *Diaporthe arctii*, 67.
Chrysopsis mariana, *Leptosphaeria subconica*, 80.
Ciboria echinophila, 46.
Cimicifuga racemosa, *Leptosphaeria clavigera*, 79.
Cphiobolus sp., 83.
Cinnamomum camphora, *Hypoxyylon rubiginosum*, 60.
Cirsium altissimum, *Acrospermum foliicolum*, 75.
Diaporthe arctii, 67.
Metaphysphaeria sp., 83.
Ophiobolus sp., 84.
Ophiobolus anguillides, 83.
Physalospora obtusa, 84.
Citrus trifoliata, *Physalospora obtusa*, 84.
Claviceps, 56.
Cliftonia monophylla, *Cocomyces* sp., 43.
Guignardia sp., 87.
Hypoxyylon rubiginosum, 60.
Clypeolella leemingii, 53.
Coccoidella scutula, 86.
Cocomyces, 43.
Coccophacidium pini, 45.
Coccus carolinus, *Physalospora obtusa*, 84.
Colpoma, 43.
Cordyceps, 56.
Coreopsis spp., *Ophiobolus* sp., 83.
major, *Acrospermum foliicolum*, 75.
Leptosphaeria comatella, 79.
major var. *oemleri*, *Ophiobolus anguillides*, 83.
Cornus alternifolia, *Microsphaera alni*, 36.
amomum, *Lachnum corni*, 45.
Physalospora obtusa, 84.
florida, *Acrospermum foliicolum*, 75.
Diaporthe eres, 68.
Eutypa achariae, 65.
Hypoxyylon rubiginosum, 60.
Massarovalsa sudans, 71.
Melanconis corni, 71.
Mycosphaerella corni, 88.
Phyllactinia corylea, 36.
Rosellinia aquila, 61.
Coronophora ootheca, 77.
Corylus americana, *Gnomoniella gnomon*, 71.
Schizoxylon insigne, 40.
maxima, *Mollisia* sp., 41.
Mycosphaerella punctiformis, 90.
Sphaerognomonia carpinea, 92.
Cotinus coggyria, *Physalospora obtusa*, 84.
Cotoneaster francheti, *Physalospora obtusa*, 84.
Crataegus spp., *Acrospermum foliicolum*, 75.
Dermatea crataegicola, 41.
Diatrypella quercina, 64.
Hypoxyylon rupens, 60.
Mycosphaerella punctiformis, 90.
Myriangium asterinosporum, 35.
Physalospora obtusa, 84.
Valsa decorticans, 73.
crus-galli, *Diatrypella subfulva*, 64.
michauxii, *Mycosphaerella* sp., 81.
ravenelii, *Mycosphaerella* sp., 91.
spathulata, *Hypoxyylon rubiginosum*, 60.
Pleosphaeria echinata, 85.
viridis, *Diatrypella favacea*, 64.
Lecaniaion clavisporum, 49.
Creopus gelatinosus, 56.
Crotalaria sp., *Neocosmospora vasinfecta*, 55.

- Cryptodiaporthe, 66, 67.
 Cryptosphaerella annexa, 77.
 Cryptosporella, 67.
 Cryptosporium, 67
 Cucumis melo, Erysiphe cichoracearum, 35.
 Cucurbita pepo, Erysiphe cichoracearum, 35.
 Cucurbitaria, 77.
 Cydonia oblonga, Fabraea maculata, 41.
 Massariella seriata, 82.
 Cynodon dactylon, Apiospora montagnei, 74.
 Cyrilla racemiflora, Diatrypella favacea, 64.
 Glonium curtisii, 50.
 Lophodermium cyrillicola, 44.
 Physalospora obtusa, 84.
 Stictis sp., 40.
- D
- Dahlia sp., Erysiphe cichoracearum, 35.
 Daldinia, 57.
 Danthonia sericea, Balansia hypoxylon, 55.
 Ophiobolus stictisporus, 83.
 Dasyscypha, 46, 47.
 Datura stramonium, Leptosphaeria dolium, 79.
 Daucus carota, Diaporthe arctii, 67.
 Leptosphaeria sp., 80.
 Leptosphaeria comatella, 79.
 Metasphaeria sp., 83.
 Ophiobolus sp., 83.
 Pleospora vulgaris, 85.
 carota var. sativa, Sclerotinia sclerotiorum, 48.
 Decumaria barbara, Diaporthe arctii, 67.
 Delacourea, 77.
 Dermatea crataegicola, 41.
 Desmodium spp., Cphiobolus sp., 83.
 canadense, Microthyrium sp., 53.
 Parodiella perisporioides, 84.
 Diaporthe, 67-69
 Diaporthopsis, 69.
 Diatrype, 63, 64.
 Nectria episphaeria, 55.
- Diatrype stigma; Hysterium angustatum, 50.
 Diatrypella, 64.
 Dibotryon morbosum, 77.
 Dichaena strumosa, 50.
 Didymella, 77.
 Didymellina iridis, 87.
 Didymosphaeria, 77, 78.
 Diervilla florida, Mycosphaerella weigeliae, 91.
 Dimerosporium, 53.
 Diospyros virginiana, Eutypella fraxinicola, 65.
 Hypoxylon mediterraneum, 59.
 Mycosphaerella punctiformis, 90.
 Thronectria pyrrhochlora, 55.
 Diplocarpon, 41.
 Discohainesia oenotherae, 41.
 Dothichloë, 56.
 Dothidea collecta, 87.
 Dothidella, 87.
 Drepanopeziza populi-albae, 41.
- E
- Elaeagnus umbellata, Botryosphaeria ribis, 76.
 Eutypella fraxinicola, 65.
 Eutypella microcarpa, 66.
 Mycosphaerella sp., 91.
 Nectria cinnabarina, 54.
 Elaphomyces cervinus, 51.
 Cordyceps capitata, 56.
 Elephantopus tomentosus, Diaporthe arctii, 67.
 Elsinoë, 35.
 Elymus australis, Apiospora montagnei, 74.
 virginicus, Phyllachora graminis, 74.
 Endothia, 69.
 Endoxyla inusta, 64.
 Englerulaster orbicularis, 53.
 Epichloë typhina, 56.
 Eragrostis sp., Dothichloë limitata, 56.
 hirsuta, Phyllachora sp., 74.
 Erianthus brevibarbis, Acrospermum graminum, 75.
 Apiospora montagnei, 74.
 Lasiosphaeria sp., 79.

Erianthus brevibarbis, *Leptosphaeria orthogramma*, 80
Erigeron canadensis, *Didymosphaeria epidermidis*, 77.
Leptosphaeria mesoedema, 80.
Stictis radiata, 40.
ramosus, *Leptosphaeria comatella*, 79.
Ophiobolus anguillides, 83.
Erysiphe, 35, 36.
Euonymus americanus, *Physalospora obtusa*, 84.
Eupatorium spp., *Diaporthe arctii*, 67.
capillifolium, *Diatrypella favacea*, 64.
Leptosphaeria sp., 80.
Pleospora sp., 85.
Pleospora vulgaris, 85.
hyssopifolium, *Leptosphaeria comatella*, 79.
purpureum, *Acrospermum foliicolum*, 75.
Hypoderma commune, 43
Leptosphaeria subconica, 80.
Mollisia atrata, 41.
Mycosphaerella sp., 91.
Euphorbia corollata, *Diaporthe arctii*, 67.
Microsphaera euphorbiae, 36.
Eutypa, 65.
Eutypella, 65, 66.

F

Fabraea maculata, 41.
Fagus grandifolia, *Diatrype virescens*, 64.
Diatrypella favacea, 64.
Endothia gyrosa, 69.
Eutypella fraxinicola, 65.
Hypoxyylon atropunctatum, 57.
Hypoxyylon cohaerens, 57.
Hypoxyylon deustum, 58.
Hypoxyylon fragiforme, 58.
Hypoxyylon howesianum, 58.
Hypoxyylon illitum, 59.
Hypoxyylon mediterraneum, 59.
Hypoxyylon regale var. *macrospora*, 59.
Hypoxyylon rubiginosum, 60.

Fagus grandifolia, *Hypoxyylon serpens*, 60.
Hypoxyylon truncatum, 61.
Massaria inquinans, 31.
Mycosphaerella punctiformis, 90.
Phialea phyllophila f. *fagicola*, 47.
Scorias spongiosa, 38.
Fenestella phaeospora, 78.
Ficus carica, *Glomerella cingulata*, 69.
Mycosphaerella bolleana, 38.
Tryblidiella rufula, 49.
Firmiana platarifolia, *Diaporthe arctii*, 67.
Mycosphaerella maculiformis, 89.
Ophiobolus sp., 84.
Foeniculum vulgare, *Dothidea collecta*, 87.
Leptosphaeria comatella, 79.
Leptosphaeria doliolum, 79.
Physalospora obtusa, 84.
Pleospora vulgaris, 85.
Foot and root rots, wheat, 102.
Fracchiaea, 78.
Fragaria virginiana, *Diplocarpon earliana*, 41.
Mycosphaerella fragariae, 89.
Fraxinus spp., *Diatrypella favacea*, 64.
Eutypella fraxinicola, 65.
Hypoxyylon stygium, 60.
Hypoxyylon tinctor, 60.
Mycosphaerella effigurata, 89.
Mycosphaerella fraxinicola, 89.
Rosellinia squila, 61.
Valsa fraxinina, 73.
americana, *Diatrypella favacea*, 64.
Diatrypella quercina, 64.
Eutypa sp., 65.
Hypoderma commune, 43.
biltmoreana, *Hypoxyylon argillaceum*, 57.
biltmoreana, *Hypoxyylon fuscum*, 58.
caroliniana, *Mycosphaerella* sp., 91.
pennsylvanica, *Glenium* sp., 50.
Hypoxyylon rubiginosum, 76.
pennsylvanica var. *lanceolata*,
Acrospermum foliicolum, 75.
Botryosphaeria ribis, 76.
Diatrypella fraxini, 64.
Dothidea collecta, 87.

Fraxinus pennsylvanica var. *lanceolata*, *Eutypella* sp., 66.
Hypoxyylon argillaceum, 57.
Hypoxyylon glomeratum, 58.
Hypoxyylon hypophlaeum, 58.
Hypoxyylon rubiginosum, 60.
Metaphysphaeria leiostega, 82.
Nummularia broomeiana, 61.
Pleosphaeria echinata, 85.
Polystictus rosellus, 57.
Schizoxylon insigne, 40.
Scoleconectria polythalama, 55.
Sphaerostilbe coccophila, 55.
Tympnopsis euomphala, 86.

G

Galax aphylla, *Clypeolella leemingii*, 53.
Dimerosporium galactis, 53.
Galium pilosum, *Leptosphaeria comatella*, 79.
Pyrenopeziza sp., 43.
Gardenia jasminoides, *Capnodium citri*, 37.
Gelsemium sempervirens, *Physalospora obtusa*, 84.
Geoglossum nigritum, 49.
Gerardia flava, *Diaporthe arctii*, 67.
virginica, *Erysiphe gerardiae*, 36.
Leptosphaeria comatella, 79.
Mycosphaerella sp., 91.

Gibberella, 54.
Gleditsia triacanthos, *Botryosphaeria ribis*, 76.
Eutypella fraxinicola, 65.
Hysterographium lesquereuxii, 51.
Linospora gleditsiae, 71.
Microsphaera ravenelii, 36.
Mycosphaerella sp., 91.
Gloeoglossum difforme, 49.
Glomerella, 69, 70.
Gloniopsis, 50.
Gonium, 50.
Glyceria nervata, *Epichloë typhina*, 56.
Mollisia sp., 42.
Glycine max, *Mycosphaerella cruenta*, 88.

Gnaphalium obtusifolium, *Diaporthopsis trinucleata*, 69.
Leptosphaeria mesoedema, 80.
Gnomonia, 70.
Gnomoniella, 70, 71.
Godronia, 47.
Gordonia lasianthus, *Mycosphaerella gordoniae*, 89.
Gossypium hirsutum, *Glomerella gossypii*, 70.
Mycosphaerella areola, 88.
Mycosphaerella gossypina, 89.
Nectria cinnabarina, 54.
Valsa decorticans, 73.
Guignardia, 37.
Gymnopogon ambiguus, *Apiospora montagnei*, 74.

H

Halesia carolina, *Diaporthe tetraptera*, 69.
Hypoxyylon punctulatum, 59.
Lachnum halesiae, 45.
Mycosphaerella punctiformis, 90.
Hamamelis virginiana, *Acrospermum foliicolum*, 75.
Mycosphaerella sp., 91.
Mycosphaerella punctiformis, 90.
Schizoxylon insigne, 40.
Helenium curtisii, *Hypoderma commune*, 43.
tenuifolium, *Pleospora compositarum*, 85.
Helianthus spp., *Diaporthe arctii*, 67.
Erysiphe cichoracearum, 35.
divaricatus, *Ophiobolus anguillides*, 83.
Rosenscheldia heliopsis, 86.
microcephalus, *Hypoderma commune*, 43.
Leptosphaeria comatella, 79.
Lophiolema caulium, 54.
Mycosphaerella sp., 92.
Ophiobolus sp., 84.
Helotium, 47.
Helvella, 39.
Hercospora, 71.
Herpotrichia, 78.
Hiosciscus esculentus, *Diaporthe arctii*, 67.

Hibiscus esculentus, *Leptosphaeria doliculum*, 79.
Leptosphaeria subconica, 80.
Ophiobolus sp., 74.
syriacus, *Botryosphaeria ribis*, 76.
Diatrypella favacea, 64.
Dothidea collecta, 87.
Noctria cinnabarinia, 54.
Tryblidiella rufula, 49.
Valsaria insitiva, 74.
Higginsia, 41.
Holcus halepensis, *Gibberella zaeae*, 54.
Leptosphaeria sp., 80.
Ophiobolus acuminatus, 83.
Stictis radiata, 40.
Hordeum spp., *Erysiphe graminis*, 36.
Hydrangea arborescens, *Eutypella fraxinicola*, 65.
Hypericum gentianoides, *Mollisia atrata*, 41.
mutilum, *Lachnum morthieri*, 45.
punctatum, *Didymella prominens*, 77.
Lophiostoma caulinum, 54.
Hypocrea, 56, 57.
Hypoderma, 43, 44.
Hypomyces, 57.
Hypoxyton, 57-61.
Amphisphaeria hypoxylon, 76.
Hysterium, 50, 51.
Hysterothecium, 51.
Hysteropatella prostii, 43.

I

Ilex spp., *Englerulaster orbicularis*, 53.
Physalospora obtusa, 84.
ambigua, *Diaporthe oxyspora*, 68.
cassiae, *Diatrypella favacea*, 64.
Rhytidia sp., 45.
coriacea, *Asterina pelliculosa*, 52.
decidua, *Myriangium asterinoporium*, 35.
Rhytidia prini, 44.
glabra, *Valsa decorticans*, 73.
opaca, *Asterina ilicis*, 52.

Ilex opaca, *Botryosphaeria ribis*, 76.
Diatrypella quercina, 64.
Eutypella fraxinicola, 65.
Macroderma curtisi, 44.
Microthyriella cuticulosa, 53.
Schizoxylon insigne, 40.
Xylaria filiformis, 62.
Impatiens biflora, *Metaphysphaeria* sp., 83.
Metaphysphaeria aulica, 82.
Phiala scutula, 48.
Tonomidotis fulvo-tingens, 47.
Ipomoea batatas, *Ceratostomella fimbriata*, 38.
Diaporthea batatas, 68.
Iris sp., *Didymella iridis*, 87.
Isopappus divaricatus, *Leptosphaeria comatilla*, 79.
Leptosphaeria ogilviensis, 80.
Itca virginica, *Physalospora obtusa*, 84.

J

Juglans spp., *Botryosphaeria ribis*, 76.
Melanconis juglandis, 72.
nigra, *Hypoxyton rubiginosum*, 60.
Schizoxylon insigne, 40.
Juncus effusus, *Leptosphaeria* sp., 81.
Ophiobolus sp., 84.
tenuis, *Flocospora* sp., 85.
Juniperus sp., *Endoxyla inusta*, 64.
Pithya cupressina, 39.
virginiana, *Chaetosphaeria parvicauda*, 77.
Colpoma juniperinum, 43.
Diatrypella favacea, 64.
Karschia lignyota, 46.
Mytilidion tortile, 51.

K

Kalmia latifolia, *Mycosphaerella colorata*, 38.
Karschia, 48.
Karstenula, 73.
Kerria japonica, *Higginsia kerriae*, 41.

L

Lachnea, 38.
 Lachnum, 45, 46.
Lactarius spp., *Hypomyces lactifluorum*, 57.
Lactuca canadensis, *Diaporthe arctii*, 67.
sativa, *Sclerotinia sclerotiorum*, 48.
Lagerstroemia indica, *Erysiphe lagerstroemiae*, 36.
Lamprospora crec'hqueraultii, 38.
Lasiobolus pilosus, 38.
Lasiosphaeria, 79.
Lathyrus odoratus, *Erysiphe polygoni*, 36.
Laurocerasus caroliniana, *Auerswaldiella pucciniodes*, 76.
Lecanidion, 49.
Leotia, 49.
Lepidium virginicum, *Leptosphaeria virginica*, 80.
Leptomassaria simplex, 79.
Leptosphaeria, 79-81.
Lespedeza spp., *Phyllachora lespedezae*, 74.
frutescens, *Didymella* sp., 77.
Hypoderma commune, 43.
Microthyrium sp., 53.
hirta, *Lophiostoma caulium*, 54.
striata, *Microsphaera diffusa*, 36.
virginica, *Diaporthe arctii*, 67.
Gloniopsis insignis, 50.
Leptosphaeria clavigera, 79.
Leptosphaeria comatella, 79.
Lophiostrema sp., 54.
Metasphaeria sp., 83.
Physalospora obtusa, 84.
Urosporella americana, 86.
Leucothoë catesbeiae, *Dasyctypha nivea*, 47.
Ligusticum canadense, *Diaporthe arctii*, 67.
Mycosphaerella sp., 92.
Ophiobolus sp., 84.
Ligustrum vulgare, *Botryosphaeria ribis*, 76.
Hypoxyton rubiginosum, 60.
Stictis radiata, 40.
Linospora gleditsiae, 71.

Liquidambar spp., *Endothia gyrosa*, 69.
styraciflua, *Cryptosporella aurea*, 67.
Didymella sp., 77.
Gnomoniella smoena, 70.
Gnomoniella georgiana, 71.
Hypocrea lenta, 56.
Hypoxyton illitum, 59.
Hypoxyton sclerophaeum, 60.
Mycosphaerella sp., 92.
Mycosphaerella maculiformis, 89.
Myriangium duriae, 35.
Pseudohelotium sacchariferum, 42.
Valsa conspurcata, 72.
Valsella laschii, 74.
Velutaria rufo-olivacea, 48.
Vibrissa truncorum, 40.
Xylaria persicaria, 62.
Liriocladus tulipifera, *Angelina rufescens*, 43.
Anthostomella sp., 63.
Calospora sp., 66.
Camarops polyspermum, 57.
Discohainesia oenotherae, 41.
Erysiphe liriocladus, 36.
Eutypa lata, 65.
Hypocrea patella, 57.
Hypoxyton croceum, 58.
Hypoxyton hypophlaeum, 58.
Hypoxyton serpens, 60.
Karschia stygia, 48.
Lasiosphaeria ovina, 79.
Lasiosphaeria strigosa, 79.
Lecanidion atratum, 49.
Lecanidion clavisorum, 49.
Lophodermium punctiforme, 44.
Metaspheeria rubida, 83.
Mycosphaerella maculiformis, 89.
Mycosphaerella tulipifera, 91.
Nectria ochroleuca, 55.
Physalospora obtusa, 84.
Propolis versicolor, 45.
Quaternaria personii, 66.
Rosellinia subiculata, 61.
Valsa decorticans, 73.
Valsaria rubricosa, 74.
Valsella laschii, 74.
Lonicera spp., *Dothidea collecta*, 87.

Lonicera japonica, *Eutypella fraxinicola*, 65.
Valsa decorticans, 73.
morrowii, *Diatrypella favacea*, 64.
sempervirens, *Physalospora obtusa*, 84.
Lophionema, 53, 54.
Lophiosphaeria velata, 54.
Lophiostoma, 54.
Lophiostrema, 54.
Lophodermium, 44.
Ludwigia alternifolia, *Physalospora obtusa*, 84.
Lyonia spp., *Rhytisma decolorans*, 44.
lucida, *Physalsopora obtusa*, 84.
Valsa ambiens, 72.
Valsa decorticans, 73.

M

Maclura pomifera, *Diaporthe* sp., 69.
Diatrypella favacea, 64.
Macroderma curtisii, 44.
Macropodia macropus, 38.
Magnolia spp., *Didymosphaeria magnoliae*, 73.
Cephidothella sp., 72.
Physalospora obtusa, 84.
cordata, *Mycosphaerella* sp., 92.
Rosellinia pulvarecea, 61.
fraseri, *Mycosphaerella maculiformis*, 89.
grandiflora, *Eutypella fraxinicola*, 65.
Microthyrium microscopicum, 53.
Xylaria ianthino-velutina, 62.
macrophylla, *Naevia* sp., 42.
soulangeana, *Diatrypella favacea*, 64.
tripetala, *Diaporthe arctii*, 67.
Hypoderma commune, 43.
Mycosphaerella punctiformis, 90.
virginiana, *Dasyphypha albo-pileata*, 47.
Diaporthe eres, 68.
Diatrype asterostoma, 63.

Magnolia virginiana, *Diatrype tremellophora*, 63.
Diatrypella favacea, 64.
Diatrypella quercina, 64.
Gnomonia magnoliae, 70.
Guignardia magnoliae, 87.
Hypoxyylon epiphaeum, 58.
Hypoxyylon hypophlaeum, 58.
Hypoxyylon microplacum, 59.
Hypoxyylon rubiginosum, 60.
Hypoxyylon sassafras, 60.
Hypoxyylon tinctor, 60.
Hypoxyylon truncatum, 61.
Meliola amphitricha, 37.
Meliola magnoliae, 47.
Mycosphaerella sp., 92.
Phaeostigme picea, 38.
Rosellinia aquila, 61.
Trichodothis comata, 86.
Valsaria insitiva, 74.
Valsaria rubricosa, 74.
Malus spp., *Myriangium asterinosporum*, 35.
pumila, *Glomerella cingulata*, 69.
Numularia discincola, 61.
Physalospora obtusa, 84.
Podosphaera leucoiricha, 36.
Valsa americana, 72.
Venturia inaequalis, 86.
Xylaria mali, 62.
Mamianiella elni, 71.
Massaria, 81.
Massariella, 81, 32.
Massariovalsa sudans, 71.
Medicago spp., *Pseudopeziza medicaginis*, 42.
sativa, *Pseudononlea briosiana*, 92.
Melanconis, 71, 72.
Melanomma, 62.
Melia azederach, *Botryosphaeria ribis*, 76.
Dasyphypha pulvarecea, 47.
Dothidea collecta, 87.
Eutypella fraxinicola, 65.
Eutypella microcarpa, 66.
Melogramma meliae, 82.
Nectria cinnabarina, 54.
Stictis radiata, 40.
Valsaria rubricosa, 74.
Meliola, 37.

- Melogramma, 82.
 Metasphearia, 82, 83.
 Microglossum, 49.
 Microsphaera, 36.
 Microthyriella cuticulosa, 53.
 Microthyrium, 53.
 Mitrula paludosa, 49.
 Mollisia, 41, 42.
 Monarda punctata, Diaporthe arctii,
 67.
 Diaporthopsis sp., 69.
 Leptosphaeria sp., 81.
 Leptosphaeria comatella, 79.
 Lophiostoma caulinum, 54.
 Cphiobolus anguillides, 83.
 Monilinia azaleae, 47.
 Morchella, 40.
 Morenoella quercinum, 53.
 Morus spp., Massaria epileuca, 81.
 Tryblidiella rufula, 49.
 alba, Gibberella moricola, 54.
 Mycosphaerella mori, 89.
 Valsa morigena, 73.
 rubra, Acrospermoides subulatum,
 75.
 Acrospermum sp., 76.
 Acrospermum foliicolum, 75.
 Diatrypella favacea, 64.
 Diatrypella quercina, 64.
 Eutypa velutina, 65.
 Eutypella fraxinicola, 65.
 Eutypella microcarpa, 66.
 Fracchiaea heterogaea, 78.
 Hysterographium mori, 51.
 Massaria plumigera, 81.
 Mycosphaerella arachnoidea, 88.
 Nectria episphaeria, 55.
 Sclerotinia carunculoides, 48.
 Uncinula geniculata, 37.
 Vilsaria aethiops, 73.
 Muhlenbergia schreberi, Phyllachora
 vulgata, 74.
 Mycosphaerella, 87-92.
 Myclocopron smilacis, 53.
 Myriangium, 35.
 Myrica sp., Fracchiaea heterogaea,
 78.
 Leptosphaeria sp., 81.
 carolinensis, Gnomonia myricae,
 70.
 Karschia stygi, 42.
 Myrica carolinensis, Mycosphaerella
 myricae, 89.
 cerifera, Apioporthe phomaspora,
 66.
 Hypoxylon rubiginosum, 60.
 Hypoxylon truncatum, 61.
 Physalospora obtusa, 84.
 Valsa ceratophora, 72.
 mytilidion, 51.
- N
- Naemacyclus niveus, 40.
 Naevia, 42.
 Nectria, 54, 55.
 Neocosmospora vasinfecta, 55.
 Neopeckia diffusa, 83.
 Nerium oleander, Physalospora obtusa,
 84.
 Nurmularia, 61.
 Nyssa spp., Diatrype asterostroma, 63.
 Gnomoniella georgiana, 71.
 Hypoxycon tinctor, 60.
 Passalocylindra sudans, 71.
 Lyccosphaerella nyssaecola, 39.
 Myriangium duriaeae, 39.
 Neopeckia diffusa, 83.
 sylvatici, Cryptodiaporthe paulula,
 57.
 Diatrypella favacea, 64.
 Eutypella fraxinicola, 65.
 Hypoxylon deustum, 58.
 Hypoxylon rubiginosum, 60.
 Tryblidiella rufula, 49.
 Valsa decorticans, 73.
- O
- Cenothera spp., Erysiphe polygoni, 36.
 biennis, Diaporthe arctii, 67.
 Discobolus oenotherae, 41.
 Lomionema vermisporum, 54.
 lacinata, Physalospora obtusa, 84.
 Ophiobolus, 83, 84.
 Ophiodothella, 72.
 Osmanthus americanus, Mycosphaerella
 oleina, 89.
 Ostreicon, 51.
 Ostrya virginiana, Acrospermum foliicolum, 75.

- Ostrya virginiana, Botryosphaeria ribis, 76.
- Chaetosphaeria pannicola, 76.
- Gnomeniella gnomon, 71.
- Godronia sp., 47.
- Hypoxyton hypophlaeum, 58.
- Hypoxyton rubiginosum, 60.
- Mycosphaerella punctiformis, 96.
- Physalospora obtusa, 84.
- Sphaerognomonia carpinea, 92.
- Taphrina virginica, 52.
- Valsa decorticans, 73.
- Otidea, 39.
- Ovularia perfoliata, Guignardia sp., 87.
- Oxydendrum arboreum, Dasyscypha nivea, 47.
- Diaporthe sp., 69.
- Godronia rugosa, 47.
- Hypoxyton howeianum, 58.
- Lecanidion sp., 49.
- Lecanidion clavisporum, 49.
- Mycosphaerella caroliniana, 83.
- Pezicula sp., 42.
- Physalospora obtusa, 84.
- Tryblidiella rufula, 49.
- Valsa decorticans, 73.
- Venturia oxydendri, 86.
- Cxypolis rigidior, Ophiobolus sp., 84.
- P
- Panicum sp., Acrospermum graminum, 75.
- Dothichloë nigricans, 56.
- Metasphaeria punctulata, 83.
- Phyllachora sp., 75.
- agrostoides, Phyllachora cornuospora, 74.
- clandestinum, Ophiobolus acuminatus, 83.
- commutatum, Metasphaeria panicorum, 82.
- Parodiella perisprioides, 84.
- Parthenocissus tricuspidata, Guignardia bidwellii, 87.
- Paspalum sp., Acrospermum graminum, 75.
- Paspalum spp., Claviceps paspali, 56.
- ciliatifolium, Phyllachora sp., 75.
- pubescens, Belansia pilulaeformis, 55.
- Paulownia tomentosa, Botryosphaeria ribis, 76.
- Hypoxyton mediterraneum, 59.
- Hypoxyton tomentosa, 60.
- Valsaria rubricosa, 74.
- Paxina, 39.
- Penzigia frustulosa, 61.
- Persea pubescens, Asterina delitescens, 52.
- Coccoidella scutula, 86.
- Hypoxyton hypophlaeum, 58.
- Hypoxyton microplacum, 59.
- Hypoxyton sassafras, 60.
- Hypoxyton stygium, 60.
- Meliola amphitricha, 37.
- Pezicula, 42.
- Peziza, 39.
- Pezizella minuta, 47.
- Phaeangium magnisporum, 42.
- Phaeobulgaria inquinans, 47.
- Phaeosphaerella, 92.
- Phaeostigma picea, 38.
- Phaseolus lunatus, Diaporthe phaseoli, 68.
- vulgaris, Diaporthe arctii, 67.
- Erysiohe polygoni, 36.
- Glomerella lindemuthiana, 70.
- Microsphaera diffusa, 36.
- Mycosphaerella cruenta, 88.
- Phialea, 47, 48.
- Phyllachora, 74, 75.
- Phyllactinia corylea, 36.
- Physalospora, 84, 85.
- Physocarpus opulifolius, Physalospora obtusa, 84.
- Phytolacca decandra, Diaporthe arctii, 67.
- Pilea pumila, Calloria fusarioides, 40.
- Pinus spp., Atropellis tingens, 46.
- Cenangium ferruginosum, 46.
- Ceratostomella pini, 38.
- Coccophacidium pini, 45.
- Dasyscypha ellisiana, 47.
- Fracchiola heterogenea, 78.
- Hysterium macrosporum, 50.

- Pinus sp., *Hystericgraphium mori*, 51. *Platanus occidentalis*; *Ophiocothella leucospila*, 72.
Lophodermium nitens, 44.
Lophodermium pinestri, 44.
Physalospora obtusa, 84.
Propolis leonis, 45.
Propolis rhodoleuca, 45.
caribaea, *Hypocreæ olivacea*, 56.
echinata, *Hypoderma lethalis*, 44.
Hystericgraphium novacaesariense, 51.
Karschia sp., 48.
Karschia lignyota, 48.
Mytilidium karstenii, 51.
strobis, *Botryosphaeria ribis*, 76.
Hypodermia desmazierii, 43.
Scoleconectria sclecospora, 55.
Valsa pini, 73.
sylvestris, *Nemacyclus niveus*, 46.
taeda, *Cenangium atropurpureum*, 46.
Nectria cucurbitula, 55.
Pezizella minuta, 47.
Rosellinia trichota, 61.
Stictis fimbriata, 40.
Valsaria gemmata, 73.
Pistacia chinensis, *Physalospora obtusa*, 84.
Pisum spp., *Erysiphe polygoni*, 36.
arvense, *Mycosphaerella pinodes*, 39.
Pithya cupressina, 39.
Plantago rugelii, *Erysiphe cichoracearum*, 35.
Platanus occidentalis, *Chastosphaeria pannicola*, 76.
Diaporthe arctii, 67.
Diatrypella prominens, 64.
Eutypella platani, 66.
Hypoxyylon illitum, 59.
Hypoxyylon rubiginosum, 60.
Hypoxyylon tinctor, 60.
Leptosphaeria platanicola, 80.
Lophiostoma caulinum, 54.
Massaria platani, 81.
Mycosphaerella platanifolia, 90.
Nectria peziza, 55.
Platanus occidentalis; *Ophiocothella leucospila*, 72.
Physalospora obtusa, 84.
Rosellinia pulveracea, 61.
Tryblidiella rufula, 49.
Plectania occidentalis, 39.
Pleomassaria carpini, 35.
Pleosphaeria echinata, 85.
Pleospora, 85.
Podosphaera, 36.
Polycodium spp., *Ophiocothella vaccinii*, 72.
candidans, *Acrospermum felicicolum*, 75.
Lachnum virginellum, 46.
Polygonum spp., *Diaporthe arctii*, 67.
Erysiphe polygoni, 36.
pennsylvanicum, *Metasphaeria com-planata*, 82.
Mollisia polygoni, 41.
sagittatum, *Leptosphaeria comatella*, 79.
Polymnia canadensis, *Acrospermum felicicolum*, 75.
Diaporthe arctii, 67.
Leptosphaeria sp., 80.
Polystichum acrostichoides, *Taphrina polystichi*, 52.
Polystictus versicolor, *Hypomyces aurantius*, 57.
Hypomyces rosellus, 57.
Populus spp., *Botryosphaeria ribis*, 76.
Mycosphaerella maculiformis, 89.
alba, *Drepanopeziza populi-albae*, 41.
Valsa pauperata, 73.
deltoides, *Diatrypella ouercina*, 64.
Mycosphaerella populorum, 90.
Phialea gemmarum, 47.
Physalospora obtusa, 84.
nigra, *Hypoxyylon rubiginosum*, 60.
tomentosa, *Mycosphaerella punctiformis*, 90.
Poria punctata, *Hypoxyylon albocinctum*, 57.
Foroniam cedipus, 61.
Propolis, 45.

- Prunella vulgaris*, Lophiostoma caulinum, 54.
- Prunus* spp., *Acrospermum* sp., 76.
Dibotryon morbosum, 77.
Higginsia hiemalis, 41.
Hypoxylon rubiginosum, 60.
Physalospora obtusa, 84.
Podosphera oxyacanthae, 36.
Sclerotinia fructicola, 48.
Taphrina mirabilis, 52.
Valsa leucostoma, 73.
angustifolia, *Diatrypella favacea*, 64.
persica, *Caryospora putaminum*, 76.
Mycosphaerella persica, 89.
Taphrina deformans, 52.
Valsa decorticans, 72.
serotina, *Eutypella cerviculata*, 65.
Higginsia lutescens, 41.
Mollisia sp., 42.
Mycosphaerella sp., 92.
Mycosphaerella punctiformis, 90.
Sclerotinia seaveri, 48.
Taphrina farlowii, 52.
Valsaria exasperans, 73.
serrulata, *Botryosphaeria ribis*, 76.
umbellata, *Hypoxylon serpens* var.
macrospora, 60.
- Psedera quinquefolia*, *Diaporthe ampelopaidis*, 67.
- Pseudochelotium sacchariferum*, 42.
- Pseudopeziza medicaginis*, 42.
- Pseudoplea briosiana*, 92.
- Pseudoplectania nigrella*, 39.
- Pseudovalsa*, 72.
- Ptelea trifoliata*, *Karstenula* sp., 78.
- Puccinia coronata*, reaction of grasses to, 3-15.
glumarum, reaction of grasses to, 3-15.
graminis, reaction of grasses to, 3-23.
graminis agrostidis reaction of grasses to, 16-23.
graminis avenae, reaction of grasses to, 16-23.
graminis phleipratensis, reaction of grasses to, 16-23.
graminis poae, reaction of grasses to, 16-23.
- Puccinia graminis secalis*, reaction of grasses to, 16-23.
graminis tritici, reaction of grasses to, 16-23.
graminis tritici, wheat, epidemic in Kansas, 95-100.
rubigo-vera, reaction of grasses to, 3-15.
rubigo-vera tritici, wheat, 95, 102.
- Pueraria hirsuta*, *Botryosphaeria ribis*, 76.
Microthyrium sp., 53.
Stictis radiata, 40.
- Pycnanthemum pycnanthemooides*, *Diaporthe arctii*, 67.
- Pyracantha coccinea* var. *lalandi*, *Venturia inaequalis*, 86.
- Pyrenopeziza*, 42, 43.
- Pyrenopeltora relicina*, 85.
- Pyricularia pubera*, *Melogramma* sp., 82.
- Pyrus communis*, *Glomerella cingulata*, 69.
Hypoxylon rubiginosum, 60.
Mycosphaerella sentina, 90.
Venturia pyrina, 86.
sinensis x *P. communis*, *Mycosphaerella pyrina*, 90.
- Quaternaria personata*, 66.
- Quercus* sp., *Acanthostigma atrobarbum*, 75.
Acanthostigma decastylum, 75.
Acrospermum viridulum, 75.
Angelina rufescens, 48.
Anthostoma gastrinum, 63.
Bertia moriformis, 76.
Botryosphaeria queruum, 76.
Bulgaria rufa, 38.
Calosphaeria barbirostis, 63.
Camarops polyspermum, 57.
Colpoma quercinum, 43.
Dallinia concentrica, 57.
Diatrype stigma, 63.
Diatrypella discoidia, 64.
Diatrypella favacea, 64.
Diatrypella subfulva, 64.
Endothia gyrosa, 69.

Quercus spp., *Eutypa spinosa*, 65.
Fenestella phaeospora, 78.
Glonium abbreviatum, 50.
Glonium lineare, 50.
Glonium simulans, 50.
Glonium stellatum, 50.
Gnomonia setacea, 70.
Gnomonia veneta, 70.
Herpotrichia pezizula, 78.
Hypocrea lenta, 56.
Hypocrea sulphurea, 57.
Hypoderma ilicinum, 43.
Hypoxyylon atrepunctatum, 57.
Hypoxyylon crocopeplum, 58.
Hypoxyylon deustum, 58.
Hypoxyylon glomeratum, 58.
Hypoxyylon grandineum, 58.
Hypoxyylon howeianum, 58.
Hypoxyylon hypophlaeum, 58.
Hypoxyylon illitum, 59.
Hypoxyylon mediterraneum, 59.
Hypoxyylon notatum, 59.
Hypoxyylon punctulatum, 59.
Hypoxyylon regale, 59.
Hypoxyylon regale var. *macrospora*, 59.
Hypoxyylon rubiginosum, 60.
Hypoxyylon serpens, 60.
Hypoxyylon stygium, 60.
Hypoxyylon tinctor, 60.
Hypoxyylon truncatum, 61.
Hysterium magnosporum, 51.
Hysterium pulicare, 51.
Hysterographium flexuosum, 51.
Hysterographium subrugosum, 51.
Lachnum sp., 46.
Lachnum ciliare, 45.
Lachnum pollinarium, 45.
Lasiosphaeria hispida, 79.
Lasiosphaeria strigosa, 79.
Lecanidion clavisporum, 49.
Lecanidion fuscoastrum, 49.
Lophiosphaeria velata, 54.
Melanomma sporadicum, 82.
Microsphaera quercina, 36.
Microthyrium microscopicum, 53.
Mollisia circrea, 41.
Morenoella quercinum, 53.
Mycosphaerella aquatica, 87.
Mycosphaerella maculiformis, 89.

Quercus spp., *Mycosphaerella punctiformis*, 90.
Mycosphaerella spleniata, 91.
Nectria cinnabarinata, 54.
Ostreion americanum, 51.
Phaeobulgaria inquinans, 47.
Phyllactinia corylea, 36.
Propolis versicolor, 45.
Pyrenopeziza prunicola, 43.
Rosellinia aquila, 61.
Rosellinia glandiformis, 61.
Sphaerognomonia polystigma, 93.
Rosellinia subiculata, 61.
Sphaerostilbe coccophila, 55.
Taphrina caerulescens, 52.
Trichosphaeria pilosa, 86.
Tympanopsis euomphala, 86.
Urnula craterium, 39.
Valsa decorticans, 73.
Valsaria insitiva, 74.
Valsaria ruficosa, 74.
Venturia asterinoides, 86.
Xylaria bulbosa, 62.
Xylaria cornu-damae, 62.
Xylaria cubensis, 62.
Xylaria herculea, 62.
Xylaria hypoxylon, 62.
Zignoella pulviscula, 86.
alba, *Cocomyces triangularis*, 43.
Diaporthe leiphaemia var. *raveneliana*, 68.
Ionomidotis fulvo-tingens, 47.
Nummularia sp., 61.
Ostreion sp., 51.
Valsa coronata, 72.
Vibrissa truncorum, 40.
catesbaei, *Mycosphaerella catesbeyi*, 88.
cinerea, *Xylaria multiplex*, 62.
coccinea, *Rosellinia pulveracea*, 61.
georgiana, *Diaporthe* sp., 69.
lyrata, *Mycosphaerella rigrita*, 39.
margarettae, *Acrospermum foliicolum*, 75.
maxima, *Dasyphypha pulveracea*, 47.
montana, *Didymosphaeria cupula*, 77.
Hypoxyylon papillatum, 59.
nigra, *Coronophora cotheca*, 77.
Cucurbitaria sp., 77.
Delacourea sp., 77.

- Quercus nigra*, *Dichaena strumosa*, 50. *Robinia pseudoacacia*, *Nectria cinnabarina*, 54.
Didymella lophospora, 77. *Neopeckia diffusa*, 83.
Glonium curtisii, 50. *Rosa* sp., *Cryptosporrella umbrina*, 67.
Hypoxylon maculatum, 59. *Diplocarpon rosae*, 41.
Hypoxylon serpens var. *macrospora*, 60. *Eutypella fraxinicola*, 65.
Myriangium duriaci, 35. *Mycosphaerella rosicola*, 90.
Tryblidiella rufula, 49. *Sphaerotheca pannosa*, 37.
prinus, *Calcsphaeria* sp., 63. *Rosellinia*, 61, 62.
Calospora sp., 66. *Rosenscheldia heliopsisidis*, 86.
Diatrypella quercina, 64. *Rubus* spp., *Elsinoë veneta*, 35.
velutina, *Eutypella cerviculata*, 65. *Leptosphaeria coniothyrium*, 79.
Melanomma helicophilum, 82. *Lophodermium rubicola*, 44.
Pseudovalsa sigmoidea, 72. *Mycosphaerella confusa*, 38.
virginiana, *Hypoxylon malleolus*, 59. *Mycosphaerella rubi*, 90.
Physalospora obtusa, 84.
argutus, *Asioporthea vespris*, 66.
Lasiocphaeria spermoides, 79.
Rudbeckia hirta, *Ophiobolus anguillides*, 83.
Pleospora vulgaris, 85.
laciniata, *Diaporthe arctii*, 68.
Rhamnus caroliniana, *Physalospora obtusa*, 34. *Hypoderma commune*, 43.
Rhododendron maximum, *Cocomyces dentatus*, 43. *Metasphaeria complanata*, 82.
Hypoxylon rubiginosum, 60. *Rumex* spp., *Physalospora obtusa*, 84.
Hypoxylon serpens, 60. *crispus*, *Diaporthe arctii*, 63.
Rhopographus, 85. *Lophiostoma caulinum*, 54.
Rhus spp., *Botryosphaeria ribis*, 76. *Stictis radiata*, 40.
Cryptodiaporthe aculeans, 66. *verticillatus*, *Ophiobolus acuminatus*, 83.
Dcthidea collecta, 87.
Hypoxylon rubiginosum, 60.
Tryblidiella rufula, 49.
Valsa decorticans, 73.
copallina, *Taphrina purpurascens*, 52.
glabra, *Discohainesia cenothera*, 41.
Eutypella fraxinicola, 65.
Thyronactria pyrrhoclora, 55.
Rhytisma, 44, 45.
Ribes curvatum, *Dothidella ribesiae*, 87.
Robinia pseudo-acacia, *Aglaospora profusa*, 76.
Botryosphaeria ribis, 76.
Diaporthe encostoma, 68.
Eutypella capillata, 65.
Eutypella tumida, 66.
Eutypella venusta, 66.
Fracchiaea heterogenea, 78.
Mycosphaerella sp., 92.
- R
- Sabal* spp., *Acanthorhynchus* sp., 62.
Anthostomella leucobasis, 63.
Anthostomella minor, 63.
Metasphaeria palmetta, 82.
minor, *Asterina sabalicola*, 53.
Melisla palmicola, 37.
Metasphaeria sabalensis, 83.
Salix spp., *Botryosphaeria ribis*, 76.
alba, *Hypoxylon rubiginosum*, 60.
Rosellinia aquila, 61.
Schizoxylon insigne, 40.
babylonica, *Hysterographium flexuum*, 51.
Mycosphaerella sp., 92.
Physalospora obtusa, 84.
humilis, *Uncinula salicis*, 37.
nigra, *Ghaetosphaeria pannicola*, 76.
Cryptodiaporthe salicina, 67.
- S

- Salix nigra, Diatrypella quericina,
 64.
 Eutypella fraxinicola, 65.
 Fracchiaea heterogenea, 78.
 Hysterium magnosporum, 51.
 Lophiostrema vagabundum, 54.
 Mollisia sp., 42.
 Penzizia frustulosa, 61.
 Teichospora chiensis, 86.
 Valsa ambiens, 72.
 Valsa decorticans, 73.
 Valsa pallida, 73.
 tristis, Rhytisma salicinum, 44.
 Sambucus spp., Botryosphaeria ribis,
 76.
 canadensis, Diaporthe megalospora,
 68.
 Diaporthe sociabilis var.
 sambuci, 69.
 Didymosphaeria epidermidis, 77.
 Dothidea collecta, 87.
 Eutypella microcarpa, 66.
 Hypoxylon rubiginosum, 60.
 Stictis radiata, 40.
 Ophiobolus sp., 84.
 Saponaria officinalis, Didymella sp.,
 77.
 Leptosphaeria comatella, 79.
 Leptosphaeria doliolum, 79.
 Sarracenia flava, Mollisia sp., 42.
 Mycosphaerella sarraceniae, 90.
 Sassafras variifolium, Daldinia
 vernicosa, 57.
 Hypoxylon microplacum, 59.
 Hypoxylon sassafras, 60.
 Hypoxylon sclerophaeum, 60.
 Mycosphaerella sassafras, 90.
 Schizoxylon insigne, 40.
 Schrankia uncinata, Diaporthe sp., 69.
 Scirpus georgianus, Lophiostoma
 arundinis, 54.
 Mollisia scirpina, 41.
 Ophiobolus acuminatus, 83.
 Scleroterris, 48.
 Sclerotinia, 48.
 Scoleconectria, 55.
 Scorias spongiosa, 38.
 Secale cereale, Pyrenophora relicina,
 85.
 Septoria glume blotch, wheat, 102.
 nodorum, wheat, 102.
- Sericocarpus asteroides, Diaporthe
 linearis, 68.
 Lophiostoma caulinum, 54.
 Mycosphaerella sp., 92.
 linifolius, Pyrenopeziza sp., 43.
 Setaria glauca, Ophiobolus acuminatus,
 83.
 Rhopographus clavisporus, 85.
 Silphium spp., Diaporthe arctii, 68.
 Hypoderma commune, 43.
 dentatum, Leptosphaeria coniothyrium,
 79.
 Smallanthus uvedalia, Diaporthe arctii,
 68.
 Leptosphaeria sp., 80.
 Metasphaeria sp., 83.
 Smilax spp., Anthostomella sepelibilis,
 63.
 Eutypella septula, 66.
 Clonopsis ellisii, 50.
 Mycosphaerella smilacicola, 90.
 Myiocopron smilacis, 53.
 glauca, Acrospermum sp., 76.
 Stictis radiata, 40.
 herbacea, Apospora montagnei, 74.
 laurifolia, Anthostomella sp., 63.
 Didymosphaeria sp., 78.
 Eutypa sp., 65.
 Eutypella microcarpa, 66.
 Glonium curtisii, 50.
 Lophodermium sp., 44.
 Ophiobolus sp., 84.
 Solanum melongena, Diaporthe arctii, 68.
 Metasphaeria sp., 83.
 Solidago spp., Acrospermum foliicolum,
 75.
 Anthostomella sp., 63.
 Diaporthe linearis, 68.
 Elsinoë solidaginis, 35.
 Hypoderma commune, 43.
 Leptosphaeria subconica, 80.
 Lophiostoma caulinum, 54.
 Mycosphaerella sp., 92.
 Stictis radiata, 40.
 altissima, Helotium sp., 47.
 Schizoxylon insigne, 40.
 caesia, Leptosphaeria sp., 80.
 Lophiostrema vagabundum, 54.
 conferta, Diaporthe arctii, 68.
 odora, Physalospora obtusa, 84.
 serotina, Leptosphaeria mesoedema,
 80.

- Solidago serotina, Ophiobolus sp., 84.
 Sonchus oleraceus, Diaporthe arctii, 68.
 Mollisia atrata, 41.
 Ophiobolus fulgidus, 83.
 Sorbus americana, Fracchiaea callista, '78.
 Sphaerangium, 45.
 Sphaerognomonia, 92, 93.
 Sphaeropeziza arundinariae, 45.
 Sphaerostilbe coccophila, 55.
 Sphaerotheca, 37.
 Spiraea spp., Physalospora obtusa, 34.
 Stachys tenuifolia, Lophiostoma caulinum, 54.
 Metaspheeria sp., 83.
 Staphylea trifolia, Eutypella fraxinicola, 65.
 Mycosphaerella staphylina, 91.
 Nectria atrofusca, 54.
 Steironema ciliatum, Leptosphaeria steironematis, 80.
 Metaspheeria sp., 83.
 Phialea dearnessii, 47.
 Physalospora obtusa, 84.
 Stereum lobatum, Hypomyces aurantius, 57.
 Stictis, 40.
 Stigmatea sclerotidea, 53.
 Stizolobium deerlingianum, Mycosphaerella cruenta, 82.
 Styrax americana, Metaspheeria subcutanea, 83.
 grandifolia, Mycosphaerella punctiformis, 90.
 Symplocos tinctoria, Mycosphaerella sp., 92.
 Syringa vulgaris, Microsphaera alni, 36.
- T
- Taphrina, 51, 52.
 Taraxacum officinale, Sphaerotheca humuli, 37.
 Taxodium distichum, Lachnum virginicum, 46.
 Metaspheeria cavernosa, 82.
- Tecoma radicans, Physalospora sp., 85.
 Physalospora obtusa, 84.
 Valsa decorticans, 73.
 Teichospora chiensis, 86.
 Thalictrum macrostylum, Didymosphaeria thalictri, 78.
 Thuja occidentalis, Mollisia sp., 42.
 Physalospora obtusa, 84.
 Pithya cupressina, 39.
 Thysanectria, 55.
 Tilia heterophylla var. michauxii, Apiosporella sp., 76.
 Diatrypella favacea, 64.
 Diatrypella quercina, 64.
 Eutypella fraxinicola, 65.
 Fracchiaea heterogenea, 78.
 Hercospora tiliae, 71.
 Massariella curreyi, 81.
 Massariella curreyi var. americana, 32.
 Massariovalsa sudans, 71.
 Mycosphaerella punctiformis, 90.
 Nectria cinnabrina, 54.
 Pyrenopeziza minuta, 42.
 Sphaerangium sp., 45.
 Valsa ambiers, 72.
 Valsa decorticans, 73.
 truncata, Leptomassaria simplex, 79.
 Trichodothis comata, 86.
 Trichoglossum, 49.
 Trichosphaeria, 86.
 Tridens flavus, Apiospora montagnei, 74.
 Leptosphaeria culorum, 79.
 Phyllachora sp., 75.
 Trifolium spp., Dothidella trifolii, 87.
 Erysiphe polygoni, 36.
 Pseudoplecta briosiana, 92.
 Tripsacum dactyloides, Claviceps tritici, 56.
 Triticum aestivum, Erysiphe graminis, 36.
 Pyrenopeziza relicina, 85.
 Tryblidiella rufula, 49.
 Tsuga canadensis, Cenangium balsameum, 46.
 Dimerosporium tsugae, 53.
 Propolis leonis, 45.
 Tympanopsis euomphala, 86.
 Typha latifolia, Guignardia sp., 87.

Typha latifolia, *Lophodermium typhinum*, 44.
Mycosphaerella typhae, 91.

 U

Ulmus spp., *Acrospermum compressum*, 75.
Diatrypella favacea, 64.
Eutypella fraxinicola, 65.
Hysteropatella prostii, 48.
Mycosphaerella sp., 92.
Mycosphaerella punctiformis, 90.
Physalospora obtusa, 84.
alata, *Phyllactinia corylea*, 36.
Sphaerostilbe coccophila, 55.
Uncinula macrospora, 37.
Valsa ambiens, 72.
americana, *Diatrypella subfulva*, 64.
Didymosphaeria sp., 78.
Eutypella tumida, 66.
Gnomonia ulmea, 70.
Mycosphaerella ulmi, 91.
fulva, *Massaria ulmi*, 81.
parvifolia, *Eutypella scoparia*, 66.
serotina, *Dasyphypha pulveracea*, 47.
Uncinula, 37.
Uniola spp., *Apiospora montagnei*, 74.
latifolia, *Leptosphaeria culmicola*, 79.
Pleospora sp., 85.
laxa, *Phyllachora* sp., 75.
Urnula craterium, 39.
Urosporella americana, 86.

 V

Vaccinium spp., *Hysterium angustatum*, 50.
Meliola nidulans, 37.
Mycosphaerella punctiformis, 90.
arboreum, *Ophiobothella vaccinii*, 72.
Valsa decorticans, 73.
elliottii, *Glonium curtisii*, 50.
vacillans, *Lophodermium maculare*, 44.
Microsphaera vaccinii, 36.

Valsa, 72, 73.
Nectria episphaeria, 55.
Valsaria, 73, 74.
Valsella, 74.
Velutaria rufo-olivaceae, 48.
Venturia, 86.
Verbena sp., *Erysiphe cichoracearum*, 35.
Verbesina spp., *Diaporthe arctii*, 68.
Leptosphaeria mesoedema, 80.
Pleospora vulgaris, 85.
occidentalis, *Leptosphaeria comata*, 79.
virginica, *Leptosphaeria subconica*, 80.
Vernonia acaulis, *Diaporthe arctii*, 68.
glauca, *Leptosphaeria* sp., 81.
Metaspasma sp., 83.
noveboracensis, *Hypoderma commune*, 43.
Ophiobolus fulgidus, 83.
Vibrissa truncorum, 40.
Viburnum spp., *Massaria plumigera* var. *tetraspora*, 81.
Physalospora obtusa, 85.
Schizoxylon insigne, 40.
orientale, *Glonium* sp., 50.
prunifolium, *Didymosphaeria* sp., 78.
rufidulum, *Diaporthe viburni*, 69.
Didymosphaeria epidermidis, 77.
Hypoxyton rubiginosum, 60.
Leptosphaeria vagabunda, 80.
Mycosphaerella punctiformis, 90.
somitomentosum, *Eutypella fraxinella*, 65.
Vigna sinensis, *Erysiphe polygoni*, 36.
Mycosphaerella cruenta, 88.
Vitis spp., *Guignardia bidwellii*, 87.
Physalospora obtusa, 85.
baileyana, *Leptosphaeria vagabunda*, 80.
Pleospora vulgaris, 85.
labrusca, *Hypoxyton hypophlaeum*, 58.
Mycosphaerella personata, 89.
Uncinula necator, 37.
rotundifolia, *Eutypella fraxinicola*, 65.
Glonium clavisorum, 50.
Glonium curtisii, 50.
Herpotrichia pezizula, 78.
Hypoxyton tinctor, 60.
Hysterographium flexuosum, 51.

Vitis rotundifolia, *Mollisia
cinerea*, 41.
Rosellinia aquila, 61.
Schizoxylon insigne, 40.
Valsa decorticans, 73.

X

Xanthium conadense, *Diaporthe
arctii*, 68.
Erysiphe cichoracearum, 35.
Leptosphaeria comatella, 79
Ophiobolus acuminatus, 83.
Ophiobolus anguillides, 83.
Xylaria, 62.

Y

Yucca aloifolia, *Pleospora thümeniana*,
85.
, *filamentosa*, *Diaporthe arctii*, 68.
Lophiostoma caulinum, 54.

Z

Zea mays, *Didymosphaeria graminicola*, 78
Gibberella zae, 54.
Rhopographus zae, 85.
Stictis radiata, 40.
Zenobia pulverulenta, *Ophiobothella
vaccinii*, 72.
Zignoella pulviscula, 86.
Zinnia elegans, *Erysiphe cichoracearum*,
35.

THE PLANT DISEASE REPORTER

Issued By

Division of Mycology and Disease Survey

BUREAU OF PLANT INDUSTRY

UNITED STATES DEPARTMENT OF AGRICULTURE

Supplement 134

A Revised Check List of the Parasitic Fungi
on Cereals and Other Grasses in Oregon

March 1, 1942



The Plant Disease Reporter is issued as a service to plant pathologists throughout the United States. It contains reports, summaries, observations, and comments submitted voluntarily by qualified observers. These reports often are in the form of suggestions, queries, and opinions, frequently purely tentative, offered for consideration or discussion rather than as matters of established fact. In accepting and publishing this material the Division of Mycology and Disease Survey serves merely as an informational clearing house. It does not assume responsibility for the subject matter.



A REVISED CHECK LIST OF THE PARASITIC FUNGI ON CEREALS
AND OTHER GRASSES IN OREGON^{1/}

Roderick Sprague^{2/}

Plant Disease Reporter
Supplement 134

March 1, 1942

The first preliminary list of the diseases of cereals and grasses in Oregon^{3/} was issued in 1935 and additions^{4/} were added in 1937. These two lists are here combined together with further additions.

Oregon is well adapted to the growing of both cereals and grasses. The State is roughly divided by the Cascade Range into the humid western portion and the drier, semi-arid eastern region. The western portion is again partitioned into a narrow, very humid coastal strip flanked by the low Coast Range dividing the coast area from the wide Willamette Valley where winter rainfall is heavy and summer weather dry. Northward the Willamette drains into the Columbia River which breaks through the Cascade Range from the east. South of the Willamette Valley is a rugged area of valleys and hills extending to the Siskiyou Mountains on the California border. Eastern Oregon is a high plateau of sagebrush and grassland, with the eastern portion featured by the conifer-covered Blue Mountains and granitic Wallowa Mountains. Wheat is extensively grown in central Oregon, and in the vicinity of the Blue Mountains in Union and Umatilla Counties it is the major crop.

Diseases of grasses in Oregon are found throughout the State, but the most serious troubles occur in the humid coastal strip or, during the mild winter months, in the Willamette Valley. The native dry land blue-grasses and bunchgrasses are parasitized by a number of fungi, but the dry season which comes after the spring rains cease is, in general, unfavorable for the development of grass diseases in the interior country. Certain rusts, smuts, rootrots, and powdery mildews, however, are sometimes abundant.

This list is for the purpose of furnishing a ready reference to all known diseases of cereals or grasses in Oregon. During recent years there has been increasing interest in the long-neglected group of grass diseases. While it is realized that many of the fungi listed in this article cannot, from a practical standpoint, be considered in a control program, it is

1/ Cooperative investigations between the Divisions of Cereal Crops and Diseases and Forage Crops and Diseases, Bureau of Plant Industry, U. S. Department of Agriculture, and the Oregon Agricultural Experiment Station, contribution from the Department of Botany.

2/ Associate Pathologist, Division of Cereal Crops and Diseases, Bureau of Plant Industry, U. S. Department of Agriculture.

3/ A preliminary check list of the parasitic fungi on cereals and other grasses in Oregon. Plant Disease Reporter 19:156-186. 1935.

4/ Additions to the check list of the parasitic fungi on cereals and other grasses in Oregon (1935-37). Plant Disease Reporter 21:412-422. 1937.

important that a relatively complete list be assembled. A great deal of study must eventually be made to determine their host range, ecology and, where destructive, their control. As mentioned above, the diseases of grasses in the western portion of Oregon, particularly those of bent grasses, need study as they are destructive.

The writer is indebted to all of his colleagues who aided in the earlier lists. C. R. Orton determined the species of Phyllachora. Several of the grasses collected recently were identified by Agnes Chase and others by Helen Gilkey and Garland Powell. George Fischer determined certain species of smuts and rusts.

In citing authority for inclusion of the varicus fungi in this list, the writer wherever possible has again referred to representative collections in the Mycological Collections of the Department of Botany, Oregon State College, Corvallis, Oregon. Otherwise he has referred to specific references in reliable texts or, in a few cases, he has cited the fungi as having been seen and determined but collections not preserved. The collections at Corvallis now contain several thousand specimens of these fungi on Gramineae. A large number of duplicates have been sent to the Mycological Collections of the Bureau of Plant Industry, Washington, D.C., while representative collections also have been sent to Washington State College, Pullman, Washington, and to the University of Idaho, Moscow, Idaho.

The present list includes 677 citations of fungi on separate hosts.

Hitchcock (5) was again followed in classification of the grasses and cereals. Varieties except in rare instances were not segregated and the polymorphic group Bromus carinatus, B. marginatus, and B. polyanthus has been included under the one name, B. carinatus.

LIST OF FUNGI BY HOST PLANTS

Latin name	Host and fungus or disease Common name	Where found	Literature or specimen a/
AEGILOPS CYLINDRICA Host.	JOINTED GOATGRASS		
Cercosporaella herpotrichioides Frøn	Cercosporaella foot rot	Union County	(14)
AEGILOPS OVATA L.	LITTLE GOATGRASS		
Cercosporaella herpotrichioides Frøn	Cercosporaella foot rot	Union County	(14)
Puccinia rubigo-vera tritici (Eriks. & Henn.) Carl.	Leaf rust	b/	(2)
AEGILOPS TRIUNCIALIS L.	BARBED GOATGRASS		
Cercosporaella herpotrichioides Frøn	Cercosporaella foot rot	Union County	(14) 10, 210
AGRYPYRON CRISTATUM (L.) Gaertn.	CRESTED WHEATGRASS		
Claviceps purpurea (Fr.) Tul.	Ergot	Astoria in plots	3393
Epicoccum purpurascens Ehrbg.	Head mold	Astoria in plots	1C, 495
Fusarium culmorum (W. G. Sm.) Sacc.	Root rot	Wasco County	c/
F. oxysporum Schle. (Schm.) Eriks.	Secondary pink root	Wasco & Sherman Co.	c/
Puccinia glumarum (Schm.) Fr. & Henn.	Stripe rust	Moro	7530
Ustilago hypodytes (Schl.) Fr.	Stem smut	Exp. Sta., Union	Fischer's Collections

a/ Numbers in parentheses refer to literature citations at end of text; other numbers not in parentheses refer to specimen numbers in the mycological herbarium of the Department of Botany, Oregon State College, Corvallis, Oregon

b/ Information lacking.

c/ Pure culture isolations made in Oregon by the writer, 1929-40.

ACROPYRON DASYSTACHYUM (Hook.) Scribn. (A. lanceolatum Scribn. & Smith)	THICKSPIKE WHEATGRASS (Dunny wheatgrass)	Biggs, Celilo Wasco & Sherman Co.	1C, 8C9 1C, 224
Erysiphe graminis DC.	Mold	Sherman County	(2, 7)
Puccinia graminis Pers.	Powdery mildew	Redmond, Celilo	(2, 7)
P. rubigo-vera (DC.) Wint.	Stem rust	Wasco County	10,054
Rhynchosporium secalis (Caj.) J.J. Davis	Leaf rust	Jackson, Sherman and Wasco Counties	1C, 059
Scoleotrichum graminis Fckl.	Leaf scald		
	Leaf stripe		
Selenophoma donacis (Pass.) Sprague & Johnson	Selenophoma speckle	Celilo Falls	6
var. stomaticola (Bauml.) Sprague & Johnson			
AGROPYRON INTERME (Scribn. & Smith) Rydb. (A. spicatum inerme Scribn. & Smith)	BEARDLESS WHEATGRASS	Rufus Klamath Falls & Rowena	10,928 10,056 2/ 1C, 378
Erysiphe graminis DC.	Powdery mildew	Rowena	
Scoleotrichum graminis Fckl.	Leaf stripe		
Septoria elymi Ell. & Ev.	Leaf mottle		
AGRYPYRON TRACHYCAULUM (Link) Malte (A. tenerum Vesey, A. pauciflorum (Schw.) Hitch.)	SLENDER WHEATGRASS	Union Andrews Union Union Upper Klamath Marsh Exp. Sta., Union	10,693 (W.A.F., 164) d/ 10,692 10,695 527 Fischer's Coll.
Claviceps purpurea (Fr.) Tul.	Ergot		
Erysiphe graminis DC.	Powdery mildew		
Puccinia graminis Pers.	Stem rust		
P. mentanensis Ell.	Brown stripe rust		
Scoleotrichum graminis Fckl.	Leaf stripe		
Ustilago striiformis (Westd.) Niessl	Stripe smut		
AGROPYRON REPENS (L.) Beauv.	QUACKGRASS	Corvallis	1C, 117
Bacterium sp.	Leaf rot	Hood River	1C, 697
Claviceps purpurea (Fr.) Tul.	Ergot	Alsea Valley	1C, 752
Helminthosporium tritici-repentis Died.	Brown leaf speckle		

d/ Griffiths, D.W. Western American Fungi (exsiccati). (Abbreviated as W.A.F.)

<i>Puccinia rubigo-vera</i> (DC.) Wint.	Leaf rust	Warrenton	10,312
<i>Rhynchosporium secalis</i> (Oud.) J.J.Davis	Leaf scald	Corvallis	10,117
<i>Septoria elymi</i> Ell. & Ev.	Leaf mottle	Silver Creek Falls	10,282
<i>Ustilago hypodytes</i> (Schl.) Fr.	Stem smut	& 6 miles N. of Eugene	465
		Hood River	336
<i>AGRCYPYRON SMITHII</i> Rydb.	WESTERN WHEATGRASS	Upper Klamath Lake	10,057
<i>Scolecotrichum graminis</i> Fckl.	Leaf stripe	Heppner	10,164
<i>Ustilago hypodytes</i> (Schl.) Fr.	Stem smut		
<i>AGRCYPYRON SPICATUM</i> (Pursh.) Scribn. & Smith	BLUE BUNCH WHEATGRASS	18 mi. east of Arling-	157
<i>Cladosporium herbarum</i> lk.	Leaf mold	ton	
<i>Erysiphe graminis</i> DC.	Powdery mildew	Friend	873
<i>Puccinia glumarum</i> (Schm.) Eriks. & Henm.	Stripe rust	Pendleton	Herb., Univ. of Idaho (2, 7)
<i>P. pattersoniana</i> Arth.	Patterson's rust	E.Oreg.	
<i>P. rubigo-vera</i> (DC.) Wint.	Leaf rust	Benton County	(2, 7)
<i>Scolecotrichum graminis</i> Fckl.	Leaf stripe	Fossil	10,308
<i>Septoria infuscans</i> (Ell. & Ev.) Sprague	Brown leaf blotch	John Day Canyon	658
<i>Urocystis agropyri</i> (Preuss.) Schroet.	Smut	Wasco County	27,001
<i>Ustilago macrospore</i> Desm.	Smut		(4)
<i>AGRCYPYRON SUBSECUNDUM</i> (Link) Hitchc.	BEARDED WHEATGRASS		
(A. caninum Aut. Auth.)	Brown stripe rust	Hood River	10,252
<i>Puccinia montanensis</i> Ellis			
<i>AGRISTIS AEQUIVALVIS</i> (Trin.) Trin.	BENT GRASS	Silver Creek Park	330
<i>Puccinia coronata</i> Corda	Crown rust		
<i>AGRISTIS ALBA</i> L.	REDTOP	Clatsop County	10,317
<i>Claviceps purpurea</i> (Fr.) Tul.	Ergot	Astoria	16,735
<i>Darluca filum</i> (Biv.) Cast.	Parasite on crown rust		
<i>Mastigosporium rubricosum</i> (Dearn. & Barth.)	Red eye spot	Coast region	10,586
<i>Sprague</i>			

Phycomycete Indet. e/	Purple leaf speckle	Corvallis, Wells	792 (2, 7)
Puccinia coronata Corda	Crown rust	W. Oregon	10, 313
P. graminis Pers.	Stem rust	Astoria	e/
Rhizoctonia solani Kühn	Leaf rot	Corvallis	798
Rhynchosporium orthosporum Caldwell	Leaf scald	Corvallis	10, 344
R. secalis (Cud.) J.J.Davis	Leaf scald	Grenier	(Culture S 113);
Septoria trisetii Speg.	Gray leaf speckle	Shedd, Corvallis	798
Uromyces jacksonii Arth. & Fromme	Jackson's rust	W. Oreg.	(2)
Ustilago striiformis (Westd.) Niesl.	Stripe smut	Monroe, Wells (near)	10, 719
VELVET BENT			
	Red eye spot	Astoria in plots	10, 980
	Purple leaf speckle	Astoria	119
	Crown rust	Astoria in plots	10, 713
	Stem rust	Astoria in plots	10, 713
BENT			
	Crown rust	Corvallis	H.A. Rampton
	Leaf stripe	Corvallis	H.A. Rampton
	Gray leaf speckle	Corvallis	H.A. Rampton
THINNGRASS			
	(Leafy bent)	W. Oreg.	(2, 7)
	Crown rust	Mehl Creek (Douglas	
	Leaf spot	County)	419
AGROSTIS CASTELLANA Boiss. & Reut.			
		SPIKE RNDTCP	10, 314
Easti Gosprium rubricosum (Deern. &		Ergot	
Barth.) Sprague		on Puccinia coronata	
Phycomycete Indet. e/		Cordia	
Puccinia coronata Corda		Powdery mildew	10, 712
P. graminis agrostidis Eriks.			10, 507
AGROSTIS DINGENSIS Vasey			
(A. foliosa Vasey)		Marion County	
Puccinia coronata Corda			
Scleocotrichum graminis Fckl.			
Septoria trisetii Speg.			
AGROSTIS EX-RAT. Trin.			
Claviceps purpurea (Fr.) Tul.			
Derluca filum (Fiv.) Cast.			
Erysiphe graminis DC.			
^{e/} This is a unicellular body or cluster of bodies embedded in the leaf. No one has been able to identify them.			
^{e/} They probably belong near the Chytridiales. Nothing is known of their life history as the bodies have not been seen to germinate although sometimes they are found empty. At times they are very common during moist periods in winter but more often a few leaves will be found infected on a plant.			

<i>Helminthosporium triseptatum</i> Drechs.	Wells, Benton Co.	737
<i>Hendersonia</i> sp.	Clifton	10,712
<i>Mastigosporium rubricosum</i> (Dearn. & Barth.) Sprague		
Phycomycete Indet. e/ Puccinia coronata Corda	Red eye spot	745
P. graminis Pers.	Purple leaf speckle	456
Scolecotrichum graminis Fckl.	Crown rust	(2, 7)
<i>Septoria calamagrostidis</i> (Lib.) Sacc.	Stem rust	(2, 7)
<i>Ustilago striaeformis</i> (Westd.) Niessl.	Leaf stripe	
<i>AGROSTIS EXARATA</i> var. <i>AMPLA</i> (Hitchc.) Hitchc. <i>Septoria triaseti</i> Speg.	Leaf spot Stripe smut	532
<i>AGROSTIS HALLII</i> Vasey	GIANT SPIKE REDTOP Gray leaf speckle	10,377
Phycomycete Indet. e/ <i>Rhizoctonia solani</i> Kuhn	L mi. west of Summit	91
<i>Scolecotrichum graminis</i> Fckl.	Benton County	8489
<i>Septogloea oxy sporum</i> Bonn., Rouss. & Sacc.	Helmick Park	8370
<i>Septoria</i> sp.	Corvallis	8278
<i>Uromyces jacksonii</i> Arth. & Fromme	Helmick Park	8370
<i>AGROSTIS SCABRA</i> Willd.	Benton County	(2, 7)
<i>Scolecotrichum graminis</i> Fckl.		
<i>Septogloea oxy sporum</i> Bonn., Rouss. & Sacc.		
<i>AGROSTIS HOWELLII</i> Scribn.	TICKLEGRASS	530
<i>Hendersonia culmicola</i> var. minor Sacc.	Leaf stripe Char spot	(Fischer)
<i>AGRISTIS LCFILLIGULA</i> Hitchc.	HC'ELL'S BENT	
<i>Puccinia coronata</i> Corda	Leaf & sheath rot	
<i>AGRISTIS PALLENS</i> Trin.	PACIFIC BENT	804
<i>Uromyces jacksonii</i> Arth. & Fromme	Crown rust	(2, 7)
	DUNE BENT (Seashore bent) Jackson's rust	Coast
		(7)

AGROSTIS PALUSTRIS Huds.
(A. maritima Lam.)

Claviceps purpurea (Fr.) Tul.

Fusarium culmorum (W.G.Sm.) Sacc.

F. nivea (Fr.) Ces. f/

F. nivea (Fr.) Ces. var. *majus* Vr.

Macrophoma sp.

Mastigosprium rubricosum (Dearn. & Barth.)

Sprague

Red eye spot

Ovularia pulchella (L.) Sacc. var. (?)

Phycomycete Indet. /

Puccinia coronata Corda

Rhizoctonia solani Kühn

Septoria calamagrostidis (Lib.) Sacc.

Phaeoseptoria sp.

Septoria trisetii Speg.

Tilletia pallida Fisch.

Uromyces jacksonii Ártu. & Fróme

Ustilago striiformis (Westd.) Niessl

AGROSTIS STOLONIFERA L.

Mastigosprium rubricosum (Dearn. & Barth.)

Sprague

Red eye spot

Agrostis *Trinitatis* Sibth.

Claviceps purpurea (Fr.) Tul.

Corticium solani (Prill. & Del.) Bourd. &

Galz.

Darluca filum (Biv.) Cast.

Fusarium culmorum (W.G.Sm.) Sacc.

F. nivea (Fr.) Ces.

F. oxysporum Schle.

Helminthosporium stenacraea Drechs.

Mastigosprium rubricosum (Dearn. & Barth.)

Sprague

Red eye spot

CREEPING BENT
(Seaside bent)

Ergot

Root rot

Snow mold

Leaf spot

Coast region,

Willamette Valley

10, 316

10, 447

10, 447

34

39

10, 308

10, 131

69

(7)

10, 447

10, 447

39

8490

39

16

8303

(7)

671

Astoria in plots

8263

COLONIAL BENT (Astoria bent)

Ergot

10, 029

10, 029

10, 029

10, 029

10, 029

10, 029

10, 029

10, 029

10, 029

10, 029

10, 029

10, 029

Coast region,
Willamette Valley

10, 585

f/ The cause of the winter "snow mold" of grasses is greatly in need of study both from a control and a dominant

Phycomycete Indet. e/

Purple leaf speckle	Willamette Valley, Coast Region	107;49;156 10,734
Crown rust	Astoria	10,052
Stem rust	Benton County	42
Leaf rot	Corvallis	10,483
Gray leaf speckle	W. Oregon	18
Stripe smut	Corvallis	

AGROSTIS VERTICILLATA Vill.

Erysiphe graminis DC.

Mastigosporium rubricosum (Dearn. & Barth.)

Sprague

WATER BENT		
Powdery mildew	Sherman County	10,287

	Astoria	8262

AIRA (See DESCHAMPSIA)

ALOPECURUS AEQUALIS Sobol.

Scolecotrichum graminis Fckl.		

SHORTAWN FOXTAIL		
(Little meadow foxtail)		
Leaf stripe	Upper Klamath Lake	10,058

WATER FOXTAIL		
Leaf stripe	Crater Nat'l Forest	518

ALOPECURUS GENICULATUS L.		
Scolecotrichum graminis Fckl.		
Claviceps purpurea (Fr.) Tul.	Astoria	10,705
Puccinia coronata Corda	Astoria	10,291
P. graminis Pers.	Astoria	10,706
Rhynchosporium sp.	Corvallis	10,275
Scolecotrichum graminis Fckl.	Corvallis	10,275

ALOPECURUS SACCATUS Vasey		
Phccinia graminis Pers.	Corvallis	

PACIFIC MEADOW FOXTAIL		
Stem rust	Corvallis	

(2, 7)		
EUROPEAN BEACHGRASS	Lake Lytle	8386

LEAF MOLD		
Leaf mold	Lake Lytle	

ANTHOXANTHUM ODORATUM L.	SWEET VERNALGRASS	Near Seaside (F.D. Bailey)	645
Cladosporium herbarum Lk.	Leaf mold	Tillamook and Multnomah Cos. Corvallis & coast region	8264
Colletotrichum graminicolum (Ces.) Wils.	Anthracnose	10 mi. S. of Seaside Triangle Lake	10,265
Helminthosporium dematioideum Bubak & Wrob.	Leaf spot	105	264
Phycomycete Indet. e/ Phyllosticta anthoxanthella Sprague	Leaf spot Leaf blotch	TALL OAT Purple le speckle Ergot Leaf spot Stem rust Leaf stripe Char. spot Head smut	21 25,979 84,33 Astoria in plots Western Oregon Willamette Valley, Astoria General
AENATHERUM ELATIUS (L.) Mert. & Koch. Ascochyte graminicola Sacc. Claviceps purpurea (Fr.) Tul. Clavularia pulchella (Ces.) Sacc. Puccinia graminis Pers. Scolecotrichum graminis Fckl. Septogloeaum oxyasperum Bonn.; Rouss. & Sacc. Ustilago perennans Rostr.	SLENDER WILD OAT Stem rust	Myrtle Point	10,436
AVENA BARBATA Brot.	RID OAT	Troutdale Scattered in coast	10,243
Puccinia graminis avenae Eriks. & Henn.	White leaf spot Powdery mildew	W.Cres. & Mori Mcro., Western Oregon Astoria Coast	e/ 7212 e/ 8308 e/ 10,115 10,112 7600
AVENA BYZANTINA C. Koch	Root rot Secondary root rot Head blast Leaf spot Root rot Take-all Red leather leaf	Lincoln County Curry & Marion Cos. Astoria, Willamette Valley	8266 (12)
Fusarium culmorum (J.G.Sm.) Sacc. F. oxysporum Schl. F. poae (Px.) Ir. Helminthosporium avenae Eidam H. sativum P.K. & B. Ophiobolus graminis Sacc. Pseudodiscosia avenae Sprague & Johnson	Erysiphe graminis DC.		

<i>Puccinia coronata</i> Corda	Crown rust	Coast W. Oregon	10,032
<i>P. graminis</i> Pers.	Stem rust	Lincoln & Lane Cos.	<u>2/</u> (10)
<i>Rhizoctonia solani</i> Kühn	White foot rot	W. Oregon	(9)
<i>Septoria tritici</i> Rob. f. <i>avenae</i> (Desm.) Sprague	Leaf blotch	Scattered	1820
<i>Ustilago avenae</i> (Corda) Jens.	Loose smut		
<i>Ustilago kolleri</i> Wille (U. levis (Kell & Sw.) Magn.)	Covered smut	General	1320
<i>AVENA FATUA</i> L.	WILD OAT	Corvallis, Mosier	1101
<i>Erysiphe graminis</i> DC.	Powdery mildew	Linn County	48
<i>Fusarium culmorum</i> (W.G.Sm.) Sacc.	Root rot	W. Oregon	<u>e/</u>
<i>Helminthosporium avenae</i> Eidam	Leaf spot	Lincoln County	7537
<i>Puccinia coronata</i> Corda	Crown rust	Willamette	(2, 7)
<i>P. graminis</i> Pers.	Stem rust	Linclln County	10,477
<i>Rhizoctonia solani</i> Kühn	White foot rlt	Benton, Lincoln &	
<i>Septoria tritici</i> Rob. f. <i>avenae</i> (Desm.) Sprague	Leaf blotch	Coos Counties	10,031
<i>AVENA NUDA</i> L.	NAKED OATS	Astoria in plots	10,718
<i>Puccinia coronata</i> Corda	Crown rust	Astoria in plots	10,718
<i>P. graminis</i> avenae Eriks. & Hem.	Stem rust		
<i>AVENA SATIVA</i> L.	OAT	Corvallis	(A.G. Johnson)
<i>Bacterium striafaciens</i> Elliott [Phytomonas s. Bergey et al.]	Bacterial stripe blight	Wasco County	(14)
<i>Cercospora</i> <i>herpotrichioides</i> Fron	Foot rot	Lincoln County	5196
<i>Collectotrichum graminicolum</i> (Ges.) Mils.	Anthracose	Scattered	10,158
<i>Erysiphe graminis</i> DC.	Powdery mildew	Willamette Valley	7532
<i>Darluca filum</i> (Biv.) Cast.	on <i>Puccinia graminis</i>	W.Oreg. & Morrow	(8)
<i>Fusarium culmorum</i> (W.G.Sm.) Sacc.	Root rot	Hood River, Astoria,	
<i>F. poae</i> (Pk.) Ir.	Head blast	and Warrenton	10,355
 		W. Oregon	<u>c/</u> 10,116
<i>Helminthosporium avenae</i> Eidam	Leaf spot	Lincoln County	10,114 (13)
<i>H. sativum</i> P.B. & K.	Root rot	Forest Grove	10,452
<i>Heterosporium avenae</i> Oud.	Leaf mold	Marion County	10,160
<i>Ophiobolus graminis</i> Sacc.	Take-all		
<i>Pseudodiscosia avenae</i> Sprague & Johnson	Red leather leaf	Western Oregon	(12) 10,045

Puccinia coronata Corda	Crown rust	W. Creg.	(2, 7)
P. graminis Pers.	Stem rust	W. Oreg.	(2, 7)
Rhizoctonia sclerani Kühn	White foot rot	Lincoln & Lane Cos.	(10) ♀
Septoria tritici Rob.	f. avenae (Desm.)		
Sprague	Leaf blotch	W. Oregon	(9) 1C, 035
Ustilago avenae (Corda) Jens.	Loose smut	Scattered	1064
U. kolereri Wille (U. levis [Kell. & Sw.]			
Magn.)	Covered smut	General	3821
Wojnowicia graminis (McAlp.) Sacc.	Secondary root rot	Wasco, Union, & Umatilla Counties	(11) ♀
BAMBOO (GENUS INDET.)	Leaf mold	Corvallis	10, 628
Mycosphaerella tunicatae Jacz.			
BECKMANNIA SYZIGACHE (Steud.) Fern. (B. erucaeformis Fr. Auth.)	AMERICAN SLOUGHGRASS		
Puccinia graminis Pers.	Stem rust	Corvallis	(2, 7)
Scolecotrichum graminis Fckl.	Leaf stripe	W. Oregon	1C, 060
Uromyces beckmanniae Jacks.	Rust	W. Oregon	(2, 7)
BROMUS ARENARIUS Labill.	AUSTRALIAN CHESS		
Scolecotrichum graminis Fckl.	Leaf stripe	Tygh Ridge (Wasco Co.)	1C, 085
BROMUS CEZINATUS Hook. & Arn. Ascochyta graminicola Sacc. var. diedickeana	CALIFORNIA BROME		
Baudys & Picb.	Leaf spot	Hood River, Whitson	10, 200
Bacterium coronafaciens atropurpureum (Reddy & Gedkin [Phytomonas c. atropurpurea Magrou])	Chocolate spot	Corvallis	10, 592
Claviceps purpurea (Fr.) Tul.	Ergot	S. Benton County	10, 731
Corticium solani (Prill. & Del.) Bourd. &	Leaf rot	Hood River	10, 245
Galz. (Rhizoctonia solani Kühn)	Parasite on leaf rust	Corvallis	790
Darluca filum (Biv.) Cast.	Powdery mildew	Wasco & Benton Cos.	10, 221
Erysiphe graminis DC.	Leaf rot	Mt. Hood	1558-A
Heterosporium sp.	Purple leaf speckle	Glenwood	459
Phyccomyctete Indet. e/	Stripe rust	Medford, Corvallis	Univ. of Idaho Herb.
Puccinia glumarum (Schm.) Eriks. & Henn.			(2, 7)
P. rubigo-vera (DC.) Wint.	Leaf rust	General	

10,061
10,372
10,521

General
General
Scattered

Leaf stripe
Western Leaf spot
Brome smut

RESCUE GRASS

10,105
10,686

Corvallis
Astoria in plots

10
(2)
10,105
10,686

HAIRY CHESS
on *Puccinia rubigo-vera*
Leaf rust
Leaf spot
Brome smut

HAIRY CHESS
on *Puccinia rubigo-vera*
Leaf rust
Leaf spot
Brome smut

10,711

Astoria in plots

(2, 7)

Corvallis

10,104
(1)

Grant County

(2, 7);
10,995
Fischer's coll.
1814

W. Oregon
W. Oregon
5 mi. E. of Weston
General

Curry County
Siskiyou Mts.

7599
10,664

Scolecotrichum graminis Fckl.
Septoria jacucella Sprague
Ustilago bullata Berk.

BROMUS CATHARTICUS Vahl.
(B. *unioides* H.B.K.)
Puccinia rubigo-vera (DC.) Wint.
Ustilago bullata Berk.

BROMUS COMMUTATUS Schrad.
Darluca filum (Biv.) Cast.
Puccinia rubigo-vera (DC.) Wint.
Septoria bromi Sacc.
Ustilago bullata Berk.

BROMUS ERECTUS Huds.
Bacterium coronafaciens atropurpureum
Reddy & Godkin [Phytomonas]

BROMUS GRANDIS (Shear) Hitchc.
Puccinia rubigo-vera (DC.) Wint.

BROMUS INERMIS Leyss.
Scolecotrichum graminis Fckl.
Ustilago bullata Berk.

BROMUS MOLLIS L.
(B. *hordeaceus* Am. Auth.)
Puccinia rubigo-vera (DC.) Wint.
Septoria bromi Sacc.
Tilletia guyotiana Har.
Ustilago bullata Berk.

BROMUS ORCUTTIANUS Vasey
Cphiobolus graminis Sacc.
Scolecotrichum graminis Fckl.

BROMUS PACIFICUS Shear	PACIFIC BROME Leaf rust Leaf stripe	S.fork of Alsea Riv. Corvallis	10,678 10,066
BROMUS RACEMOSUS L.	SMOOTH FLOWERED SOFT CHEAT Powdery mildew Leaf rust	Medford Hood River and Yamhill Counties Corvallis Blue Mts.	10,250 (2, 7) 10,811 10,089
Erysiphe graminis DC.	Leaf spot		
Puccinia rubigo-vera (DC.) Wint.	Brome smut		
Scolecotrichum graminis Fckl.			
BROMUS RIGIDUS Roth.	RIPGUT GRASS Chocolate spot Gray leaf spot Leaf rust Western leaf spot	Rufus Tumwater, Corvallis E. & S. Oregon 6 mi. N. of Eugene	10,950 10,405 (2, 7) 424
Bacterium coronafaciens atropurpureum Reddy			
& Godkin [Phytoplasma]			
Cercospora bromi Sprague			
Puccinia rubigo-vera (DC.) Wint.			
Septoria jacucella Sprague			
BROMUS SECALINUS L.	CHESS (Cheat) Leaf rust Leaf spot Brome smut	W. Oregon Williamette Valley General	(2, 7) 10,402 2/ 1821
Puccinia rubigo-vera (DC.) Wint.			
Septoria bromi Sacc.			
Ustilago bullata Berk.			
BROMUS SECALINUS L. var. VELUTINUS (Schrad.) Koch	CHESS Brome smut	Corvallis	10,430
Ustilago bullata Berk.			
BROMUS SITCHENSIS Trin.	ALASKA BROME Stripe rust	Moro	Herb. Univ. of Idaho (2)
Puccinia glumarum (Schm.) Eriks. & Hem.			
P. rubigo-vera (DC.) Wint.	Leaf rust	----	
BROMUS STERILIS L.	BARREN CHEAT Powdery mildew	Corvallis	10,487
Erysiphe graminis DC.			
BROMUS TECTORUM L.	DOWNY CHESS (downy brome) Cercosporella foot rot Fusarium culmorum (W.G.Sm.) Sacc.	Union & Wasco Cos. Wasco County	2/ 2/

<i>Puccinia rubigo-vera</i> (DC.) Wint.	Columbia County	(2, 7)
<i>Ustilago bullata</i> Berk.	E. Oregon	10, 290
<i>Wojnowicia graminis</i> (McAlp.) Sacc.	Union County	<u>c/</u>
<i>BROMUS VULGARIS</i> (Hook.) Shear	NARROW FLOWERED BROME	
<i>Cercospora bromi</i> Sprague	Gray leaf spot	467
<i>Darluca filum</i> (Biv.) Cast.	Parasite on leaf rust	347
<i>Mastigosporium cylindricum</i> Sprague	Brown spot	488
<i>Puccinia rubigo-vera</i> (DC.) Wint.	Leaf rust	(2, 7)
<i>CALAMAGROSTIS CANADENSIS</i> (Michx.) Beauv.	BLUEJOINT	
<i>Puccinia coronata</i> Corda	Crown rust	
<i>Urocystis agropyri</i> (Preuss.) Schroet.	Smut	
<i>CALAMAGROSTIS INEXPANSA</i> A. Gray	NORTHERN REEDGRASS (Narrow spiked reedgrass)	
<i>Puccinia coronata</i> Corda	Crown rust	(2, 7)
<i>CALAMAGROSTIS NUTKAENSIS</i> (Presl.) Steud.	PACIFIC REEDGRASS	
<i>Claviceps purpurea</i> (Fr.) Tul.	Ergot	
<i>Coniothyrium psammiae</i> Oud.	Leaf spot	703
<i>Darluca filum</i> (Biv.) Cast.	Parasite on crown rust	10, 817
<i>Mycosphaerella tassiana</i> (DeNot.) Johans.	Leaf spot	10, 325; 33
<i>Puccinia coronata</i> Corda	Crown rust	10, 817
<i>P. pygmaea</i> Eriks.	Rust	33
<i>Septoria arctica</i> Berk. & Curtis	Leaf blotch	(2, 7)
<i>CALAMAGROSTIS RUBESCENS</i> Buckl.	PINEGRASS	
<i>Cladosporium herbarum</i> Lk.	Leaf mold	
<i>Colletrotrichum graminicolum</i> (Ces.) Wils.	Anthracnose	
<i>CENCHRUS PAUCIFLORUS</i> Benth.	FIELD SAND BUR (Bur grass)	
<i>Sorosporium syntherismae</i> (Pk.) Farl.	Smut	Hermiston
	(Fischer)	
	(Fischer)	
		Sent to Zundel
		15

CORTADERIA SELLOANA (Schult.) Aschers. & Graebn. Hendersonia culmiseda Sacc.	PAMPASGRASS Leaf spot	Bayview, Linn Co. 819
DACTYLIS GLomerata L. Claviceps purpurea (Fr.) Tul. Colletotrichum graminicolum (Ces.) Wils. Erysiphe graminis DC.	ORCHARD GRASS Ergot Anthracnose Powdery mildew	N.W. Oregon Greenhouse, OSC, Corvallis 690 Columbia Gorge; Umatilla County S. fork of Santiam Riv. 679
Fusarium avenaceum (Fr.) Sacc. Mastigosporium rubricosum (Dearn. & Barth.) Sprague Phyllosticta owensii Sprague Phycomycete Indet. e/ Puccinia graminis Pers. Rhynchosporium orthosporum Caldwell Scoleco-trichum graminis Fckl. Selenophoma donacis var. stomaticola (Bauml.) Sprague & Johnson Stagonospora arenaria Sacc.	Culm canker Purple leaf spot Leaf rot Red leaf speckle Stem rust Leaf scald Leaf stripe Selenophoma speckle Purple blotch	W. Oregon Waldport Wren W. Oregon Benton County General Troutdale Wallace Bridge 10,011 10,595 86 (2, 7) 10,124 7591 10,379 742
DANTHONIA CALIFORNICA var. AMERICANA (Scribn.) Hitchc. (D. americana Scribn.) Cladosporium sp. (? parasite) Scoleco-trichum graminis Fckl. Selenophoma donacis var. stomaticola (Bauml.) Sprague & Johnson Ustilago residua Clinton	WILD OATGRASS Speckled mold Leaf stripe Catgrass eye spot Smut	Willamette Valley Corvallis Linn and Benton Cos. Benton, Marion, & Linn Counties 8255 10,193 629 1254
DANTHONIA INTERMEDIA Vasey Pleospora sp.	TIMBER OATGRASS (Mountain oatgrass) Leaf rot	Mt. Hood 10,101
DESCHAMPSIA CAESPISTOSA (L.) Beauv. Hendersonia culmica var. minor Sacc. Hendersonia sp.	TUFTED HAIRGRASS Leaf spot Leaf rot	Corvallis Near Granger, near Corvallis Near Granger Linn County 51 809 809 10,673
Phaeo-septoria sp. Scoleco-trichum graminis Fckl.	Leaf rot Leaf stripe	

<i>Septoria poliomela</i> Syd.	Tan leaf spot	Near Granger	809
<i>Stagonospora subseriata</i> Sacc.	Leaf rot	Corvallis	51
<i>Uromyces jacksonii</i> Arth. & Fromme	Jackson's Rust	Lincoln County	(2, 7)
<i>DESCHAMPSIA DANTHONOIDES</i> (Trin.) Munro	ANNUAL HAIRGRASS		
<i>Scolecoctrichum graminis</i> Fckl.	Leaf stripe	Douglas County	10,068
<i>Septoria poliomela</i> Syd.	Tan leaf spot	Benton County	$\frac{c}{(4)} 8491$
<i>Tilletia airae</i> Blytt	Smut	-----	
<i>DESCHAMPSIA ELONGATA</i> (Hork.) Munro	SLENDER HAIRGRASS		
<i>Darluca filum</i> (Biv.) Cast.	Parasite on rust	Tillamook County	332
<i>Fusarium avenaceum</i> (Fr.) Sacc.	Parasite on rust	Tillamook County	332
<i>Puccinia graminis</i> Pers.	Stem rust	-----	(2)
<i>Uromyces jacksonii</i> Arth. & Fromme	Jackson's rust	Willamette Valley	(2, 7)
<i>DISTICHlis STRICTA</i> (Torr.) Rydb.	DESERT SALTGRASS		
<i>Dothidella aristidae</i> (S.) Ell. & Ev.	Char spot	Baker and E. Oregon	$\frac{e}{(2, 7)}$
<i>Puccinia aristidae</i> Tracy	Rust	E. Oregon	
<i>Ustilago hypodytes</i> (Schl.) Fr.	Sheath smut	S. Oregon	
<i>ECHINOCHLOA GRUS-CALLI</i> (L.) Beauv.	BARNYARD GRASS		
(?) <i>Epicoccum</i> sp.	Head mold	Astoria	8374
<i>Ustilago crus-galli</i> Tracy & Earle	Smut	S.E. Oregon	$\frac{(4)}{212} (WAF)$
<i>ELYMUS ARNICOLA</i> Scribn. & Smith	SAND RYEGRASS		
<i>Claviceps purpurea</i> (Fr.) Tul.	Ergot	Biggs	10,508
<i>Puccinia provera</i> Diet. & Holw.	Californica rust	Umatilla & Sherman Cos.	(7)
<i>P. rubigo-vera</i> (DC.) Wint.	Leaf rust	E. Oregon	(2)
<i>ELYMUS CANADENSIS</i> L.	CANADA WILD-RYE		
<i>Claviceps purpurea</i> (Fr.) Tul.	Ergot	E. Oregon	1864
<i>Puccinia rubigo-vera</i> (DC) Wint.	Leaf rust	Umatilla County	$\frac{e}{(2)}$
<i>ELYMUS CONDENSATUS</i> Presl	GIANT WILD-RYE		
<i>Claviceps purpurea</i> (Fr.) Tul.	Ergot	Union & Umatilla Cos.	10,694
<i>Erysiphe graminis</i> DC.	Powdery mildew	E. Oregon	(W.A.F. 163) $\frac{d}{(2)}$

<i>Heterosporium avenae</i> Oud.	Leaf blight	Sherman County	10,230.
<i>Puccinia glumarum</i> (Schm.) Eriks. & Henn.	Stripe rust	Moro	(6) Herb. Univ. of Idaho
<i>P. graminis</i> Pers.			10,690
<i>P. procera</i> Diet. & Holw.			10,123
<i>P. rubigo-vera</i> (DC.) Wirt.			(2, 7)
<i>Septoria infuscans</i> (Ell. & Ev.) Sprague			
<i>Selenophoma donacis</i> (Pass.) Sprague & Johnson		Sherman, Jefferson, Gilliam & Umatilla Cos.	657
<i>Ustilago hypocystes</i> (Schl.) Fr.		Wasco County	8451
		-----	(4)
<i>ELYMUS GLAUCUS</i> Buckl.			
? <i>Bacterium</i> sp.	EWY WILD RYE	Fall Creek	10,236
<i>Cladosporium herbarum</i> (Pers.) Iik.	Leaf rot	Troutdale	10,945
<i>Claviceps purpurea</i> (Fr.) Tul.	Leaf mold	Benton County	10,730
<i>Darluca filum</i> (Biv.) Cast.	Er. rot	Linn County	175
<i>Fusarium avenaceum</i> (Fr.) Sacc.	On <i>Puccinia glumarum</i>	Bonneville	8457
<i>Phycomycete</i> Indet. e/	On rust	Wren	88
<i>Payniactinia corylea</i> (Pers.) Karst.	Purple leaf speckle	Bonneville	8448
<i>Puccinia glumarum</i> (Schum.) Eriks. & Henn.	Powdery mildew	Benton County	(2, 6, 7)
<i>P. graminis</i> Pers.	Stripe rust	Benton & Crook Cos.	(2, 7)
<i>P. rubigo-vera</i> (DC.) Wirt.	Stem rust	W. Oregon	(2, 7)
<i>Rhizoctonia solani</i> Kühn	Leaf rust	Scapoose, Corvallis	141 2/
<i>Rhynchosporium secalis</i> (Oud.) J.J. Davis	Leaf scald	Linn County	10,276
<i>R. orthospermi</i> Caldwell	Leaf scald	Linn and Marion Cos.	10,095
<i>Scolecotrichum graminis</i> Fckl.	Leaf stripe	Benton County	7528
<i>Septoria elymi</i> Ell. & Ev.	Leaf mottle	W. Oregon	e/ 392
<i>Selenophoma donacis</i> (Pass.) Sprague & Johnson	<i>Selenophoma</i> speckle	Crater Lake	10,392
<i>Stagonospora arenaria</i> Sacc.	Purple leaf blotch	Linn County	8487
<i>Tilletia elymi</i> Diet. & Holw.	Smut	Carson (Baker County)	DC Smith
<i>ELYMUS HIRSUTUS</i> Presl	HAIRY SEEDED WILD RYE	S. fork Santiam River,	646
<i>Helminthosporium tritici-repentis</i> Died.	Brown leaf speckle	Linn County	
<i>ELYMUS MOLLIS</i> Trin.	AMERICAN DUNEGRASS		
<i>Claviceps purpurea</i> (Fr.) Tul.	Ergot		10,328
<i>Darluca filum</i> (Biv.) Cast.	Parasite on rust		10,329

Puccinia rubigo-vera (DC.) Wint.	Coast	10,329
Septoria pacifica Sprague	Lincoln & Tillamook Cos.	10,376
Stagonospora subseriata Sacc.	Manhattan, Lake Lytle	707
Tiarospora perforans (Rob.) Höhn.	Tillamook County	10,958
ELYMUS TRITICOIDES Buckl.	BEARDED WILD-RYE (Alkali ryegrass)	10,689
Claviceps purpurea (Fr.) Tul.	Ergot	La Grande
Puccinia montenensis Ellis.	Brown stripe rust	10,635
P. rubigo-vera (DC) Wint.	Leaf rust	Talent
Septoria elymi-europeae Jaap	Leaf speckle	Sherman County
S. infuscans (Ell. & Ev.) Sprague	Brown leaf blotch	Klamath Falls
Scolecotrichum graminis Fckl.	Leaf stripe	Eastern Oregon
		10,380
ELYMUS VANCOUVERENSIS Vasey	VANCOUVER DUNEGRASS	837
Puccinia rubigo-vera (DC.) Wint.	Leaf rust	Astoria
		Fischer's coll.
FESTUCA DERTONENSIS (All.) Aschers. & Graben.	FESCUE	
Ophiobolus graminis Sacc.	Take-all	East Corvallis, Linn Co.
Phyllachora sylvatica Sacc. & Speg.	Tar spot	E/ S. fork Alsea River
Septoria tenella Cke. & Ell.	Leaf spot	322 Roaring River, Linn Co.
		186
FESTUCA IDAHOENSIS Elmer	BLUEGRASS FESCUE (Idaho fescue)	(2, 7)
Puccinia crandalii Pam. & Hume	Rust	Blue mts.
FESTUCA ELATIOR L.	MEADOW FESCUE	10,960
Cladosporium herbarum (Pers.) Lk.	Leaf mold	E/ Astoria
Claviceps purpurea (Fr.) Tul.	Ergot	Lincoln County
Puccinia coronata Cda.	Crown rust	Benton and Lane Cos.
P. graminis Pers.	Stem rust	(2, 7)
P. poae-sudeticae (Westd.) Jørstad	Rust	W. Oregon
		(2, 7)
FESTUCA MAIREI St. Yves	FESCUE	10,506
Cladosporium herbarum (Pers.) Lk.	Leaf mold	Granger
FESTUCA LEGGURA Nutt.	FOXTAIL FESCUE	10,318
Mycosphaerella sp.	Blight	E/ Benton County
Ophiobolus graminis Sacc.	Take-all	Linn and Benton Cos.
Ovularia pulchella (Ces.) Sacc.	Brown leaf spot	Linn, Benton & Lincoln Cos.
		10,271

Phyllachora sylvatica Sacc. & Speg. Puccinia graminis Pers.	Tar spot Stem rust	Linn County Corvallis	10,491 (2, 7)
FESTUCA MYUROS L.			
Corticium fuciforme (McAlp.) Wak.	Pink patch	Bayview, Lincoln Co.	823
Ophiobolus graminis Sacc.	Take-all	Lincoln County	8/
Ovularia pulchella (Ces.) Sacc.	Brown leaf spot	W. Oregon	10,125
Puccinia graminis Pers.	Stem rust	Willamette Valley	(2)
FESTUCA OCTOFLORA Walt.			
Rhizoctonia solani Kühn	SIXWEEKS FESCUE (slender fescue)	Bayview, Lincoln Co.	556
Tilletia fusca Ell. & Ev.	Brown patch	-----	(4)
Ustilago mulfordiana Ell. & Ev.	Smut	-----	(4)
FESTUCA OCCIDENTALIS Hook.			
Phyllachora sylvatica Sacc. & Speg.	WESTERN FESCUE	Merr Creek, Douglas Co.	479
FESTUCA PACIFICA Piper	Tar spot		
Puccinia graminis Pers.	PACIFIC FESCUE	Corvallis	(2, 7)
P. piperi Ricker	Stem rust	Eight Dollar Mt.	(2, 7)
Ustilago mulfordiana Ell. & Ev.	Piper's rust	(S. Oreg.)	(2, 7)
FESTUCA RUBRA L.		Columbia R.	1271
Ascochyta graminicola Sacc. var. brachypodioides	Smut		
Trail	RED FESCUE		
Cercosporella subulata Sprague	Leaf spot	Garibaldi	8377
Darluca filum (Biv.) Cast.	Eye spot	Halsey	10,389
Hendersonia sp.	on Rust	Garibaldi, Lake Lytle	510; 748
Hendersonia culmicola var. minor Sacc.	Secondary leaf rot	Garibaldi	749
Mycosphaerella tulasnei Jacz.	Leaf mold	Near Newport	35
Phaeoseptoria sp.	Leaf mold	Corvallis	H.A. Rampton
	Secondary leaf rot	Garibaldi; King's	
		Valley	
Phyllachora sylvatica Sacc. & Speg.	Tar spot	Newport	8376
Puccinia crandallii Pan. & Hume	Rust	Union, Benton, Tillamook	10,174
Septoria tenella Gke. & Ell.	Tan leaf spot	and Lincoln Cos.	(2, 7)
		H.A. Rampton	

FESTUCA RUERA var. COMMUTATA Gaud.				
Cladosprium herbarum Lk.				
Corticium fuciforme (McAlp.) Wak.				
C. solani (Prill. & Del.) Bord. & Galz. (Rhizoctonia solani Kühn)	Brown patch Scab Snow mold Leaf rot	Portland Astoria Portland Sulfur Springs Road, Benton County	E. 511 8315 E. 410 810 59 10,582	Benton County Astoria, Portland, Corvallis.
Fusarium sp.	Purple leaf speckle Tan leaf spot	Corvallis W. Oregon		
F. niveale (Fr.) Sor.				
Hendersonia sp.				
Phycomycete e/ Septoria tenella Cke. & Ell.				
FESTUCA SCARBRELLA Torr.				
Puccinia crandallii Pam. & Hume				
FESTUCA SUBULATA Trin.				
Phyllosticta sp.				
Puccinia coronata Corda.				
P. crandallii Pam. & Hume				
FLUMINEA FESTUCACEA (Willd.) Hitchc.				
Ustilago arthuri Hume				
GASTRIDIUM VENTRICOSUM (Gouan) Schinz & Thell.				
Helminthosporium sp.				
GLYCERIA ELATA (Nash) Hitchc.				
Puccinia coronata Cda.				
Septoria nodorum Berk.				
Ustilago longissima (Sow.) Tul.				
GLYCERIA FLUITANS (L.) R. Br.				
Scolecotrichum graminis Fckl.				
CHEWINGS FESCUE				
Secondary seed mold				
Pink patch				
RUGGED FESCUE (Buffalo bunchgrass)				
Rust				
BEARDED FESCUE (Kodding fescue)				
Leaf spot				
Crown rust				
Rust				
FLUMINEA GRASS				
Smut				
NIT-GRASS				
White leaf spot				
TALL MANNAGRASS				
Crown rust				
Leaf spot				
Smut				
S. Willamette Valley				
Clatskanie				(2, 7)
Cornucopia, Elgin				(Fischer)
Clatskanie				1810
MANNAGRASS				
Leaf stripe				
Benton County				10,152

GLYCERIA GRANDIS S. Wats.	AMERICAN MANNAGRASS	
Scolecotrichum graminis Fckl.	Leaf stripe	Portland
Ustilago longissima (Sow.) Tul.	Smut	-----
GLYCERIA PAUCIFLORA Presl	WEAK MANNAGRASS	N.W. Oreg.
Puccinia coronata Corda	Crown rust	(2, 7)
GLYCERIA SEPTENTRIONALIS Hitchc.	EASTERN MANNAGRASS	Tillamook
Scolecotrichum graminis Fckl.	Leaf stripe	-----
GLYCERIA STRIATA (Lam.) Hitchc.	FOWL MANNAGRASS	
(Panicularia nervata Kuntze)	Leaf stripe	Umpqua Valley
Scolecotrichum graminis Fckl.	Leaf spot	Hcover
Septoria nodorum Berk.	Leaf spot	10,076
HESPEROCHELSEA KINGII (S. Wats.) Rydb.	SPIKE FESCUE	S.E. Oregon
(FESTUCA KINGII Cassidy, F. confinis Vasey)	Rust	(7)
Puccinia crandallii Pan. & Hune		Benton County
HIEROCHLOE OCCIDENTALIS Buckl.	GIANT VANILLAGRASS	
(Torresia macrophylla Hitchc.)	(California sweetgrass)	
Puccinia graminis Pers.	Stem rust	(7) 10,086
HOLCUS LANATUS L.	VELVET GRASS	
Cercospora holci Sprague	Tan leaf spot	W. Oregon
Claviceps purpurea (Fr.) Tul.	Ergot	Coast Region
Darluca filum (Biv.) Cast.	Parasite on rust	Walldport and Hood River
Dilephosphora alopecuri (Fr.) Fr.	Twist disease	10,202
Helminthosporium triseptatum Drechs.	Leaf mold	1727
Ophiobolus graminis Sacc.	Take-all	10,120
Ovularia pulchella (Oes.) Sacc.	Red leaf spot	10,012
Puccinia coronata Corda	Crown rust	10,666
P. rubigo-vera (DC.) Wint.	Leaf rust	(2, 7)
Rhizoctonia solani Kühn	White foot rot	(2, 7)
Septoria tritici Rob. f. holci Sprague	Leaf blotch	10,101
Tilletia holci (West.) Rostr.	Smut	10,108
Ustilago striiformis (Westd.) Niessl	Stripe smut	1378
		10,670

HORDEUM DISTICHON L.	Erysiphe graminis DC.	W. Oreg.	670
Fusarium culmorum (W.G.Sm.) Sacc.	Powdery mildew	c/	
Puccinia anomala Rostr.	Root rot	Lincoln & Marion Cos.	7540
P. graminis Pers.	Leaf rust	Corvallis	(2, 7)
Rhizoctonia solani Kühn	Stem rust	Alsea Valley	c/
Rhynchosporium secalis (Oud.) J.J.Davis	White foot rot	Linn County	10,273
Ustilago hordei Lagerh.	Leaf scald	Near Dallas, St.	
	Covered smut	Helens	10,756

HORDEUM GUSSONIANUM Parl.	Puccinia glumarum (Schm.) Eriks. & Henn.	Corvallis	(2, 7)
Rhizoctonia solani Kühn		Conroy, near Corvallis	

HORDEUM JUBATUM L.	Puccinia glumarum (Schm.) Eriks. & Henn.	Corvallis	
Rhynchosporium secalis (Oud.) J.J.Davis			
Uromyces jacksonii Arth. & Fromme			
Ustilago bullata Berk.			

HORDEUM MURINUM L.	Puccinia glumarum (Schm.) Eriks. & Henn.	Corvallis	
P. hordei Fckl.			
Rhynchosporium secalis (Oud.) J.J.Davis			
Ustilago bullata Berk.			

HORDEUM NODOSUM L.	Erysiphe graminis DC.	Andrews	(W.A.F. 165) d/
Puccinia glumarum (Schm.) Eriks. & Henn.		Medford	(G) Herb., Univ. of Idaho
			10,732
		Benton & Union Cos.	(2)
		Coast	
		Benton & Union Cos.	10,676
		Lim County	10,749
		Portland	(2, 7)
		Central Point &	
		Linn County	10,725

Smith) Hitchc.

Scclecotrichum graminis Fckl.

NORTHERN MEADOW BARLEY

Leaf stripe

Ukiah

Hordeum vulgare L.
Bacterium translucens Jones, Johnson, &
Reddy [Phytomonas t. Bergey et al.]*Cercosporalla herpotrichioides* From
Claviceps purpurea (Fr.) Tul.*Erysiphe graminis* C.*Fusarium culmorum* (J.G.Sm.) Sacc.*H. sativum* P. K. & B.*H. teres* Sacc.*Mycosphaerella tulipae* Jacc.*Ophiobolus graminis* Sacc.*Puccinia anomala* Rostr.*P. glumarum* (Schm.) Eriks. & Henn.*P. graminis* Pers.*Rhizoctonia solani* Kühn*Rhynchosporium secalis* (Oud.) J.J.Davis*Septoria passerinii* Sacc.*Ustilago hordei* Lagerh.*U. nuda* Rostr.*Wojnowicia graminis* (McAlp.) Sacc. &

D. Sacc.

Koeleria cristata (L.) Pers.
Puccinia koeleriae Arth.
P. monoica (Pk.) Arth.
Septoria calauagrostidis (Lit.) Sacc.
var. *koeleriae* (Cocc. & Mr.) Spr.*Lolium marschallii* Stev.
Cvularia pulchella (Ces.) Sacc.

BARLEY

Bacterial blight

Cercosporalla foot rot*Ergot*

Powdery mildew

Root rot

Stripe

Root rot

Net blotch

Leaf mold

Take-all

Leaf rust

Stripe rust

Stem rust

White foot rot

Leaf scald

Leaf spot

Covered smut

Loose smut

Secondary root rot

Masco & Union Cos. (11) c/

JUNEGRASS

Rust

Rust

General

Corvallis, Pendleton

Lane Counties

General

Corvallis

General

NORTHERN MEADOW BARLEY

(1)

Wasco & Union Cos.

Corvallis

Willamette Valley

W. Oreg.

Corvallis

Coast & E.Oreg.

Corvallis

Eugene

W. Oreg.

Willamette Valley

Micro

Corvallis

Lincoln, Benton, &

Lane Counties

General

General

Corvallis

General

General

Union County.

Grant County

Grant, Sherman,

Benton & Union Cos.

1C, 363

1C, 241

Benton County

<i>LOLIUM MULTIFLORUM</i> Lam. (L. italicum A. Br.)	ITALIAN RYEGRASS	W. Oreg.	£/ 10,122
<i>Ascochyta lolii</i> (West.) Spr. & John.	Brown leaf spot		
<i>Bacterium coronafaciens atropurpureum</i>	Chocolate spot	W. Oreg.	10,550
Reddy & Godkin [<i>Phytononas</i>]	Ergot	W. Oreg.	1743
<i>Claviceps purpurea</i> (Fr.) Tul.	On <i>Puccinia coronata</i>	Corvallis	e/
<i>Darluca filum</i> (Biv.) Cast.	Root rot	Willamette Valley	(8)
<i>Fusarium culmorum</i> (W.G.Sm.) Sacc.	Leaf rot	Corvallis	10,122
<i>Phytophthora</i> sp.	Crown rust	W. Oreg.	(2, 7)
<i>Puccinia coronata</i> Corda	Stem rust	Tulatin	1357
<i>P. graminis</i> Pers.	Leaf scald	Corvallis & Ft.	
<i>Rhynchosporium orthosporum</i> Caldwell		Yamhill	16,485
<i>R. secalis</i> (Oud.) J.J. Davis	Leaf scald	Corvallis	10,119
<i>Scolecotrichum graminis</i> Fckl.	Leaf stripe	Corvallis	e/
<i>Septoria tritici</i> Rob. var. <i>lolii</i> (Cast.)	Leaf blotch	Benton County	c/ 452
Sprague & Johnson	Head smut	W. Oreg.	5207
<i>Ustilago</i> sp.			
PERENNIAL RYEGRASS (English ryegrass)			
<i>Ascochyta graminicola</i> Sacc. var.	White leaf spot	Multnomah County	10,239
<i>brachypodii</i> Trail	Brown leaf spot	W. Oregon	16,219
<i>A. lolii</i> (West.) Sprague & Johnson		Astoria, Corvallis	10,710
<i>Bacterium coronafaciens atropurpureum</i>	Chocolate spot	N.W. Oreg.	10,129
Reddy & Godkin [<i>Phytononas</i>]	Ergot	Scottsburg	9
<i>Claviceps purpurea</i> (Fr.) Tul.	Anthracnose	Corvallis	10,135
<i>Cleletotrichum graminicolum</i> (Ces.) Wils.	Brown leaf scorch	e/	
<i>Holmiahysporum siccans</i> Drechs.	Eye spot	N.W. Oreg.	(2, 7)
<i>Ovularia lolii</i> Volkart	Crown rust	Benton County	16,040
<i>Puccinia coronata</i> Cda.	Leaf scald	Corvallis	
<i>Rhynchosporium orthosporum</i> Caldwell	Leaf stripe	Benton & Linn Cos.	c/ 449
<i>Scolecotrichum graminis</i> Fckl.		Corvallis	7181
<i>Septoria tritici</i> Rob. var. <i>lolii</i> (Cast.)	Leaf blotch		
Sprague and Johnson	Stripe smut		
<i>Ustilago striiformis</i> (Westd.) Niessl			
NARCISS SPIKED RYEGRASS			
<i>Puccinia graminis</i> Pers.	Stem rust	Corvallis	3277
<i>LOLIUM SUBULATUM</i> Vis.			

<i>LOLIUM TEMULENTUM</i> L.	DARNEL	
Bacterium coronafaciens <i>atropurpureum</i> Reddy & Godkin [Phycomonas]	Chocolate spot Wallace Bridge	10,728
<i>MELICA BULBOSA</i> Geyer (M. bella Piper) <i>Sclerocotrichum graminis</i> Fekl.	ONIONGRASS Leaf stripe Wallowa Mts.	10,075
<i>MELICA SUBULATA</i> (Griseb.) Scribn. Cercosporaella subulata Spr.	ALASKA ONIONGRASS Leaf blast	10,669
<i>MUHLENBERGIA ALDINA</i> (Nutt.) Hitchc. (M. ciliata Thurb.)	FOXTAIL MUHLY (Hairy Muhlenbergia)	(2, 7)
<i>Urogyces minimus</i> J.J. Davis	Rust Wallowa County	
<i>MUHLENBERGIA ASPERIFOLIA</i> (Nees & Mey.) Payodi (<i>Sporobolus asperifolius</i> Nees & Mey.)	SCRATCHGRASS Baker	Fischer's coll.
Phyllachora sp.	Tar spot Smut	(4)
<i>MUHLENBERGIA RACEMUSA</i> (Michx.) B.S.P. Uromyces minimus J.J. Davis	MARSH MUHLY (Satin grass) Rust Wallowa County	(2, 7)
<i>ORYZOPSIS HYMENOIDES</i> (Roem. & Schult.) Ricker Puccinia scaber (Ell. & Ev.) Barth.	INDIAN RICE GRASS (Indian millet) Rust Celilo	8441
<i>Selenophoma crenacis</i> var. <i>stomaticola</i> (Bauw.) Sprague and Johnson <i>Ustilago hypodytes</i> (Schl.) Fr.	<i>Selenophoma</i> speckle Stem smut Gilliam County Wasco County	803 (Dana) 7617
<i>PANICUM MILLETUM</i> L.	BROOMCORN MILLET (Proso or hog millet)	
Bacterium <i>panici</i> Elliott [Phytonomas p. Berney et al.]	Leaf blight Smut	Seaside Corvallis 10,332 1806
<i>Sphaelotheca panici-miliacei</i> (Pers.) Bubak <i>Cercospora fusimaculans</i> Atk.		
<i>PANICUM PACIFICUM</i> Hitchc. & Chase <i>Cercospora fusimaculans</i> Atk.	PACIFIC PANICUM Leaf blotch Mary's Peak	9898 (Zeller)

PHALARIS ARUNDINACEA L.	REED CANARYGRASS	(2, 7)
Puccinia sessilis Schneid.	Rust	Malheur County
Phaeoseptoria sp.	Leaf rot	Corvallis
Septoria bromi Sacc. var. phalaricola		
Sprague	Leaf spot	Astoria
	HARDING GRASS	10,370
PHALARIS TUBEROSA var. STENOPTERA (Hack.) Hitchc.		
Helminthosporium sativum P.K. & B.	Leaf mold	64
Mycosphaerella tulasnei Jacz.	Leaf mold	396
Puccinia sessilis Schneid.	Rust	10,106
Rhizoctonia solani Kühn	Leaf rot	64
Phaeoseptoria sp.	Leaf rot	396
PHLEUM PRATENSE L.	TIMOTHY	1731
Claviceps purpurea (Fr.) Tul.	Ergot	Coast
Heterosporium phlei Gregory	Purple leaf spot	Astoria, Corvallis
Puccinia graminis phlei-pratensis (Eriks. & Henn.) Stak. & Piem.	Stem rust	General
Scolecotrichum graminis Fckl.	Leaf stripe	(2, 7)
Ustilago striaeformis (Westd.) Niessl	Stripe smut	7543
		1694
PHRAGMITES COMMUNIS Trin.	COMMON REED	Young's Bay, Astoria 10,683
Puccinia olragmites (Schum.) Körn.	Rust	Young's Bay, Astoria 10,683
Scolecotrichum maculicola Ell. & Kell.	Eye spot	
PLEUROPOGON REFRACTUS (A. Gray) Benth.	NODDING SEMAPHORE GRASS	
Ascochyta graminicola Sacc. var. brachypodii	Leaf spot	Bergsvik Creek, Clatsop County
	Trail	197
POA ANPLA Merr.	BIG BLUEGRASS	(2)
Puccinia poae-sudeticae (West.) Jørstad	Bluegrass Rust	(2, 7)
P. rubizo-vera (DC) Wint.	Leaf rust	
Selenophona doracis var. stomaticola (Bauml.) Sprague & Johnson	Selenophona specicle	The Dalles 115

POA ANNUA L.		ANNUAL BLUEGRASS		
Darluca filum (Biv.) Cast.	On Puccinia poae-sudeticae	Corvallis	10,021	
Fusarium culmorum (G.G. Sm.) Sacc.	Head mold	Warrenton	708	
Entyloma irregulare Johann.	Black spot leaf smut	W. Oregon	10,233	
Phycomycete Indet. e/	Purple speckle	Alderwood St. Pk.	352	
Puccinia poae-sudeticae (West.) Jørstad	Bluegrass rust	W. Oregon	(2)	
Septoria macropora Pass.	Leaf spot	Corvallis	2/ 708	
POA BULANDERI Vasey		BULANDER BLUEGRASS		
Puccinia poae-sudeticae (West.) Jørstad	Bluegrass rust	Wallowa Mts.	1C, 677	
POA CANBYI (Scribn.) Piper		CANBY BLUEGRASS		
Erysiphe graminis DC	Powdery mildew	Union County	10,078	
POA CAMPESINA L.		CANADA BLUEGRASS		
Cladosporium herbarum (Pers.) Ikk.	Leaf mold	Alsea	10,755	
Darluca filum (Biv.) Cast.	On Puccinia poae-sudeticae	Corvallis	10,007	
Entyloma crestophilum Sacc.	Black spot leaf smut	Bayview	821	
Helminthosporium vagans Drechs.	Leaf spot	Benton County	10,264	
Puccinia poae-sudeticae (West.) Jørstad	Bluegrass rust	Corvallis	10,007	
Scoleotrichum graminis Fekl.	Leaf stripe	General	10,067	
Septoria macropora Pass. var. septulata				
(Gz. Frac.) Sprengue	Leaf blotch	General	1C, 946	
S. oudemansi Sacc.	Tan leaf spot	Corvallis	385	
POA GRACILIMA Vasey (P. multiforme Piper)		SLENDER BLUEGRASS (Pacific bluegrass)		
Ascochyta graminicola Sacc. var. holci Sacc.	Leaf spot	Horse Tail Falls (Multnomah Co.)	1C, 280	
Erysiphe graminis DC.	Powdery mildew	Columbia Gorge	e/	
Hendersonia culnicola var. intermedia Sacc.	Leaf spot	7 mi. W. of The Dalles	116	
Puccinia poae-sudeticae (West.) Jørstad	Bluegrass rust	Columbia Gorge	1C, 283	
POA HOWELLII Vasey and Scribn.		HOWELL BLUEGRASS		
Septoria macropora Pass.	Leaf spot	Lower Columbia Riv.	10,080	

POA JUNCIFOLIA Scribn. (P. brachyglossa Piper)	ALKALI BLUEGRASS	Wasco County	10,229
Erysphe graminis DC.	Powdery mildew	Near Celilo Falls	145
Fusarium sp.	Leaf rot, crown rot	Wasco County	10,228
Etyloma irregulare Johann.	Black spot leaf smut	Rufus (near)	1C, 941
Mycosphaerella tassiana (DeNot.) Johans.	Leaf spot	7 mi. W. of The Dalles	130
Phycomycete Indet. e/	Leaf spot	Wasco County	10,244
Puccinia poae-sudeticae (West.) Jørstad	Bluegrass rust		
Selenopionia donacis var. stomaticola(Bauml.) Sprague & Johnson	Selenophoma speckle	Friend, Rufus	10,760
POA KELLOGGII Vasey	KELLOGG BLUEGRASS	Jackson County	10,758
Septoria macropora Pass.	Leaf spot	Whitman Nat'l Forest	10,079
POA LEPTOCOMA Trin.	EGG BLUEGRASS	Warrenton	238
Puccinia poae-sudeticae (West.) Jørstad	Bjuegrass rust	Newport	(2, 7)
POA MACRANTHA Vasey	SEASHORE BLUEGRASS		
Puccinia graminis Pers.	Stem rust	Friend	274
P. poae-sudeticae (West.) Jørstad	Bluegrass rust		
POA NEVADENSIS Vasey	WHEELER BLUEGRASS	NEVADA BLUEGRASS	
Claiviceps purpurea (Fr.) Tul.	Leaf stripe	Seneca; Hart Mts.	10,696
Septoria macropora Pass. var. grandis Sprague	Leaf spot	Blue Mts.	10,355
POA PIUSTRIS L.	FCM BLUEGRASS	Klamath County	1C, 102
Erysiphe graminis DC.	Powdery mildew	Klamath County	(2)
Puccinia poae-sudeticae (West.) Jørstad	Bluegrass rust		
POA PRATENSIS L.	KENTUCKY BLUEGRASS	Near Forest Grove;	
Cercosporella sp. 1/	Brown eye leaf spot	East Corvallis	453,789

1/ This apparently undescribed species will be described in a subsequent publication. It is apparently not rare in Oregon but obscured by the more prevalent Septoria and Helmianthosporium spots.

<i>Corticium vagum</i> Berk. & Curt. [C. solani]	Brown patch	W. Oregon	10,965
<i>Darluca filum</i> (Biv.) Cast.	On rust	W. Oregon	10,237
<i>Entyloma crastophilum</i> Sacc.	Black spot leaf smut	Lincoln & Benton Co.	10,201
<i>Erysiphe graminis</i> DC.	Powdery mildew	Hepner	10,053
<i>Fusarium (?) niveale</i> (Fr.) Sor.	Snow mold	W. Oregon	e/
<i>Gloeosporium graminum</i> Rostr.	anthracnose	S. fork Alsea Riv. & Irish Bend (Benton Co.)	10,665
<i>Helminthosporium vagans</i> Dresch.	Leaf spot	Corvallis	10,121
<i>Phycomycete</i> Lindet. e/	Red leaf speckle	Benton & Linn Cos.	789
<i>Puccinia poae-sudeticae</i> (West.) Jørgstad	Bladegrass rust	General	(2, 7)
<i>Rhizoctonia solani</i> Kühn	Leaf rot	Corvallis	e/
<i>Septoria macrospoda</i> Pass. var. septulata (Gz. Frag.) Sprague	Leaf spot	W. Oregon	e/ 8301
<i>S. nodorum</i> Berk.	Glume blotch & leaf spot	W. Oregon	e/
<i>S. oudemansi</i> Sacc.	Leaf spot	Corvallis, Lobster Valley	10,237
<i>PCA SCABRELLA</i> (Thurb.) Benth.	DESERT ELUEGRASS	Tygh Ridge	10,759
<i>Placospora karstenii</i> Berl. & Vogl.	Leaf & culm mold	Ochoco Nat'l Forest	10,081
<i>Uromyces dactylicidis</i> Ott.	Tar rust		
<i>POA SECUNDA</i> Presl (P. sandergei) Vasey	SANDBERG BLUEGRASS (Desert bluegrass)	E. Oregon	10,226
<i>Erysiphe graminis</i> DC.	Powdery mildew	General in E. Oregon	e/ 10,343
<i>Septoria macrospoda</i> Pass. var. grandis	Leaf spot		
<i>POA TRIVIALIS</i> L.	ROUGH BLUEGRASS	Astoria	10,330
<i>Helminthosporium</i> pose. Baudys	Leaf spot	Astoria	10,330
<i>Puccinia poae-sudeticae</i> (West.) Jørgstad	Bladegrass rust	Corvallis	e/
<i>Rhizoctonia solani</i> Kühn	Leaf rot		
<i>POA VASEYI</i> Scribn.	VASEY'S BLUEGRASS	Mayer Park	872
<i>Cladosporium herbarum</i> Lk.	Secondary leaf rot	Wasco & Sherman Cos.	114
<i>Erysiphe graminis</i> DC.	Powdery mildew	Mayer Park	872
<i>Phytophthora</i> sp.	Greasy brown spot		
<i>POLYPOGON MONTSPILLIENSIS</i> (L.) Desf.	RABBITFOOT GRASS		
<i>Erysiphe graminis</i> DC.	Powdery mildew		
	Biggs		8439

PUCCINELLIA DISTANS (L.) Parl. Cladosporium herbarum Lk.	EURASIAN ALKALI GRASS Leaf mold	Klamath Falls	807
PUCCINELLIA NUTKAENSIS (Presl)Fern. & Weath. Puccinia (?) rubigo-vera (DC.) Wint.	PACIFIC ALKALI GRASS Leaf rust	Klamath Falls	10,082
PUCCINELLIA NUTTALLIANA (Schult.) Hitchc. Puccinia rubigo-vera (DC.) Wint.	NUTTALL ALKALI GRASS (Zawadke alkali grass) Leaf rust	Union & Jackson Cos. (7)	
SCRIBNERIA BOLANDEEI (Thurb.) Hack. Uromyces jacksonii Arth. & Fromme	SCRIBNER GRASS Jackson's rust	-----	(2)
SECALE CERALE L. Cercosporaella herpotrichioides Fron. Claviceps purpurea (Fr.) Tul. Erysiphe graminis DC. Fusarium culmorum (Sm.) Sacc. F. scirpi var. acuminatum (Ell. & Ev.) Wr. Helminthosporium sativum P.K. & B. Puccinia glumarum (Scim.) Eriks. & Henn.	RYE Cercosporaella foot rot Ergot Powdery mildew Root rot Secondary root rot Dry land root rot Stripe rust Stem rust Leaf rust	Wasco & Union Cos. Scattered W. Oregon Wasco & Union Cos. Sherman County Moro Marion, Lincoln, & Linr. Counties Corvallis Lincoln County Central Morrow Co. E. Oregon, prairies	(14) 5223 5218 (1) (8) S/ (6) Herb. Univ. of Idaho (1) (2) 259 257 Sent to W.S.C. (11) S/ 773 10,497
P. graminis Pers. P. rubigo-vera secalis (Eriks.) Carl.	Leaf scald Leaf stripe Stinking smut Secondary root rot		
Rhynchosporium secalis (Oud.) J.J.Davis Scolecotrichum graminis Fekl. Tilletia sp. Wojnowicia graminis (McAlp.) Sacc.	FCXT'IL MILLET Leaf mold Leaf mold	Salem Corvallis	
SETARIA ITALICA (L.) Beauv. Cladosporium herbarum Lk. Epicoccum purpurascens Ehnbgs.	GREEN BRISTLEGRASS Leaf blight	Seaside	10,488
SETARIA VIRIDIS (L.) Beauv. Bacterium holci Kendrick [Phytophthora h. Berney et al.]			

SITAMION HANSENI (Scribn.) J.G. Smith Ustilago sitanii Fisch.	HANSEN SQUIRRELTAIL Loose smut	Klamath Falls (D.C. Smith)	13,165
SITANION HYSTRIX (Nutt.) J.G. Smith (S. californicum J. G. Smith) Ascochyta graminicola Sacc. var. holci Sacc.	SQUIRRELTAIL (Bottle brush squirreltail) Leaf spot Stripe rust Rust	Mt. Hood Redmond W. Powder (Smith) E. Oregon Echo	10,770 (2, 7) 350 (2, 7) 10,083
Puccinia glumarum (Schm.) Eriks. & Henn. P. pattersoniana arth. P. rubigo-vera (DC.) Wint. Scolecotrichum graminis Fckl. Selonothang denzicis var. stomaticola (Bauml.) Sprague & Johnson S. passerinii Sacc.	Leaf rust Leaf stripe Selencopoma spot Leaf & Sheath spot	Mt. Hood (Adlard) Mt. Hood Nat'l Forest	10,770 10,382
SITANTON JUBATUM J. G. Smith Puccinia glumarum (Schw.) Eriks. & Henn. P. rubigo-vera (DC.) Wint. Scolecotrichum graminis Fckl.	BIG SQUIRRELTAIL Stripe rust Leaf rust Leaf stripe	Redmond S. Oregon Wasco County	(2, 7) (2, 7) 10,163
SOPHRHM VULGARE Pers. Sorosporium reilianum (Kühn) McAlp. Sphaelotheca sorghi (Lk.) Clinton	SCRGHUM Head smut Kernel smut	Ashland -----	1201 (15)
SOPHRHM VULGARE var. SUDANENSE (Piper) Hitchc. Sphaelotheca sorghi (Lk.) Clinton	SUDAN GRASS Kernel smut	S. Ore., Eugene Harney County	11 (2)
SPORCECLUS AIRCIDES Torf. Puccinia luxuriosa Syd.	ALKALI SUGAR CANE (Hairgrass dropseed) Rust	Long Creek, Blue Mts. Harney County	10,761
STIPA CALIJANIANA var. NELSONI (Scribn.) Hitchc. Septoria stipina Dieck.	COLUMBIA NEEDLEGRASS Leaf spot	Umatilla & Sherman Counties	Long Creek, Blue Mts. (2, 7)
STIPA COMATA Trin. & Rupr. Puccinia stipae Arth.	NEEDLE AND THREAD Rust	Crook County Umatilla County	10,084 1368
STIPA COLUMBIANA var. ciliolata ciliolata Fckl.	Leaf stripe		

STIPA OCCIDENTALIS Thurb. Ustilago hypodytes (Schl.) Fr.	WESTERN NEEDLEGRASS Stem smut	(4); (W.A.F. 236) <u>d/</u>
TRISETUM CANESCENS Buckl. Puccinia coronata Corda P. graminis Pers. Septoria calamagrostidis (Lib.) Sacc.	TALL DOWNY TRisetum Crown rust Stem rust Leaf spot	Siliver Creek Falls 271 Astoria 10,294 Cascade Mts. & Coast Range 8498
TRISETUM CERNIUM Trin. Colletotrichum graminicolum (Ces.) Wils. Mastigosporum rubricosum (Dearn. & Barth.) Sprague	NOEDING TRisetum Anthracnose	Bergsvik Creek 348
Puccinia coronata Corda	Red eye spot	Ciat sop & Lincoln Counties 417
Septoria calamagrostidis (Lib.) Sacc.	Crown rust	Lincoln, Marion and Clatsop Cos. 7536
TITICUM ASTIVUM L. (T. vulgare Vill.)	Leaf spot	Bergsvik Creek 198; 417
Cercosporaella herpotrichioides Fron	WHEAT	Umatilla, and Wasco Cos. (14) <u>c/</u>
Claviceps purpurea (Fr.) Tul. Erysiphe graminis DC. Fusarium culmorum (J.G. Sm.) Sacc. F. equiseti (Corda) Sacc. F. oxysporum Schl. F. scirpi Lab. & Fautr. var. acuminatum (Ell. & Ev.) Kr.	Cercosperella foot rot Ergot Powdery mildew Root rot Secondary root rot Secondary root rot Secondary root rot Root rot and dry land root rot Sooty mold Take-all	General 1209 W. Oregon and Prairies 5056 General <u>c/</u> General <u>c/</u> General <u>c/</u> General <u>c/</u> Coast & E. Greg. <u>c/</u> Enterprise 5024 W. Ore., Hood Riv. and Union Counties (1) 10,027 Forest Grove 25,987 Scattered (1, 6, 7) W. Oreg. (2, 7)
Helminthosporium sativum P.K. & B. Hyphomycetous tulasnei Jacz. Ophiobolus graminis Sacc.	(?) Seedling injury Stripe rust Stem rust	10,030; 10,118
Penicillium sp. Puccinia glumarum (Schm.) Eriks. & Henr. P. graminis Pers.		

<i>P. rubigo-vera tritici</i> (Eriks. & Henn.) Carl.	Leaf rust	General	(2, 7)
<i>Rhizoctonia solani</i> Kühn	White foot rot	Lincoln, Benton, & Lane Counties	(10) <u>2</u> /10,028
<i>Septoria tritici</i> Rob.	Leaf blotch	General	10,005
<i>Tilletia foetida</i> (Wai.) Liro	Stinking smut	General	(1)
<i>T. caries</i> (DC.) Tul.	Stinking smut	General	(1)
<i>Ustilago tritici</i> Rostr.	Loose smut	Scattered	5096
<i>Wojnowicia graminis</i> (McAlp.) Sacc.	Secondary root rot	Wasco & Union Cos.	(11) <u>2</u> /
 <i>TRITICUM DICCCUM</i> Schrank	 ENTER	 (14) <u>2</u> /	
<i>Cercosporaella herpotrichoides</i> Fron	<i>Cercosporaella</i> foot rot	Wasco County	
<i>Fusarium culmorum</i> (W.G. Sm.) Sacc.	Root rot	Lincoln County	
<i>Puccinia glumarum</i> (Schm.) Eriks. & Henn.	Stripe rust	Moro	
<i>P. rubigo-vera tritici</i> (Eriks. & Henn.) Carl.	Leaf rust	Wasco County	
<i>Septoria tritici</i> Rob.	Leaf blotch	Granger	
<i>Wojnowicia graminis</i> (McAlp.) Sacc. & D. Sacc.	Secondary root rot	Wasco & Union Cos.	
 <i>TRITICUM DICCCUM</i> Schrank. var <i>FARRUM</i> Beyle	 VERNAL AND KHAPLI ENTER	 Leaf blotch	 Benton County
<i>Septoria tritici</i> Rob.			10,726
 <i>TRITICUM DURUM</i> Desf.	 DURUM WHEAT		
<i>Cercosporaella herpotrichoides</i> Fron	<i>Cercosporaella</i> foot rot	Union & Wasco Cos.	
<i>Fusarium culmorum</i> (W.G. Sm.) Sacc.	Root rot	Union County	
<i>Wojnowicia graminis</i> (McAlp.) Sacc. & D. Sacc.	Secondary root rot	Union & Wasco Cos.	
 <i>TRITICUM MONOCOCCEUM</i> L.	 EINKORN		
<i>Cercosporaella herpotrichoides</i> Fron	<i>Cercosporaella</i> foot rot	Union & Wasco Cos.	
<i>Fusarium culmorum</i> (W.G. Sm.) Sacc.	Root rot	Union County	
<i>Wojnowicia graminis</i> (McAlp.) Sacc.	Secondary root rot	Union County	
 <i>TRITICUM POLYSTACHYON</i> L.	 POLISH WHEAT		
<i>Lycosphaerella tulasnei</i> Jacz.	Leaf rot and blotch	Granger	10,679
 <i>TRITICUM SPelta</i> L.	 SPELT		
<i>Cercosporaella herpotrichoides</i> Fron	<i>Cercosporaella</i> foot rot	Union County	
<i>Fusarium culmorum</i> (W.G. Sm.) Sacc.	Root rot	Lincoln County	
<i>Helminthosporium sativum</i> P.K. & B.	Foot rot	Lincoln County	
<i>Puccinia graminis</i> Pers.	Stem rust	Lincoln County	

P. rubigo-vera tritici (Eriks. & Henn.) Carl. Leaf rust Union, Wasco, and Lincoln Counties 7611

<i>Rhizoctonia solani</i> Kühn	White root rot	Alsea Riv. Valley	2/
<i>Septoria nodorum</i> Berk.	Leaf spot	Lincoln County	10,400
<i>S. tritici</i> Rob.	Leaf blotch	Lincoln County	10,365
<i>Ustilago tritici</i> Rostr.	Loose smut	Lincoln County	1/
<i>Wojnowicia graminis</i> (McAlp.) Sacc. & D.Sacc.	Secondary root rot	Union County	2/

TRITICUM TURCIDUM L.
Septoria tritici Rob.

POLLARD WHEAT

Leaf blotch

Granger

10,680

<i>ZEA MAYS</i> L.	MAIZE (Indian corn)	Benton & Lincoln Cos. 10,008
<i>Epicoccum neglectum</i> Desm. (? Saprophyte)	Leaf rot	W. Oregon (8)
<i>Fusarium culmorum</i> (V. G. Sm.) Sacc.	Root rot	Lincoln County 2/
<i>Helminthosporium turcicum</i> Pass.	Leaf blight	Benton County (3)
<i>Phytophthora zeae-maydis</i> Shaw	Brown soot	Willamette Valley Owens and
<i>Sclerotinia reilianum</i> (Kühn) McCalp.	Head smut	Zundel
<i>Ustilago zese-mays</i> (DC.) Wint.	Smut	

1. Anderson, P. J., et al. Check list of diseases of economic plants in the United States. U. S. Dept. Agr. Bull. 1366. 112 pp., 1926.
2. Arthur, J. C. Manual of the rusts in the United States and Canada. 438 pp. LaFayette, Ind. 1934.
3. Bressman, E. N., and H. P. Barss. Experiments with head smut of corn in western Oregon. Phytopath. 23: 396-403. 1933.
4. Clinton, G. P. Order Ustilaginales. North American Flora 7: 1-82. 1906.
5. Hitchcock, A. S. Manual of the grasses of the United States. U. S. Dept. Agr. Misc. Pub. 200. 1044 pp. 1935.
6. Hungerford, C. W., and C. E. Owens. Specialized varieties of Puccinia clumarum, and hosts for variety tritici. Journ. Agr. Res. 25: 363-402. 1923.
7. Jackson, H. S. The Uredinales of Oregon. Brooklyn Bot. Gard. Mem. 1: 193-297. 1918.
8. Rose, J. P. Fusarium culmorum in Oregon, its varieties and strains that cause disease of cereals and grasses. (Abstr.) Phytopath. 14: 49. 1924.
9. Sprague, R. A physiologic form of Septoria tritici on oats. Phytopath. 24: 133-134. 1934.
10. _____ Preliminary note on another foot rot of wheat and oats in Oregon. Phytopath. 24: 946-948. 1934.
11. _____ Wojnowicia graminis as a very weak, secondary parasite of winter cereal crops. Phytopath. 25: 405-415. 1935.
12. _____ A new leaf spot of oats. Northwest Science 9: 15-17. 1935.
13. _____ Soil-borne cereal diseases in coastal Oregon. Northwest Science 12: 74-80. 1938.
14. _____ and H. Fellows. Cercosporella foot rot of winter cereals. U. S. Dept. Agr. Tech. Bull. 428. 24 pp. 1934.
15. Zundel, George Lorenzo Ingram. Additions and corrections to Ustilaginales. North American Flora 7, pt. 14, pp. 971-1030. 1939.

THE PLANT DISEASE REPORTER

AGRICULTURAL REFERENCE DEPARTMENT
Issued by CLEMSON COLLEGE LIBRARY

THE PLANT DISEASE SURVEY, DIVISION OF MYCOLOGY AND DISEASE SURVEY
BUREAU OF PLANT INDUSTRY, UNITED STATES DEPARTMENT OF AGRICULTURE

SUPPLEMENT 135

DISEASES OF PLANTS REPORTED IN TEXAS SINCE 1933

June 15, 1942

The Plant Disease Reporter is issued as a service to plant pathologists throughout the United States. It contains reports, summaries, observations, and comments submitted voluntarily by qualified observers. These reports often are in the form of suggestions, queries, and opinions, frequently purely tentative, offered for consideration or discussion rather than as matters of established fact. In accepting and publishing this material the Division of Mycology and Disease Survey serves merely as an informational clearing house. It does not assume responsibility for the subject matter.

DISEASES OF PLANTS REPORTED IN TEXAS SINCE 1933

Compiled by G. E. Altstatt, Plant Pathologist, Division of Plant Pathology and Physiology, Texas Agricultural Experiment Station.

Plant Disease Reporter
Supplement 135

June 15, 1942

This list includes plant diseases found by members of the Division of Plant Pathology and Physiology since the publication of the Check List of Plant Diseases^{1/} in 1933. New diseases reported each year have been included in the annual report of the Texas Station up to and including 1937. Since that time they have been reported only through the annual report to the Division of Mycology and Plant Disease Survey. New host plants of the cotton root rot fungus since the publication of the list of susceptible and non-susceptible plants in 1936^{2/} are also included in this compilation.

Material or cultures in some instances were sent to the Division of Mycology and Disease Survey and other authorities for identification or confirmation. Herbarium specimens are available in some cases.

ABELIA GRANDIFLORA	Chlorosis	Physiological
AGRCSTIS STOLONIFERA	Chlcrosis	Physiological
AILANTHUS GLANDULOSA	Leaf blight	<i>Piricularia grisca</i> (Cke.) Sacc.
ALBIZZIA JULIBRISSIN	Twig blight	<i>Diplodia natalensis</i> Pole-Evans
	Root rot	<i>Phymatotrichum omnivorum</i> (Shear) Dug.
ALEURITES FORDII	Crown canker	<i>Diplodia natalensis</i> Pole-Evans
	Seedling blight	<i>Sclerotium rolfsii</i> Sacc.
ALLIUM ASCALONICUM	Yellow dwarf	Virus
ALLIUM CANADENSE	Yellow dwarf	Virus
ALLIUM CEPÀ	Bulb rot	<i>Fusarium</i> sp.
	Leaf spot	<i>Aspergillus nidulans</i> (Eidam) Winter
	Purple blotch	<i>Macrosporium porri</i> Ell.
	Yellow dwarf	Virus
ALLIUM SATIVUM	Bulb rot (dry)	<i>Aspergillus</i> sp.
		<i>Diplodia</i> sp.
		<i>Fusarium</i> sp.
		<i>Helminthosporium</i> sp.
		<i>Penicillium</i> sp.
		<i>Sclerotium bataticola</i> Taub.
		<i>Trichoderma</i> sp.
	Bulb rot (soft)	<i>Bacillus carotovorus</i> L.R. Jones

1/ Taubenhaus, J. J. and W. N. Ezekiel. Trans. Texas Acad. Sci. 16 (1931-1932): 5-118. Austin, Texas. 1933.

2/ Taubenhaus, J. J. and W. N. Ezekiel. A rating of plants with reference to their relative resistance or susceptibility to *Phymatotrichum* root rot. Texas Agr. Exp. Stat. Bull. 527. 50 pp. 1936.

ALLIUM VINEALE	Yellow dwarf	Virus
ALTHEA ROSEA	Rust	<i>Puccinia malvacearum</i> C. E. Bertero
AMARANTHUS CAUDATUS	Curly top	Virus
AMARANTHUS RETROFLEXUS	Fern-leaf mosaic	Virus
AMARANTHUS SPINCSUS	Root knot	<i>Heterodera marioni</i> (Cornu) Goodey
AMARANTHUS TRICOLOR	Curly top	Virus
AMARYLLIS BELLADONNA	Spotted wilt	Virus
AMBROSIA SP.	Stem rot	<i>Sclerotium bataticola</i> Taub.
AMBROSIA ARTEMISIFOLIA	Yellows	Virus
AMPELAPSIS ACCNITIFCLIA	Leaf spot	<i>Tuberularia nigricans</i> (Bull.) Sacc.
AMPELOPSIS TRICUSPIDATA	Leaf spot	<i>Cercospora pustula</i> Cke.
AMYGDALUS PERSICA	Canker	<i>Phoma persicae</i> Sacc.
ANODA HASTATA	Rust	<i>Puccinia</i> sp.
ANTIRRHINUM MAJUS	Crown rot	<i>Myrothecium roridum</i> Tode
ARACHIS HYPOGEA	Root & stem rot	<i>Pythium</i> sp.
	Witches' broom	Undet.
	Rust	<i>Puccinia arachidis</i> Speg.
ASTRAGALUS MOLLISSIMUS	Crown rot	<i>Fusarium</i> sp.
ATRIPLEX AVENARIA	Curly top	Virus
ATRIPLEX LENTIFORMIS	Curly top	Virus
ATRIPLEX PATULA	Curly top	Virus
AVENA SATIVA	Root lesion	<i>Pratylenchus pratensis</i> (de Man) Filipjev
AZALEA SP.	Flower spot	<i>Ovulinia azaleae</i> Weiss
	Leaf gall	<i>Exobasidium vaccinii</i> (Fckl.) Wor.
BACCHARIS NEGLECTA	Root rot	<i>Phymatotrichum omnivorum</i> (Shear) Dug.
BAMBUSA SP.	Leaf spot	<i>Coniosporium shiraiianum</i> (Syd.) Bub.
BARBAREA VULGARIS	Curly top	Virus
BAUHANIA (ORCHID TREE)	Leaf spot	<i>Colletotrichum</i> sp.
BEGONIA SP.	Crown rot	<i>Rhizoctonia solani</i> Kühn
BETA VULGARIS	Curly top	Virus
BIGNONIA RADICANS	Mosaic	<i>Myrothecium roridum</i> Tode
BOERHAAVIA ERECTA	Leaf spot	<i>Bacterium campestre</i> (Pammel) E.F.S.
BRASSICA ALBA	Black rot	Heterodera marioni (Cornu) Goodey
BRASSICA CAMPESTRIS	Root knot	
BRASSICA RAPA	Crown gall & witches' broom	<i>Bacterium tumefaciens</i> Smith & Townsend
	Anthracnose	<i>Colletotrichum higginsianum</i> Sac
	Leaf spot	<i>Cercospora albomaculans</i> (Ell. & Ev.) Sacc.
	Mosaic	Virus
	Leaf spot	<i>Cylindrosporium brassicae</i> Fautr & Rouss.

BRASSICA JUNCEA	White rust	Albugo (<i>Cystopus</i>) <i>occidentalis</i> (Wilson) Sacc. & Trav.
BROMUS UNICLOCIDES	Smut	<i>Ustilago bromivora</i> (Tul.) Fisch.
BRYOPHYLLUM SP.	Leaf spot	<i>Alternaria tenuis</i> Nees
BUCHLOE (BULBILIS) DACTYLOIDES	Leaf spot	<i>Cercospora seminalis</i> Ell. & Ev.
BUXUS SEMPERVIRENS	Root lesion	<i>Pratylenchus pratensis</i> (de Man) Filipjev
CALENDULA OFFICINALIS	Chlorosis	Physiological
CALLICARPA AMERICANA	Spotted wilt	Virus
CALLISTEPHUS CHINENSIS	Mosaic	Virus
CAMELLIA	Downy mildew	<i>Basidiophora entospora</i> Roze & Cornu
CAMELLIA SASANQUA	Leaf spot	<i>Colletotrichum gloeosporioides</i> Penz.
CANNA INDICA	Root knot	<i>Heterodera marioni</i> (Cornu) Goodey
CAPSICUM ANNUUM	Leaf gall	<i>Exobasidium camelliae</i> Shirai II, undet.
CAPSICUM ANNUUM	Rust	<i>Gloeosporium piperatum</i> Ell. & Ev.
CAPSICUM FRUTESCENS	Anthracnose	<i>Cladosporium herbarum</i> (Pers.) Lk.
CAPSICUM FRUTESCENS VAR. GROSSUM	Black mold	Virus
CARTHAMUS TINCTORIUS	Curly top	<i>Alternaria solani</i> (Ell. & Mart.) Jones & Grout
CASSIA ARTEMISICIDES	Early blight	<i>Bacterium vesicatorium</i> Doidge
CASSIA CCCIDENTALIS	Spotting	Virus
CATALPA SP.	Mosaic	Virus
CELOSIA ARGENTEA	Curly top	
CELOSIA ARGENTEA CRISTATA	Leaf spot	<i>Septoria carthami</i> Muras
CELTIS SP.	Stem & twig blight	<i>Diplodia natalensis</i> Pole-Evans
CELTIS MISSISSIPPIENSIS	Root knot	<i>Heterodera marioni</i> (Cornu) Goodey
CERCIS SP.		Cercospora sp.
CHAMAECYPARIS OBTUSA	Leaf spot	Physiological
CHRYSANTHEMUM SP.	Chlorosis	Virus
	Curly top	
	Limb canker	
	Root rot	
	Leaf spot	
	Leaf spot	
	Stem canker	
	Blight	
	Root lesion	
	Stem & foot rot	
		<i>Septoria</i> sp.
		<i>Valsaria insitiva</i> Ces. & DeNot.
		<i>Pestalozzia funerea</i> Desm.
		<i>Pratylenchus pratensis</i> (deMan) Filipjev
		<i>Fusarium</i> sp.

CHRYSANTHEMUM LEUCANTHEMUM	Pink Mold	Fusarium martii App. & Wr. var. minus Sherb.
CICHORIUM ENDIVIA	Tip blight	Fusarium semitectum Berk. & Rav.
CITRULLUS VULGARIS	Black rot	Bacterium (undet.)
	Charcoal rot	Helminthosporium (undet. sp.)
	Leaf blight	Sclerotium bataticola Taub.
CITRUS SP.	Black melanose	Macrosporium cucumerinum Ell. & Ev.
	Blue & green mold	Undetermined
	Gummosis	Penicillium sp.
	Phytophthora rot	Undetermined
	Leaf spot	Phytophthora parasitica Dastur Colletotrichum gloeosporioides Penz.
	Leaf spot	Septoria sp.
	Sooty blotch	Gloeodes pomigena (Schw.) A.S. Colby
CITRUS GRANDIS	Chlorosis	Physiological
	Gummosis	Undetermined
	Root rot	Phytophthora sp.
	Scaly bark	Virus
	Wither tip	Colletotrichum gloeosporioides Penz.
CITRUS LIMONIA	Scab	Sphaceloma fawcettii Jenkins
	Stem-end rot	Diplodia natalensis Pole-Evans
	Twig blight	Tryblidiella rufula (Spreng) Sacc. (saprophytic?)
CITRUS NOBILIS UNSHIU	Scab	Sphaceloma fawcettii Jenkins
CITRUS SINENSIS	Chlorosis	Physiological
	Damping-off of seedlings	Nematodes
COLEUS SP.	Fruit rot	Fusarium limonis Briosi
COPROSMA BOWERI	Sooty mold	Capnodium sp.
COREOPSIS SP.	Splitting	Non-parasitic
COTONEASTER	Crown rot	Rhizoctonia solani Kühn
	Leaf spct	Undet. Macrosporium
	Crown rot	Sclerotium rolfsii Sacc.
	Stem blight	Macrophoma stage of Physalos- pora obtusa (Schw.) Cke.
	Twig blight	Sphaeropsis malorum Pk. [Physalospora obtusa]
CUCUMIS MELO	Curly top	Virus
CUCUMIS SATIVUS	Leaf spot	Cercospora sp.
CUCURBITA MAXIMA	Curly top	Virus
	Gray rot	Diplodia sp.
	Leaf spot & stem rot	Phoma subvelata Sacc.

CUPRESSUS SP.	Leaf blight	Macrophoma cupressi (Cke. & Harkn.) Berl. & Bogl.
CYDONIA JAPONICA	Twig blight	Sphaeropsis malorum Pk.
CYNODON DACTYLON	Smut	Dothiorella ribis (Fuck.) Sacc.
DAHLIA	Spotted wilt	Ustilago cynodontis Henn.
DATURA METELLOIDES	Verticillium wilt	Virus
DATURA TATULA	Spotted wilt	Verticillium albo-atrum Reinke & Berth.
DAUCUS CAROTA	Spotted wilt	Virus
DIANTHUS SP.	Aster yellows	Alternaria crassa (Sacc.) Rands
DIANTHUS BARBATUS	Leaf blight	Virus
DIANTHUS CARYOPHYLLUS	Anthracnose	Virus
DICODIA TERES	Curly top	Macrosporium carotae Ell. & Langlois
DIOSPYROS KAKI	Curly top	Vermicularia sp.
DIOSPYROS VIRGINIANA	Leaf spot & blight	Virus
DOLICHOS SPHAEROSPERMUS	Stem blight	Alternaria dianthi Stevens & Hall
ECHINOCEREUS CHLORANTHUS	Rust	Vermicularia herbarum (Pers.) Lk.
ECHIMOCLOA CRUSGALLI	Wilt	Uromyces spermacoces (Schw.) Curt.
ERIGERON CANADENSIS	Wood decay	Verticillium albo-atrum Reinke & Berth.
ESCHSCHOLTZIA CALIFORNICA	Root rot	Cephalosporium sp.
EUCALYPTUS LONGIROSTRIS ALGERIENSIS	Damping-off	Sphaeropsis malorum Pk.
EUONYMUS SP.	Decay	Rhizoctonia sp.
EUSTOMA RUSSELLIANUM	Dwarf	Various fungi
FICUS CARICA	Mosaic	Helminthosporium sp.
.	Collar rot	Virus
EUCALYPTUS LONGIROSTRIS ALGERIENSIS	Curly top	Virus
EUONYMUS SP.	Root rot	Alternaria sp.
EUSTOMA RUSSELLIANUM	Root knot	Phymatotrichum omnivorum (Shear) Dug.
FICUS CARICA	Stem blight	Heterodera marioni (Cornu) Goodey
.	Canker	Alternaria sp.
EUSTOMA RUSSELLIANUM	Fruit rot	Stilbum cinnabarinum Mont.
FICUS CARICA	Leaf spot	Choanephora cucurbitarum (B. & Br.) Thaxter
.	Mosaic	Cercospora bolleana (Thüm.) Speg.
EUSTOMA RUSSELLIANUM	Stem blight	Virus
FICUS CARICA	Sooty mold	Botryosphaeria ribis Gross. & Dug.
.	Crimp	Capnodium sp.
FRAGARIA SP.		Aphelenchoides fragariae (Ritzema Bos) Christie

FRAGARIA SP.	Leaf spot	Dendrophoma obscurans (Ell. & Ev.) H.W. Anderson
FRAXINUS BERLANDIERI	Violet root rot	Rhizoctonia crocorum (Pers.) DC.
FRAXINUS TEXENSIS	Leaf spot	Cercospora sp.
FRAXINUS VELUTINA	Rust	Puccinia peridermiospora (Ellis & Tr.) Arth.
GARDENIA FLORIDA	Sooty mold	Fumago vagans Pers.
	Bud drop	Physiological
GILIA RUBRA	Meadow nematode	Pratylenchus pratensis (de Man) Filipjev
GLADIOLUS SP.	Dry rot	Fusarium sp.
	Root knot	Heterodera marioni (Cornu) Goodey
GLOXINIA SPECIOSA	Spotted wilt	Virus
GOMPHRENA GLOBOSA	Curly top	Virus
GOMPHRENA MITIDA	Curly top	Virus
GOSSYPIUM HIRSUTUM	Crown gall	Bacterium tumefaciens Smith & Townsend
	Phyllosticta leaf spot	Phyllosticta gossypina Ell. & Mart.
	Moldy leaf spot	Cercospora gossypina Cke.
	Wilt	Verticillium albo-atrum Reinke & Berth.
HELIANTHUS ARGOPHYLLUS	Downy mildew	Plasmopara halstedii (Farl.) Berl.
	Leaf spot	Septoria helianthi Ell. & Kellerm.
HIBISCUS SABDARIFFA	Leaf spot	Cercospora polymorpha Bub.
HIBISCUS SP.	Anthracnose	prob. Colletotrichum hibisci Poll.
HICORIA PECAN	Leaf spots	Mycosphaerella dendroides (Cke.) Demaree & Cole
		Mycosphaerella caryigena Demaree & Cole (Cercosporella caryigena (Ell. & Ev.) Höhn.)
HOLCUS SP.	Blight	Pestalozzia uvicola Speg.
	Root and crown rot	Diplodia natalensis Pole-Evans
HOLCUS HALEPENSIS	Smut	Pythium arrhenomanes Drechs.
HOLCUS SORGHUM	Streak	Sphaelotheca cruenta (Kühn) Potter
	Seedling blight	Bacterium holcicola Elliot
		Colletotrichum graminicolum (Ces.) Wils.
	Leaf spot	Fusarium moniliforme Sheld.
	Lodging, char-coal rot	Phyllosticta sorghina Sacc.
	Root rot	Sclerotium bataticola Taub.
		Pythium arrhenomanes Drechs.

HOLCUS SORGHUM SUDANENSIS	Crown rot Leaf rust Leaf stripe Southern blight Rust Stem blight	<i>Colletotrichum lineola</i> Cda. <i>Puccinia sorghi</i> Schw. <i>Bacterium andropogoni</i> E.F.S. <i>Sclerotium rolfsii</i> Sacc. <i>Puccinia hydroctyles</i> Cke. <i>Phoma herbarum</i> West. <i>Macrosporium puccinoides</i> Ell. & Ev.
HYDRANGEA SP. HYDRICOTYLE SP. HYMENOCLEA MONOGYNA	Rust Leaf spot Leaf spot Sooty mold Curly top Curly top White rust Curly top White rust	<i>Puccinia splendens</i> Vize <i>Rhytisma ilicinola</i> Schw. <i>Phyllosticta opaca</i> Ell. & Ev. <i>Fumago</i> sp. Virus Virus <i>Albugo</i> sp. Virus <i>Albugo ipomoeae-panduranae</i> (Schw.) Sw.
ILEX DECIDUA ILEX OPACA	Rust Leaf spot Leaf spot Sooty mold Curly top Curly top White rust Curly top White rust	<i>Puccinia iridis</i> (DC.) Rabh. <i>Stagonospora pini</i> Grove <i>Gloeosporium allescheri</i> Bres.
IPOMCEA BATATAS IPOMOEA PANDURATA IPOMOEA PURPUREA IPOMCEA TRIFIDA	Rust Needle blight Anthracnose	<i>Phymatotrichum omnivorum</i> (Shear) Dug.
IRIS SP. JUNIPERUS MEXICANA KENTIA SP. KOELREUTERIA BIPINNATA	Root rot	Virus Virus Virus Physiological <i>Oidium</i> sp., and <i>Erysiphe lagerstroemiae</i> West
LACTUCA CANADENSIS LACTUCA GRAMINIFOLIA LACTUCA SATIVA LAGERSTROEMIA INDICA	Spotted wilt Spotted wilt Spotted wilt Chlorosis Powdery mildew	<i>Fumago vagans</i> Pers. <i>Cladosporium album</i> Dowson <i>Rhizoctonia crocorum</i> (Pers.) DC. <i>Sclerotium rolfsii</i> Sacc. <i>Pestalozzia guepini</i> Desm. <i>Fumago</i> sp. Physiological Bacterium <i>tumefaciens</i> Smith & Townsend
LATHYRUS ODORATUS LEPACHYS COLUMBIFERA LESPEDEZA STIPULACEA LIGUSTRUM SP.	Sooty mold Leaf mold Violet root rot Southern blight Leaf spot Sooty mold Chlorosis Crown gall	<i>Heterodera marioni</i> (Cornu) Goodey <i>Fusarium</i> sp. Virus <i>Penicillium</i> sp.
LIGUSTRUM AMURENSE LIGUSTRUM LUCIDUM COMPACTUM	Root knot Bud rot Mosaic Scale rot	<i>Alternaria</i> sp. <i>Sclerotium rolfsii</i> Sacc. <i>Phlyctaena linicola</i> Speg. <i>Melampsora lini</i> (Pers.) Lév.
LILITIUM LONGIFLORUM	Boll & leaf spots Damping-off Pasmo Rust Curly top Spotted wilt Curly top	Virus Virus Virus
LINUM USITATISSIMUM		
LOBELIA CARDINALIS LOBELIA INFLATA		

LOBELIA SPICATA	Curly top	Virus
LOBELIA SPLENDENS	Spotted wilt	Virus
LCLIUM MULTIFLORUM	Rust	Puccinia coronata Cda.
LONICERA SP.	Leaf spot	Cercospora antipus Ell. & Holw.
LUPINUS SUBCARNOSUS	Spotted wilt	Virus
LYCOPERSICUM ESCULEN-TUM	Bacterial speck	Bacterium punctulans Bryan
	Buckeye rot	Phytophthora parasitica Dastur
	Bunchy top	Virus
	Catface	Undetermined
	Core rot	Undetermined
	Crown rot & stem canker	Alternaria sp.
	Curly top	Helminthosporium sp.
	Damping-off	Phoma destructiva Plowr.
	Early blight	Virus
	Fern leaf	Pythium sp.
	Filiform leaf	Rhizoctonia sp.
	Fruit mottle	Fusarium sp.
	Fruit pox	Alternaria solani (Ell. & Mart.)
	Fruit rots:	Jones & Grout
	(Smoky rot)	Virus
	(Yellow rot)	Virus
	(Green rot)	Undetermined
	(Botrytis rot)	Undetermined
	Mold	Alternaria sp.
	(Brown mold)	Aspergillus flavus Link (produces perithecia)
	(Pink mold)	Aspergillus flavus Link (produces sclerotia)
	(Myrothecium rot)	Aspergillus luteo-niger (Lutz)
	(Inkspot rot)	Thom & Church
	(Phoma rot)	Aspergillus ochraceus Wilhelm
	(Soft rot)	Aspergillus nidulans (Eidam) Wint
	Sclerotium rot	Aspergillus tamarii Kita
	Black rot	Aspergillus terreus Thom
		Botrytis cinerea Auct.
		Botryosporium pulchrum Cda.
		Chaetomium bostrychodes Zopf
		Fusarium sp.
		Fusarium sp.
		Myrothecium sp.
		Pestalozzia sp.
		Phoma destructiva Plowr.
		Pythium sp.
		Rhizopus nigricans Ehr.
		Sclerotinia minor Jagger
		Thielaviopsis basicola (Berk.) Ferraris
		Vermicularia dematium (Pers.) Fr.

LYCOPERSICUM ESCULENTUM	Leaf roll	Virus ?
	Milky leaf	Undetermined
	Mosaic (Aucuba)	Virus
	Mosaic (crinkle)	Tobacco virus #1
	Mosaic (cucumber)	Virus
	Mosaic (leaf curling)	Virus
	Mosaic (curly)	Virus
	Mosaic (dwarf)	Virus
	Mosaic (yellow)	Virus
	Mosaic (rugose)	Virus
	Nailhead rust	Alternaria tomato (Cke.) (Macrosporium tomato Cke.)
	Puff	Non-parasitic
	Spotted wilt	Virus
	Streak	Virus
	Tip blight	Virus
LYSIMACHIA NUMMULARIA	Yellows	Virus
	Root knot	Heterodera marioni (Cornu) Goodey
	Leaf spot	Heterosporium magnoliae Weedon
	Leaf spot	Alternaria tenuis Nees
	Leaf spot	Epicoccum nigrum Link
	Leaf spot	Exophoma magnoliae Weedon
	Leaf spot	Pestalozzia guepini Desm.
	Leaf spot	Cephaeluros virescens Kze.
	Root knct	Heterodera marioni (Cornu) Goodey
MAGNOLIA GRANDIFLORA	Sooty blotch	Gloeoedodes pomigena (Schw.) A.S. Colby
	Flyspeck	Leptothyrium pomi (Mont. & Fr.) Sacc.
MALVAVISCUS SP.	Twig blight	Sclerotinia sclerotiorum (Lib.) Mass.
MATTHIOLA INCANA	Anthracnose	Colletotrichum gloeosporioides Penz.
MATTHIOLA BICORNIS	Leaf spot	Myrothecium roridum Tode
	Spotted wilt	Virus
	Spotted wilt	Virus
	Downy mildew	Peronospora trifoliorum de Bary
	Leaf spot	Cercospora subsessilis Syd.
	Twig & stem blight	Fusarium lateritium Nees
	Leaf spot	Eutypella stellulata (Fr.) Sacc.
MEDICAGO SATIVA	Anthracnose	Ascochyta meliloti (Trel.) Davis
MELIA AZEDARACH	Leaf spot	Colletotrichum trifolii S.M. Bain
MELECTUS ALBA		Phleospora maculans (Bereng.) Allescher
	Leaf spot	Phleospora maculans (Bereng.) Allescher
	Anthracnose	Racterium mori (Boyer & Lambert) emend. E.F.S.
	Leaf spot	
MORUS SP.	Blight	
MORUS NIGRA		
MORUS RUBRA		

MUSA SP.	Root lesion	<i>Rotylenchus multicinctus</i> (Cobb) Filipjev
NANDINA DOMESTICA	Leaf spot	<i>Gloeosporium</i> sp.
NICOTIANA TABACUM	Mosaic	Virus
NICOTIANA LONGIFLORA	Curly top	Virus
NICOTIANA RUSTICA	Curly top	Virus
ORYZA SATIVA	Black kernel	<i>Curvularia lunata</i> (Wakker) Boedijn <i>Entyloma oryzae</i> H. & P. Syd. <i>Piricularia oryzae</i> Bri. & Cav.
	Leaf smut	
	Rotten neck	
	Dwarf	Virus ?
	Chalky dry rot	Caused by stink bug injury followed by two species of <i>Fusaria</i> identified by C. D. Sherbakoff as <i>F. moniliforme</i> Sheld. and <i>F. semitectum</i> Berk. & Rav.
OXALIS SP.	Rust	<i>Aecidium oxalidis</i> Thüm.
OXALIS CORNICULATA	Curly top	Virus
OXALIS STRICTA	Curly top	Virus
OXALIS VICLACEA	Curly top	Virus
PANICUM CAPILLARIOIDES	Leaf spot	<i>Stagonospora curvula</i> Bomm. & Rous
PAPAVER NUDICAULE	Curly top	Virus
PAPAVER ORIENTALE	Curly top	Virus
PASPALUM DIGITATUM	Head mold	<i>Fusarium</i> sp.
PELARGONIUM SP.	Leaf spot	<i>Alternaria tenuis</i> Nees.
PELARGONIUM DOMESTICUM	Spotted wilt	Virus
PELARGONIUM GRAVEOLENS	Spotted wilt	Virus
PERSEA AMERICANA	Fruit rot	<i>Colletotrichum</i> sp.
	Fruit spot	<i>Cercospora</i> sp.
PHASEOLUS LATIFOLIUS	Curly top	Virus
PHASEOLUS LUNATUS	Ashy stem blight	<i>Macrophomina phaseoli</i> (Maubl.) Ashby
MACROCARPUS	Curly top	Virus
PHASEOLUS VULGARIS	Ashy stem blight	<i>Macrophomina phaseoli</i> (Maubl.) Ashby
	Curly top	Virus
	Halo blight	<i>Bacterium medicaginis</i> (Sackett) E.F.S.
	Leaf spot	<i>Cercospora canescens</i> E. & M.
	Powdery mildew	<i>Erysiphe polygoni</i> DC.
	Meadow nematode	<i>Pratylenchus pratensis</i> (de Man) Filipjev
	Yellow mosaic	Virus
PHILADELPHUS GRANDIFLORUS	Root rot	<i>Phymatotrichum omnivorum</i> (Shear) Dug.
PHOENIX CANARIENSIS	(False smut)	<i>Graphiola phoenicis</i> (Moug.) Poit.
PHYTOLACCA AMERICANA	Root knot	<i>Heterodera marioni</i> (Cornu) Goodey
PHYTOLACCA DECANDRA	Violet root rot	<i>Rhizoctonia crocorum</i> (Pers.) DC.
	Fern-leaf mosaic	Virus
	Mosaic	Virus
PHYSALIS HEDERAECGLIA	Crinkle mosaic	Virus

PICEA ENGHILMANNI	Blight	Pestalozzia sp.
PINUS SP.	Sooty mold	Undetermined
	Twig blight	Macrophoma magnifructa (Pk.) Sacc.
PINUS RESINOSA	Blight	Pestalozzia funerea Desm.
PINUS PALUSTRIS	Rust	Peridermium carneum (Rosc) Seym. & Earle
PINUS TAEDA		Lecanosticta acicola (Thüm.) Syd.
PISUM SATIVUM	Leaf blight	Cladosporium pisi Cu. & Ma.
PLATANUS SP.	Anthracnose	Gnomonia veneta (Sacc. & Speg.) Kleb.
PLUMBAGO SP.		Heterodera marioni (Cornu) Goodey
PCINCIANA GILLIESII	Root knot	Phymatotrichum omnivorum (Shear) Dug.
POLYANTHES TUBEROSA	Leaf spot	Heterodera marioni (Cornu) Goodey
POPULUS SP.	Twig blight	Septoria populi Sacc.
	Leaf spot	Cytospora chrysosperma (Pers.) Fr.
	Canker	Alternaria tenuis Nees.
POPULUS ALBA NIVEA	Root rot	Cytospora chrysosperma (Pers.) Fr.
PRUNUS DOMESTICA	Leaf spot	Phymatotrichum omnivorum (Shear) Dug.
PRUNUS SP.	Chlorosis	Cercospora circumscissa Sacc.
PRUNUS ANGUSTIFOLIA	Limb canker	Physiological
	Brown rot	Bacterium pruni E.F.S.
		Sclerctinia fructicola (Wint.) Rehm
PRUNUS VIRGINIA	Rust	Tranzschelia pruni-spinosae (Pers.) Diet.
		Phymatotrichum omnivorum (Shear) Dug.
PSEUDOTSUGA DOUGLASII	Root rot	Guignardia bidwellii (Ell.) Viala & Ravaz
PYRACANTHA SP.		Botrytis douglasii Tub.
PYRUS COMMUNIS	Leaf spot	Phymatotrichum omnivorum (Shear) Dug.
	Sooty blotch	Entomosporium maculatum Lév.
QUERCUS SP.	Leaf spot	Gloeodes pomigena (Schw.) A. S. Colby
QUERCUS MARilandica		Phomopsis sp.
QUERCUS STELLATA	Twig blight	Hypoderma ilicinum de N.
QUERCUS VIRGINIANA	Root decay	Morencella quercina (Ell. & Mart.) Theissen.
	Die-back	Xylaria sp.
RANUNCULUS FASCICULATIS		Trabutia erythrospora (Berk. & Curt.) Cke.
	Curly top	Coryneum sp.
		Pseudovalsa sigmoidea (Cke. & Ell.) Sacc.
		Virus

RANUNCULUS PUSILLUS	Curly top	Virus
RANUNCULUS SCELERATUS	Curly top	Virus
RHEUM RHAPONTICUM	Oak root rot	<i>Armillaria mellea</i> Vahl. ex Fr.
RHUS VIMINALIS	Root rot	<i>Phymatotrichum omnivorum</i> (Shear) Dug.
RHYNCHOSPORA COMICULATA		
VAR. INTERIOR	Smut	<i>Testicularia cyperi</i> Klotzsch
RIVINA HUMULIS	Violet root rot	<i>Rhizoctonia crocorum</i> (Pers.) DC.
ROSA SP.		<i>Alternaria brassicae</i> (Berk.) Sacc. var. <i>microspora</i> P. Brun.
	Black spot	<i>Diplocarpon rosae</i> Wolf
	Cane canker	<i>Phomopsis incarcerata</i> (Sacc.) Höhn.
	Cane canker	<i>Pestalozzia rosae</i> Westd.
	Cane spot	<i>Sclerotiopsis concava</i> (Desm.) Shear & Dodge
	Crown canker	<i>Diplodia natalensis</i> Pole-Evans
	Crinkle	Virus
	Die-back	<i>Diplodia rosae</i> Berk. & Curt.
	Die-back	<i>Physalospora obtusa</i> (Schw.) Cke. (<i>Sphaeropsis malorum</i> Pk.)
	Hairy root	<i>Phytomonas rhizogenes</i> Riker et al.
	Leaf spot	<i>Mycosphaerella rosicola</i> (Pass.) B. H. Davis
	Leaf spot	<i>Sclerotiopsis lythri</i> (Desm.) Shear & Dodge
	Powdery mildew	<i>Sphaerotheca pannosa</i> (Wallr.) Lév.
	Rust	<i>Phragmidium</i> sp. (not <i>P. americanum</i> nor <i>P. rosae-setigerae</i>)
	Rust	<i>Phragmidium americanum</i> (Pk.) Diet.
	Stem canker	<i>Coniothyrium fuckelii</i> Sacc.
	Streak	Virus
	Twig blight	<i>Botryosphaeria ribis</i> Gross. & Dug.
	Mosaic	Virus
	Black spot	<i>Diplocarpon rosae</i> Wolf
	Rust	<i>Phragmidium rosae-setigerae</i> Diet.
	Double blossom	<i>Fusisporium rubi</i> Wint.
	Die-back	<i>Coniothyrium</i> sp.
	Leaf spot	<i>Septoria</i> sp.
	Scaly blotch	<i>Gloeodes pomigena</i> (Schw.) Colby
	Violet root rot	<i>Rhizoctonia crocorum</i> (Pers.) DC.
ROSA MANETTI	Stem and twig blight	<i>Diplodia salicina</i> Lév.
ROSA BRACTEATA	Twig canker	<i>Diplodia</i> sp.
ROSA SETIGERA	Spotted wilt	Virus
RUBUS SP.	Spotted wilt	Virus
RUBUS TRIVALVIS		
SALIX DISCOLOR	Blight	<i>Pestalozzia funerea</i> Desm.
SAMBUCUS SP.	Twig canker	<i>Cercospora smilacina</i> Sacc.
SCHIZANTHUS PINNATUS	Spotted wilt	<i>Cladosporium</i> sp.
SENECIO CRUENTUS	Spotted wilt	
SEQUOCIA GIGANTEA	Blight	
SMILAX BONA-NOX	Leaf spot	
SOLANDRA GUTTATA	Leaf spot	

SOLANUM CAROLINENSE	Curly top	Virus
SOLANUM MELONGENA	Bunchy top	Virus
	Curly top	Virus
	Sooty mold	Fumago sp.
	Seedling wilt	<i>Pratylenchus pratensis</i> (de Man) Filipjev
	Yellows	Virus
SOLANUM NIGRUM	Curly top	Virus
SOLANUM ROSTRATUM	Curly top	Virus
SOLANUM TUBEROSUM	Black heart	Physiological
	Calico	Virus
	"Haywire"	Virus
	Curly top	Virus
	Interveinal mild mosaic	Virus
	Rugose and crinkle mosaic	Virus
	Spindle tuber	Virus
	Tuber rot	<i>Fusarium sulphureum</i> Schl.
	Curly top	Virus
	Fusarium wilt	<i>Fusarium spinaciae</i> Sherb.
	Rhizoctonia root rot	Rhizoctonia sp.
	White rust	<i>Albugo (Cystopus) occidentalis</i> (Wilson) Sacc. & Trav.
SPINACIA CLERACEA	Leaf spot	<i>Helminthosporium ravenelii</i> Berk. & Curt.
SPOROBOLUS SP.	Leaf spot	<i>Cercospora staticis</i> Lobik <i>Phyllosticta armeriae</i> Allesch.
STATICE SP.		
STATICE DUMOSA	Leaf spot	
STENOTAPHRUM SECUNDA- TUM	Brown patch	Rhizoctonia solani Kühn
	Foot rot	<i>Helminthosporium</i> sp.
TAMARIX ARTICULATA	Root rot	<i>Phymatotrichum omnivorum</i> (Shear) Dug.
THUJA SP.	Chlorosis	Physiological
	Damping-off	<i>Rhizoctonia</i> sp.
	Leaf blight	<i>Macrosporium helminthosporioides</i> (Cda.) Sacc. & Trav.
THYELLA THAMNIFOLIA	Mosaic	Virus
TRAGIA URENS	Stem blight	<i>Sclerotium</i> sp.
TRIFOLIUM AMPHRANTHUM	Rust	<i>Uromyces minor</i> Schroet.
TRIFOLIUM CAROLIN- IANUM	Rust	<i>Uromyces</i> sp.
TRIPSACUM DACTY- LOIDES	Rust	<i>Puccinia polysora</i> Underw.
TRCPAEOLUM MAJUS	Curly top	Virus
TRCPAEOLUM MINUS	Curly top	Virus
TSUGA CANADENSIS	Blight	<i>Pestalozzia funerea</i> Desm.
ULMUS CRASSIFOLIA	Twig blight	<i>Diplodia ulmi</i> Dearness
	Twig blight	<i>Septobasidium</i> sp.

ULMUS PARVIFOLIA	Twig blight	Tubercularia sp. (apparently. Dr. Diehl says "This is a remarkable fungus and not at all typical!")
	Twig blight	Didymosphaeria sp.
VACCINIUM (BATODEN- DRON) ARBOREUM		Sacidium ulmi-gallae Kell. & Sw.
VERNONIA FASCICULATA	Rust	Ophicdothella vaccinii Boyd
VIGNA SINENSIS	Ashy stem blight	Coleosporium vernoniae B. & C.
	Chlrosis	Macrophomina phaseoli (Maubl.)
	Crinkle mosaic	Ashby
VIOLA ODORATA	Stem blight	Physiological
	Curly top	Virus
	Scab	Sclerotium bataticola Taub.
VIOLA TRICOLOR	Curly top	Virus
VIOLA SP.	Leaf spot	Sphaceloma violae Massey & Jenkins
WASHINGTONIA FILIFERA	False smut	Virus
WISTERIA FRUTESCENS	Powdery mildew	Colletotrichum violae-rotundifoliae (Sacc.) Davis
YUCCA	Leaf spot	Grahiola phoenicis (Moug.) Poit.
ZANTEDESCHIA AETHIO- PICA	Spotted wilt	Erysiphe cichoracearum D.C.
ZANTEDESCHIA ALBO- MACULATA	Spotted wilt	Epicoccum asterinum Pat.
ZANTEDESCHIA REH- MANNI	Spotted wilt	Virus
ZEA MAYS	Stalk rot	Virus
	Wilt	Bacterium dissolvens Rosen
		Aplanobacter stewartii (E.F.S.)
		McCull.
	Black bundle	Cephalosporium acremonium Cda.
ZINNIA ELEGANS	Leaf spot	Bacterium sp.
ZINNIA SP.	Stalk rot	Pythium butleri Subramanian
	Root knot	Heterodera marioni (Cornu) Goodey
	Spotted wilt	Virus

4/19/19

AGRICULTURAL REFERENCE DEPARTMENT
CLEMSON COLLEGE LIBRARY

THE PLANT DISEASE REPORTER

Issued by

THE PLANT DISEASE SURVEY, DIVISION OF MYCOLOGY AND DISEASE SURVEY
BUREAU OF PLANT INDUSTRY, UNITED STATES DEPARTMENT OF AGRICULTURE

SUPPLEMENT 136

A SURVEY OF THE GENUS LYCOPERSICON FOR RESISTANCE
TO THE IMPORTANT TOMATO DISEASES OCCURRING IN
OHIO AND INDIANA

June 15, 1942

The Plant Disease Reporter is issued as a service to plant pathologists throughout the United States. It contains reports, summaries of discussions, and comments submitted voluntarily by qualified observers. These reports often are in the form of suggestions, queries, and opinions, frequently purely tentative, offered for consideration or discussion rather than as matters of established fact. In accepting and publishing this material the Division of Mycology and Disease Survey serves merely as an informational clearing house. It does not assume responsibility for the subject matter.

A SURVEY OF THE GENUS LYCOPERSICON FOR RESISTANCE
TO THE IMPORTANT TOMATO DISEASES OCCURRING IN
OHIO AND INDIANA

By L. J. Alexander, Associate, Department of Botany and Plant Pathology, Ohio Agricultural Experiment Station, Wooster, Ohio, Ralph E. Lincoln, Associate in Botany, and Vedder Wright, formerly Assistant in Botany, Indiana Agricultural Experiment Station, Lafayette, Indiana.

Plant Disease Reporter
Supplement 136

June 15, 1942.

During the past several years, the Division of Plant Exploration and Introduction, Bureau of Plant Industry, United States Department of Agriculture, has been making a world-wide collection of the genus Lycopersicon, especially from South and Central America where the genus is thought to be indigenous, in order to obtain new sources of genetic material for improving the domestic tomato. Seed of these introductions has been multiplied and made available to workers in the United States Department of Agriculture and the State experiment stations.

Certain of these introductions have already been used as a source of disease resistance in the development of new varieties of tomatoes; however, they will be most useful only after they have been surveyed for desirable characters under varied conditions. The publication of such surveys should greatly reduce the amount of work and expense involved in tomato breeding programs using these collections.

At the Ohio and Indiana Agricultural Experiment Stations, large numbers of these introductions have been tested for disease reaction in an effort to locate sources of resistant germ plasm for use in tomato breeding programs. Tests have been made for resistance to practically all the important tomato diseases that occur in the North-Central region of the United States. These data are brought together in this paper.

Methods

The 448 tomato introductions tested were received during the period 1935 to 1940. Since the number of seeds received from the original sources was small, usually no tests were made until the seed could be field-multiplied. In saving seed, no attempt was made to select types, but the collection was sampled by saving fruit from each plant in a plot. Since the blossoms were not bagged, a slight amount of crossing may have taken place.

A classification of those plants used for seed multiplication was made on the basis of fruit and leaf characters, and in the tables of this publication, the introductions are grouped on the basis of these characters. Muller (7) divided the genus Lycopersicon into 6 species, and his classification has been followed. Muller also classified a large number of these introductions, and those identified by him as belonging in the group where placed are indicated in the tables by an asterisk.

The species L. esculentum contained a number of different types that were separated as shown in Table 5. In many instances, it was not possible by macroscopic examination to distinguish between certain of the small L. esculentum introductions and L. pimpinellifolium, consequently, a group was included in the L. esculentum types with the heading "probable crosses between L. esculentum and L. pimpinellifolium." It is likely that some of the introductions listed under this heading should be considered as L. pimpinellifolium or small L. esculentum types. The remainder were probably chance crosses between the 2 species.

Seeds of introductions to be tested for resistance to fusarium wilt, (Fusarium bulbigenum var. Lycopersici Wr. & Reinking), were sown in a sand and peat moss mixture. Several isolates of the Fusarium were mixed to make up the inoculum. Plants about 2 weeks old were inoculated by dipping the roots into a spore and mycelial suspension, and were then transplanted into beds or flats. Soil temperatures in the glasshouse were maintained between 75 and 80° F.; and the air temperature as near 70° F. as possible. Disease readings usually were made 5 or 6 weeks after inoculation. Certain lots were transplanted into the field for further observation and the additional data secured combined with those obtained in the greenhouse. Three classes were used to record the data in Ohio: plants with no external symptoms and no discolored vascular tissue on cross section were considered healthy; plants with external symptoms or darkened vascular tissue were listed as diseased; plants dying before notes were taken were listed as dead. In the Indiana data, 2 classes were used: plants not showing external symptoms or discolored vascular tissue at the ground line were considered healthy; all others, diseased.

Leaf mold tests were made by spraying spore suspensions of Cladosporium fulvum Cke. onto potted plants with from 4 to 6 true leaves. The method was essentially that described by Alexander (1,3). Diseased leaves used as a source of inoculum for the "Globelle" strain were collected from northern Ohio, for the "Globe" strain from southern Ohio; in each case the strain was verified by cross-inoculations.

Resistance to septoria leaf blight, Septoria lycopersici Speg., and to alternaria leaf blight, Alternaria solani (Ell. & Mart.) Jones & Grout, was determined by field observations. In addition, certain resistant plants were tested further by artificial inoculations in the glasshouse. Ohio observations were dependent on natural infection. In Indiana, natural infection was supplemented with artificial inoculations in separate field plots. Four classes were used to record resistance to these diseases: Healthy, indicated by (0), showed no visible lesions and no defoliation from disease; Very resistant, (1), showed some small lesions but no defoliation; Moderately resistant, (2), intermediate between very resistant and susceptible and showed some defoliation; Susceptible, (3) appeared to offer little or no resistance. Certain introductions were not uniform for resistance or susceptibility; these are designated as heterogeneous (H). The relative resistance of these classes has been described by Wright and Lincoln (11).

Observations on resistance to common tobacco mosaic virus, Marmara tabaci var. vulgare Holmes, were made in Ohio from natural field infection. In Indiana, artificial inoculations were made on plants 3 weeks

after transplanting from the seed flat. No attempt was made to classify the severity of the disease, and only its presence or absence was recorded. Introductions appearing healthy and free from the virus were designated (0); those susceptible to this virus, (S); introductions not uniform in their reaction were indicated as heterogeneous (H). Plants from certain introductions appeared healthy and were tested for the presence of the virus by the local lesion method on Datura stramonium or Nicotiana glutinosa as described by Price (9). Results of these tests are shown in Table 2.

Tests for resistance to bacterial canker, Phytomonas michiganensis (E.F.S.) Bergey et al., were made during the winter on plants that had been potted 7 to 8 weeks, inoculated by injection of a few drops of an 18 to 24-hour-old nutrient broth culture into the stems with a hypodermic needle. Readings were made 5 weeks afterward. The plants were divided into 3 classes, (1) healthy, (2) living plants showing internal discoloration usually accompanied by wilting and therefore considered diseased, and (3) dead plants.^{1/}

Resistance of the foliage to bacterial spot, Phytomonas vesicatoria (Dodge) Bergey et al., was tested in the greenhouse about 4 weeks after transplanting into flats. Artificial inoculations were made under favorable temperature and humidity conditions. Three ratings were made on the basis of the appearance of the lesions: resistant, indicated by (1), with very small lesions; intermediate, (2), with larger lesions, usually averaging about 1 mm. in diameter and often corky in appearance; and susceptible, (3) with much larger lesions and apparently possessing no resistance.

Tests for bacterial wilt resistance, Phytomonas solanacearum (E.F.S.) Bergey et al., were made on 7 plants from each introduction grown in the glasshouse in flats during the summer of 1940. Inoculations were made by chopping up diseased plants obtained from the field, flooding the flats with this suspension, and then cutting the roots between alternate rows of plants. This inoculation was repeated twice with diseased plants removed from the flat used for inoculum. At the end of the test period live plants were pulled, and the stems split open at the ground line. If the stem was discolored, the plant was considered diseased. Cuttings from healthy plants developed into good plants and matured fruit. Each plant saved was given a 10-plant progeny test in the summer of 1941. In cases where all plants of a given progeny were susceptible, the original plant was considered as an escape.

Results and Discussion

The observations on the resistance of the introductions tested to the various pathogens are given in Tables 1 to 5. The 5 species of Lycopersicon tested are grouped in separate tables.

^{1/} The authors are indebted to R. C. Thomas, Associate, Department of Botany and Plant Pathology, Ohio Agricultural Experiment Station, for making these inoculations and taking the records.

Of the species tested, L. peruvianum apparently offered the highest type of resistance to the diseases studied. It appeared to be particularly valuable as a source of resistance to tobacco mosaic and to leaf mold, being almost uniformly resistant to both. In addition, certain introductions of L. peruvianum were resistant to fusarium wilt, septoria and alternaria leaf blights, and bacterial spot. On the other hand, this species seemed to have little resistance to bacterial canker or bacterial wilt. L. peruvianum is considered rather difficult to hybridize with red-fruited types, but the cross L. pimpinellifolium X L. peruvianum (P.I. 126431) has been made at the Indiana Station, and fertile F₂ seed has been obtained there. Holmes (5) and Virgin (10) obtained fertile crosses between L. peruvianum and red-fruited forms of the domestic species. A cross with L. peruvianum var. humifusum (P. I. 127829) has been attempted several hundred times at both the Ohio and Indiana Stations but as yet has not been successful.

L. hirsutum was tested adequately only for resistance to the defoliation diseases and to tobacco mosaic. The species showed high resistance to these diseases, approaching immunity in many cases. With the exception of the variety glabratum, this species flowered but rarely fruited in the field in Ohio or Indiana. In view of the apparent association between fruitfulness and severity of defoliation in commercial varieties, it might be expected that this resistance was partially due to lateness and non-fruitalness. However, artificial inoculations under conditions of humidity and temperature favorable for disease development indicated that this was not the cause. It is encouraging to note that certain other stations are using L. hirsutum as a source of resistance to leaf defoliation diseases. Locke (6) has published recently on the resistance of segregates of L. hirsutum X L. esculentum crosses to septoria and alternaria leaf blights. An attempt is being made at the Ohio and Indiana Stations to transfer by hybridization the resistance of certain L. hirsutum introductions to commercial types of tomato. Porte et al. (8) have also reported hybridization for this purpose. The authors experienced little difficulty in obtaining fertile hybrids of this species with L. esculentum.

L. glandulosum has not been tested adequately for disease reaction, since it fruits poorly or not at all. For this reason, introductions of the species have not been available for routine testing work. From limited observations, it did not appear to possess any resistance to the diseases studied.

L. pimpinellifolium contained resistance to fusarium wilt and leaf mold. Certain introductions also appeared to have some resistance to septoria, as indicated by small lesion size and delayed and reduced sporulation. Several of the introductions, although susceptible to the tobacco mosaic virus, showed very mild symptoms of the disease. L. pimpinellifolium is red-fruited, readily hybridizes with varieties of the domestic species, and has been used widely as a source of disease resistance. Since Bohn and Tucker (4) reported P.I. 79532 to be "immune" from fusarium wilt, it has been used widely as the source of wilt-resistance in several breeding programs. The Ohio data indicated that the resistance of this introduction has not been maintained to the Ohio strains of Fusarium. A comparison of the Ohio and Indiana data shows

that although in general the resistance of an introduction is the same in the 2 areas, an outstanding exception to this generalization occurred in P.I. 79532. This species has been used by Alexander (1) as a source of leaf-mold-resistance in the glasshouse tomato. Some of the introductions appear to be homozygous for resistance to both the known strains of this organism.

L. esculentum, with certain exceptions, namely P.I. 126914, 126915, 126950, 128621, 129027, 129029, 129165, and 126156, contained little of value to a disease-resistance breeding program. The exceptions were wilt-resistant and may be valuable for this character. Certain other introductions may have a slight degree of resistance to septoria leaf blight as evidenced by somewhat less defoliation. However, Alexander (2) tested 130 commercial varieties of this species under controlled conditions without finding evidence of resistance.

Tests were made to determine resistance to ripe fruit rot caused by Colletotrichum phoenoides (Sacc.) Chester. Wide differences were indicated by the incidence of fruit rot in the field. *L. esculentum*, P.I. 129123 and 129125, are known to be extremely susceptible. At the Indiana Station during the summer of 1941, more than 50% of the fruits of these introductions had one or more lesions, but there was less than 5% infection on fruit of most other introductions and of commercial varieties. These 2 introductions may have value as susceptible checks in a breeding program. Attempts also were made to determine resistance by artificial inoculation. Because of the fleshy, perishable nature of a tomato fruit, this proved a difficult task. Nevertheless, there were marked differences in the rate at which fruits broke down and in the rate of increase of lesion size. Fruit size is a variable which has not been satisfactorily analyzed in its relation to resistance. The species *L. esculentum* and *L. pimpinellifolium* P.I. 117897, 123538, 124165, 126417, 126934, 126939, 128227, 128233, 128237, 128446, 128623, 129054, 129065, 129119, and 129932 appeared to possess resistance, as indicated by rapidity of fruit breakdown and rate of increase in lesion size. Much more work needs to be done to locate resistance to this disease, but it is believed that marked differences in resistance are present in the collection.

Fruit cracking is important in influencing the amount of loss by fruit rot, as well as in decreasing the commercial value of the fruit. It was observed that some introductions typically cracked radially, while others cracked concentrically. The species *L. esculentum* P.I. 118327, 125831, 126412, 126452, and 126815 appeared to be extremely susceptible and to have value as susceptible check material. During the summer of 1941 *L. esculentum* and *L. pimpinellifolium* P.I. 91458, 92864, 92865, 93302, 118407, 118611, 120267, 124139, 126929, 126946, 127795, 129108, 129109, 129110, 129119, 129120, and 129831 produced practically no cracked fruit even though allowed to hang to extreme maturity. Certain of these introductions were under observation for more than one season and may be considered to have some degree of resistance to cracking.

An observation regarding possible resistance of *L. hirsutum* var. *glabratum* P.I. 134417 to red spider is of interest and probably worth recording. This introduction showed no injury during a red spider infestation that killed *L. glandulosum* P.I. 126435, 126439, and 126949, and essentially defoliated *L. peruvianum* P.I. 126926, 126928, 126929, 126945,

and 127829, and several introductions each of L. pimpinellifolium and L. esculentum. Some red spiders were observed on the leaves of P.I. 134417, but, since the foliage of plants of this introduction was intermingled with the foliage of plants of severely infested introductions, it is not known whether these individuals had become established or were migrants. The other L. hirsutum introductions, 126445, 126446, and 126936, also appeared to possess some resistance.

The survey reported here shows that resistance to practically all the important tomato diseases occurs in the genus Lycopersicon. It is reasonable to expect that in time, such resistance can be transferred to commercial tomato varieties, since representatives of most of the wild species possessing resistance have been crossed with varieties of the domestic species.

Since most crosses between the green-fruited species, L. peruvianum, L. hirsutum, and L. glandulosum, and the red-fruited species, L. esculentum and L. pimpinellifolium, are obtained with more or less difficulty, certain techniques may prove of value in transferring the genes for disease resistance to commercial types. Crosses have been obtained between red-fruited species and both L. hirsutum and L. peruvianum. Additional crosses with introductions of the green-fruited species might be obtained more easily if segregates from the crosses already obtained were used instead of some of the standard varieties of L. esculentum. Segregates from this "bridging-cross" might then be expected to cross more readily with commercial varieties. Also, consideration might be given to the feasibility of crossing 2 desirable introductions of a given species, obtaining a segregate that combined the desired features of both parents, then putting all the effort necessary into obtaining the cross of this segregate with commercial types.

Because of host and parasite variation, a given introduction might show a different reaction to a specific organism from that reported in this survey in some cases. Some introductions used in this study were observed to be heterogeneous for disease reaction; consequently, it is possible that with subsequent seed multiplication, different genotypes may appear. However, since the tomato is largely self-pollinated, this source of variation should be small. The pathogens also may vary in different localities. An example of pathogenic variation is indicated by the differences in the results obtained from the Ohio and Indiana fusarium-wilt tests. It is to be expected that pathogenic variation will be found in other organisms as well, since the discovery of resistant plants furnishes a differential host on which variants may develop and be selected.

Summary

1. Four hundred forty-eight tomato introductions of the Division of Plant Exploration and Introduction, Bureau of Plant Industry, United States Department of Agriculture, have been tested for their reaction to most of the important tomato diseases occurring in the North-Central region of the United States, and have been classified according to their resistance or susceptibility.

2. The introductions included 5 species of the genus Lycopersicon.
3. In some species high resistance was found to fusarium wilt, leaf mold, septoria and alternaria leaf blights, common tobacco mosaic, and bacterial spot. Resistance to ripe fruit rot caused by Colletotrichum was indicated. No marked resistance was found to bacterial canker and bacterial wilt.
4. Wide differences in the severity of cracking of red-fruited introductions were observed.
5. What appeared to be resistance to red spider was observed in one species.

LITERATURE CITED

1. Alexander, L. J. Leaf mold resistance in the tomato. Ohio Agr. Exp. Sta. Bul. 539. 1934.
2. _____ Survey of tomato varieties for resistance to septoria leaf spot. Ohio Agr. Exp. Sta. Ann. Rep., Bul. 548: 32-33. 1935.
3. _____ A new strain of the leaf mold fungus, Cladosporium fulvum. (Abst.) Phytopath. 30: 1. 1940.
4. Bohn, G. W., and C. W. Tucker. Studies on fusarium wilt of the tomato. I. Immunity in Lycopersicon pimpinellifolium Mill. and its inheritance in hybrids. Missouri Agr. Exp. Sta. Res. Bul. 311. 1940.
5. Holmes, F. O. The Chilean tomato, Lycopersicon chilense, as a possible source of disease resistance. Phytopath. 29: 215-216. 1939.
6. Locke, S. B. Resistance in South American Lycopersicon species to early blight and septoria blight. (Abst.) Phytopath. 32:12. 1942.
7. Muller, Cornelius H. A revision of the genus Lycopersicon. U. S. Dept. Agr. Misc. Pub. 382. 1940.
8. Porte, W. S., S. P. Doolittle, and F. L. Wellman. Hybridization of a mosaic-tolerant, wilt-resistant Lycopersicon hirsutum with Lycopersicon esculentum. Phytopath. 29: 757-759. 1939.
9. Price, W. C. Local lesions on bean leaves inoculated with tobacco mosaic virus. Amer. Journ. Bot. 17: 694-702. 1930.
10. Virgin, W. J. The Chilean tomato, Lycopersicon chilense, found resistant to curly top. Phytopath. 30: 280. 1940.
11. Wright, Vedder, and R. E. Lincoln. Resistance to defoliation diseases in tomato. Purdue Univ. Agr. Exp. Sta. Ann. Rep. 53 (1940): 42-43. 1940.

Table 1. Disease resistance of introductions of the species
Lycopersicon peruvianum

P.I.	FUSARIUM WILT						LEAF MILD					
	Ohio		Indiana		Globe Strain		Gloocelle Strain		Res.		Flock	
	Healthy	Dis.	Dead	Test	Healthy	Res.	Fleck	Susc.	Res.	Flock	Susc.	
:	No.	No.	No.	No.	Pct.	No.	No.	No.	No.	No.	No.	No.
:	:	:	:	:	:	:	:	:	:	:	:	:
126431*:	1	0	8	:	:	:	:	:	10	0	0	0
126926*:	1	0	13	:	:	25	0	0	34	0	0	ob/
126928*:	14	2	0	:	:	:	:	:	7	0	0	3
126929*:	0	2	14	10	80	:	:	:	0	0	0	10
126930*:	0	0	3	8	100	:	:	:	10	0	0	0
126944*:	4	0	10	:	:	24	1	0	31	6	0	ob/
126945*:	1	0	15	:	:	20	5	0	26	11	0	ob/
126946*:	1	0	11	7	71	25	0	0	31	0	0	ob/
128656*:	40	1	1b/	:	:	:	:	:	5	0	0	0

Variety dentatum

126935*:	:	:	:	:	:	:	:	:	4	1	1	0
127830*:	0	2	1	8	50	14	0	0	21	0	0	0
127831*:	2	0	1	12	0	:	:	:	2	7	0	9b/
127832*:	15	1	0	:	:	:	:	:	8	0	0	0
128645*:	19	1	2b/	:	:	25	0	0	33	0	0	ob/
128646*:	41	4	3b/	:	:	24	0	0	35	0	0	ob/
128647*:	54	1	1b/	:	:	23	0	1	29	0	0	6b/
128648*:	33	17	5b/	:	:	24	0	0	23	0	0	ob/
128652*:	55	0	ob/	:	:	:	:	:	0	0	0	10
128654*:	43	13	ob/	:	:	25	0	0	34	0	0	ob/
128655*:	48	4	3b/	:	:	:	:	:	9	1	0	0
128660*:	:	:	:	:	:	:	:	:	:	:	:	:
128661*:	:	:	:	:	:	:	:	:	:	:	:	:
128663*:	:	:	:	:	:	:	:	:	:	:	:	:
129021*:	:	:	:	:	:	:	:	:	:	:	:	:

Variety humifusum

127829*:	18	20	1b/	17	88b/	25	0	0	34	0	0	ob/
----------	----	----	-----	----	------	----	---	---	----	---	---	-----

* Introduction classified by Muller (7).

a/ Listed by Muller as *L. esculentum* var. *cerasiforme*. Obviously seed has been mixed.

b/ Indicates summation of more than one test.

Table 1. Disease resistance of introductions of the species
Lycopersicon peruvianum (Cont.)

P.I.	SEPTORIA		ALTERNARIA		TOBACCO		BACTERIAL		CANKER		BAG-		FACTELIAL	
	LEAF SPOT	SPOT	LEAF SPOT	MOSAIC	IND.	IND.	IND.	IND.	IND.	IND.	IND.	IND.	IND.	IND.
Number	Ohio	Ind.	Ohio	Ind.	Ohio	Ind.	Healthy	Dis.	Dead	SPOT	SPOT	SPOT	SPOT	SPOT
	Rank ^c	No.	No.	No.	Rank ^c	Rank ^c	Rank ^c	Rank ^c	Pct.					
126431*	:	3	:	3	:	0	0	5	0	1	:	0	:	0
126926*	2	3	1	H	0	0	1	0	3	2	:	:	:	0
126928*	H	2	:	2	S	S	0	4	1	:	:	0	:	0
126929*	:	2	:	H	:	0	:	:	:	1	:	1	:	0
126930*	1	S	:	H	0	H	0	3	0	1	:	0	:	0
126944*	2	3	:	H	S	S	0	0	5	3	:	3	:	0
126945*	2	H	:	3	H	O	0	3	2	3	:	3	:	0
126946*	1	H	:	H	O	O	0	5	0	3	:	3	:	0
128656*	2	:	2	S	:	0	0	2	1	:	:	:	:	0

Variety dentatum

126935*	3	:	:	:	0	:	0	5	0	:	:	:	:	0
127830*	0	3	1	2	0	0	0	4	2	:	:	:	:	0
127831*	2	3	1	3	S	S	0	1	4	:	:	14	:	0
127832*	2	3	1	3	S	S	0	5	5b/	3	:	:	:	0
128645*	2	:	2	:	S	:	0	3	2	:	:	:	:	0
128646*	2	:	1	:	S?	:	0	1	1	:	:	:	:	0
128647*	1	:	1	:	S?	:	:	:	:	:	:	:	:	0
128648*	1	:	1	:	S	:	0	4	1	:	:	:	:	0
128652*	1	:	1	:	S?	:	0	1	2	:	:	:	:	0
128654	0	:	1	:	H	:	0	1	4	:	:	:	:	0
128655*	2	:	:	:	S	:	0	0	4	:	:	:	:	0
128660*	2	:	:	:	S	:	:	:	:	:	:	:	:	0
128661*	1	:	1	:	S	:	:	:	:	:	:	:	:	0
128663*	2	:	:	:	S	:	:	:	:	:	:	:	:	0
129021a	1	:	1	:	S	:	:	:	:	:	:	:	:	0

Variety humifusum

127829*	0	:	1	0	1	S	S	0	2	0	3	:	:	0
---------	---	---	---	---	---	---	---	---	---	---	---	---	---	---

c/ Ranked for resistance. 0 = healthy; 3 = susceptibility; H = heterogenous.

d/ Ranked for resistance. 0 = healthy; S = susceptibility; H = heterogenous.

Table 2. Disease resistance of introductions of the species
Lycopersicon hirsutum

P.I.	FUSARIUM WILT					LEAF MOLD					
	Ohio	Indiana	Globe Strain	Globelle Strain							
Number	Healthy	Dis.	Dead	Tested	Healthy	Res.	Fleck	Susc.	Res.	Fleck	Susc.
	No.	No.	No.	No.	No.	Pct.	No.	No.	No.	No.	No.
126445*	:	:	:	20	100	:	:	:	:	:	:
126446*	:	:	:	5	100	:	:	:	:	:	:
126447*	:	:	:	2	100	:	:	:	:	:	:
126449*	:	:	:	:	:	:	:	:	:	:	:
126936*	2	4	10	:	:	:	:	:	:	:	:
127826	:	:	:	:	:	:	:	:	:	:	:
127827*	:	:	:	:	:	:	:	:	:	:	:

Variety glabratum

129157*	:	:	:	:	:	:	:	:	:	:	:
134417	0	9	5	:	:	0	0	25	0	0	35 ^b /
134418	:	:	:	:	:	:	:	:	:	:	:

Table 3. Disease resistance of introductions of the species
Lycopersicon glandulosum

P.I.	FUSARIUM WILT					LEAF MOLD					
	Ohio	Indiana	Globe Strain	Globelle Strain							
Number	Healthy	Dis.	Dead	Tested	Healthy	Res.	Fleck	Susc.	Res.	Fleck	Susc.
	No.	No.	No.	No.	No.	Pct.	No.	No.	No.	No.	No.
126434*	:	:	:	:	:	:	:	:	:	:	:
126435*	:	:	:	:	:	:	:	:	:	:	:
126438*	:	:	:	:	:	:	:	:	:	:	:
126439*	:	:	:	:	:	:	:	:	:	:	:
126440*	:	:	:	:	:	:	:	:	:	:	:
126441*	:	:	:	:	:	:	:	:	:	:	:
126443*	:	:	:	:	:	:	:	:	:	:	:
126448*	:	:	:	:	:	:	:	:	:	:	:
126450*	:	:	:	:	:	:	:	:	:	:	:
126949*	:	:	:	:	:	:	:	:	:	:	:

* Introductions classified by Muller (7).

a/ Tested for presence of virus by local lesions method, Price (9).

b/ Indicates summation of more than 1 test.

Table 2. Disease resistance of introductions of the species
Lycopersicon hirsutum (Cont.)

P.I.	:SEPTORIA	:ALTERNARIA	:TOBACCO	:BACTERIAL CANKER	:BAC-	:BACTERIAL				
Number	:Chio	:Ind.	:Ohio	:Ind.	:Healthy	:Dis.	:Dead	:SPOT	:TERIAL:	WILT
	:Rank ^c	No.	:No.	:No.	:Rank ^c	:Pct.				
126445*	:	1	:	0	:	2	:	0	/oa	:
126446*	:	1	:	1	:	2	:	0	/oa	:
126447*	:	1	:	1	:	2	:	0	:	1
126449*	:	1	:	1	:	2	:	0	:	:
126936*	:	1	:	1	:	2	:	0	:	:
127826	:	0	:	:	1	:	0	:	:	:
127827*	:	0	:	:	:	0	:	:	:	:

Variety glabratum

129157*	:	1	:	:	-C	:	:	S	:	:	:
134417	:	1	:	:	0	:	:	S	:	S	0
134418	:	1	:	:	0	:	:	S	:	S	0:4

Table 3. Disease resistance of foreign introductions of the species Lycopersicon glandulosum (Cont.)

P.I.	:SEPTORIA	:ALTERNARIA	:TOBACCO	:BACTERIAL CANKER	:BAC-	:BACTERIAL				
Number	:Chio	:Ind.	:Ohio	:Ind.	:Healthy	:Dis.	:Dead	:SPOT	:TERIAL:	WILT
	:Rank ^c	No.	:No.	:No.	:Rank ^c	:Pct.				
126434*	:	:	2	:	2	:	:	:	:	:
126435*	:	2	:	:	H	:	:	:	:	:
126438*	:	3	:	:	3	:	:	:	:	:
126439*	:	3	:	:	1	:	:	:	:	:
126440*	:	2	:	:	3	:	:	:	:	:
126441*	:	H	:	:	2	:	:	:	:	:
126443*	1	:	2	:	1	:	H	S	:	:
126448*	1	:	1	:	1	:	2	S	:	:
126450*	:	3	:	:	H	:	:	:	:	:
126949*	:	3	:	:	2	:	0	:	:	2

c/ Ranked for resistance. 0 = healthy; 3 = susceptibility; H = heterogeneous.

d/ Ranked for resistance. 0 = healthy; S = susceptibility; H = heterogeneous.

Table 4. Disease resistance of introductions of
the species Lycopersicon pimpinellifolium

P.I.	FUSARIUM WILT						LEAF MOLD					
	Ohio		Indiana		Globe Strain		Globelle Strain		Ohio		Indiana	
Number	Healthy	Dis.	Dead	Tested	Healthy	Res.	Fleck	Susc.	Res.	Fleck	Susc.	
	No.	No.	No.	No.	Pct.	No.	No.	No.	No.	No.	No.	No.
79532	25	:	15	: 0b/	48	:	100b/	25	0	0	32	3
108245	0	:	0	: 13	:	:	:	:	0	0	0	10
112215	0	:	0	: 15	:	:	25	0	0	34	0	0b/
118403	0	:	1	: 15	:	:	:	:	0	0	0	10
118409	0	:	0	: 15	:	:	:	:	0	0	0	9
118784	2	:	2	: 12	:	:	:	:	:	:	:	:
126433*	0	:	0	: 14	:	:	23	1	0	0	19	6
126436*	2	:	5	: 9	:	3	33	:	:	5	5	0
126437*	0	:	1	: 13	:	8	50	:	:	0	0	10
126923*	25	:	21	: 9b/	38	:	87b/	:	:	2	4	4
126924*	0	:	1	: 13	:	:	:	:	0	0	0	10
126925*	1	:	3	: 12	:	:	:	:	7	0	0	3
126927*	0	:	1	: 14	:	:	:	:	0	9	0	
126932*	2	:	5	: 5	:	:	:	:	0	1	5	
126934*	6	:	0	: 10	:	:	:	:	5	0	0	2
126937*	14	:	7	: 9b/	:	:	:	:	0	0	0	7
126938*	0	:	4	: 12	:	:	25	0	0	7	25	0b/
126939*	5	:	6	: 5	:	:	25	0	0	24	2	8b/
126941*	8	:	3	: 4	:	:	:	:	0	0	0	7
126947*	20	:	5	: 6b/	:	:	:	:	0	9	0	
126948*	13	:	12	: 2b/	:	:	:	:	3	3	0	
126949a/	0	:	1	: 15	:	:	:	:	0	0	0	10
126951*	22	:	6	: 1b/	:	:	:	:	0	5	5	
126952*	20	:	5	: 6b/	:	:	:	:	2	0	0	7
126953*	3	:	4	: 3	:	:	:	:	3	0	0	7
126954*	5	:	1	: 4	:	:	:	:	8	0	0	4
127805*	7	:	3	: 6	:	18	95b/	:	1	0	0	9
127806*	40	:	0	: 0b/	8	:	100	:	4	1	1	5
127807*	38	:	2	: 0b/	8	:	100	:	1	0	0	9
127833*	0	:	1	: 1	:	49	95b/	:	0	0	0	5
128194	0	:	3	: 10	:	:	:	:	0	0	0	10
129105	0	:	0	: 10	:	:	:	:	:	:	:	
129108	0	:	4	: 10	:	:	:	:	:	:	:	
129143	0	:	0	: 15	:	:	:	:	0	2	2	8
133542	2	:	0	: 10	:	:	:	:	0	0	0	10

* Introductions identified by Muller (7).

a/Identified by Muller as L. glandulosum. Obviously a mixture.

b/Summation of more than 1 test.

Table 4. Disease resistance of introductions of the species
Lycopersicon pimpinellifolium (Cont.)

Number	:SEPTORIA		:ALTERNARIA		:TOBACCO		:BACTERIAL CANKER		:BAC-		:BACTERIAL	
	P.I.	:LEAF SPOT	LFAF SPCT	: Ohio	Ind.	: Ohio	Ind.	: Healthy	Dis.	: Dead	: SPOT	: MILT
	:Rank ^c	:Rank ^c	:Rank ^c	:Rank ^c	:Rank ^d	:Rank ^d	No.	: No.	: No.	: Rank ^c	: Pct.	
79532 :	:	:	:	:	:	S	2	:	2	0	2	:
108245 :	:	3	:	3	:	:	2	:	3	0	:	:
112215 :	:	:	:	:	:	:	1	:	4	0	:	:
118403 :	:	:	:	:	:	:	0	:	3	2	:	:
118409 :	:	:	:	:	:	:	0	:	5	0	:	:
118784 :	:	:	:	:	:	:	:	:	:	:	:	:
126433*:	:	2	:	2	:	S	2	:	2	0	3	:
126436*:	:	3	:	3	:	S	0	:	4	0	3	:
126437*:	:	3	:	3	:	S	0	:	4	1	3	:
126923*:	:	2	:	3	:	S	2	:	2	0	1	:
126924*:	:	2	:	3	:	S	1	:	4	0	2	:
126925*:	:	2	:	3	:	S	3	:	2	0	:	0
126927*:	:	3	:	3	:	S	1	:	3	0	3	:
126932*:	:	3	:	:	:	S	0	:	3	2	2	:
126934*:	:	3	:	3	:	S	1	:	2	2	2	:
126937*:	:	3	:	3	:	S	0	:	3	2	3	:
126938*:	:	3	:	3	:	S	0	:	3	1	1	:
126939*:	:	3	:	3	:	S	0	:	5	0	1	:
126941*:	:	3	:	3	:	S	0	:	5	0	3	:
126947*:	:	2	:	3	:	S	2	:	3	0	3	:
126948*:	:	2	:	3	:	S	0	:	5	0	1	:
126949 :	:	:	:	:	:	:	3	:	1	1	:	:
126951*:	:	3	:	3	:	S	0	:	4	0	2	:
126952*:	:	3	:	3	:	S	0	:	3	2	1	:
126953*:	:	3	:	3	:	S	0	:	5	0	3	:
126954*:	:	3	:	3	:	S	0	:	4	0	3	:
127805*:	1	2	:	3	:	S	S	0	0	3	:	14
127806*:	1	2	:	3	:	S	S	1	4	0	:	0
127807*:	1	2	:	3	:	S	S	1	3	1	2	:
127833*:	2	3	:	3	:	S	S	1	3	1	3	:
128194 :	2	:	:	:	:	S	:	:	:	:	:	:
129105 :	2	:	:	:	:	S	:	:	:	:	:	:
129108 :	2	:	:	:	:	S	:	:	:	:	:	:
129143 :	2	:	:	:	0	:	1	:	3	0	:	:
133542 :	2	2	:	:	S	S	0	:	4	1	3	:

^c/ Ranked for resistance. 0 = healthy; 3 = susceptibility; H = heterogeneous.

^d/ Ranked for resistance. 0 = healthy; S = susceptibility; H = heterogeneous.

Table 5. Disease resistance of introductions of the species
Lycopersicon esculentum grouped according to
horticultural types

P.I.	FUSARIUM WILT						LEAF MOLD					
	Ohio			Indiana			Globe Strain			Globelle Strain		
	Healthy	Dis.	Dead	Tested	Healthy	Res.	Fleck	Susc.	Res.	Fleck	Susc.	
Number	No.	No.	No.	No.	No.	Pct.	No.	No.	No.	No.	No.	No.
Cerasiforme type												
91458	:	:	:	:	125	:	42b/	:	:	:	:	:
92855	:	:	:	:	:	:	:	:	:	:	:	:
95588	:	:	:	:	:	:	:	:	:	:	:	:
126417*	1	2	11	16	24b/	:	:	:	:	:	:	:
126418*	0	4	9	:	:	:	:	:	:	:	:	:
126419*	0	6	10	14	38b/	:	:	:	:	:	:	:
126425*	1	4	9	:	:	:	:	:	0	0	0	10
126426*	0	0	15	:	:	:	:	:	:	:	:	:
126427*	0	0	14	8	0	:	:	:	:	:	:	:
126428*	0	1	9	8	0	:	:	:	:	:	:	:
126429*	0	0	5	8	0	:	:	:	:	:	:	:
126942*	1	6	7	:	:	:	:	:	0	0	0	5
126950*	34	4	1 ^{b/}	:	:	:	:	:	1	0	0	9
127814*	0	4	10	:	:	:	:	:	:	:	:	:
128596*	1	8	4	:	:	:	:	:	:	:	:	:
129027*	13	1	0	:	:	:	:	:	0	9	0	0
129111	0	1	16	:	:	:	:	:	:	:	:	:
129112*	1	4	7	:	:	:	:	:	:	:	:	:
129146 ^{a/}	11	9	5 ^{b/}	:	:	:	:	:	:	:	:	:
129156*	12	3	0	:	:	:	:	:	7	0	0	0
Pyriforme type												
92861	:	:	:	6	83	:	:	:	:	:	:	:
92864	:	:	:	21	0	:	:	:	:	:	:	:
92865	:	:	:	:	:	:	:	:	:	:	:	:
92866	:	:	:	5	40	:	:	:	:	:	:	:
93302	:	:	:	21	24	:	:	:	:	:	:	:
95558	:	:	:	:	:	:	:	:	:	:	:	:
108246	0	3	13	:	:	:	:	:	:	:	:	:
126420*	0	4	10	12	17b/	:	:	:	:	:	:	:
126452*	0	0	14	:	:	:	:	:	:	:	:	:

* Introductions identified by Muller (7).

^{a/}Identified by Muller as L. peruvianum. Obviously a mixture.

^{b/}Indicates summation of more than one test.

Table 5. Disease resistance of foreign introductions of the species Lycopersicon esculentum grouped according to horticultural types (Cont.)

P.I.	SEPTORIA	ALTERNARIA	TOBACCO	BACTERIAL CANKER	BAC-	BACTERIAL					
	LEAF SPOT	LEAF SPOT	MOSAIC		TERIAL:	WILT					
Number	Ohio	Ind.	Ohio	Ind.	Healthy	Dis.	Dead	SPOT	Healthy		
	: Rank ^c	: Rank ^c	: Rank ^c	: Rank ^d	: Rank ^d	No.	No.	No.	Rank ^c		
	:	:	:	:	:				:		
						Cerasiforme type					
91458	:	:	3	:	3	:	S	:	3	:	0
92855	:	:	3	:	3	:	S	:	3	:	0
95588	:	:	3	:	3	:	S	:	3	:	14
126417*	:	:	3	:	3	:	S	:	3	:	0
126418*	:	:	:	:	:	:	:	:	:	:	:
126419*	:	3	:	3	:	S	1	4	0	2	:
126425*	:	:	:	:	:	:	:	:	:	:	:
126426*	:	:	:	:	:	:	:	:	:	:	:
126427*	:	3	:	3	:	S	:	:	:	2	:
126428*	:	3	:	3	:	S	:	:	:	2	:
126429*	:	3	:	3	:	:	:	:	:	2	:
126942*	:	3	:	3	:	S	0	5	0	3	:
126950*	:	3	:	3	:	S	0	4	1	1	14
127814*	2	:	:	:	S	:	:	:	:	:	:
128596*	3	:	:	:	S	:	:	:	:	:	:
129027*	3	:	:	:	S	:	0	2	3	:	:
129111	3	:	:	:	S	:	:	:	:	:	:
129112*	3	:	:	:	S	:	:	:	:	:	:
129140 ^{a/}	3	:	:	:	S	:	:	:	:	:	:
129156*	2	:	:	:	S	:	:	:	:	:	:
						Pyriforme type					
92861	:	3	:	3	:	S	:	:	3	:	:
92864	:	3	:	3	:	S	:	:	3	:	:
92865	:	3	:	3	:	S	:	:	3	:	:
92866	:	3	:	3	:	S	:	:	3	:	0
93302	:	3	:	3	:	S	:	:	3	:	:
95558	:	3	:	3	:	S	:	:	3	:	0
108246	:	:	:	:	:	:	:	:	:	:	:
126420*	:	3	:	3	:	S	:	:	3	:	0
126452*	:	3	:	3	:	S	:	:	3	:	0

c/ Ranked for resistance. 0 = healthy; 3 = susceptibility; H = heterogeneous.

d/ Ranked for resistance. O = healthy; S = susceptibility; H = heterogeneous.

Table 5 (Cont.)

P.I. Number	FUSARIUM WILT				LEAF MOLD							
	Ohio		Indiana		Globe Strain		Globelle Strain					
	Healthy	Dis.	Dead	Tested	Healthy	Res.	Fleck	Susc.	Res.	Fleck	Susc.	
	No.	No.	No.	No.	Pct.	No.	No.	No.	No.	No.	No.	
San Marzano type												
117564 :	0	:	1	: 14	:	:	:	:	:	:	:	:
118324 :	0	:	0	: 15	:	:	:	:	:	:	:	:
124581 :	0	:	2	: 12	:	:	:	:	:	:	:	:
127810 :	0	:	2	: 14	:	:	:	:	:	:	:	:
128635 :	0	:	1	: 15	:	:	:	:	:	:	:	:
128636 :	0	:	4	: 12	:	:	:	:	:	:	:	:
128637 :	0	:	2	: 14	:	:	:	:	0	: 0	:	10
129044 :	0	:	0	: 14	:	:	:	:	:	:	:	:
129051 :	0	:	1	: 14	:	:	:	:	:	:	:	:
131880 :	0	:	0	: 16	:	:	:	:	:	:	:	:
131881 :	0	:	1	: 31 ^{b/}	5	: 20	:	:	0	: 0	:	10
Small-sized smooth red type												
92356 :	:	:	:	:	:	:	:	:	:	:	:	:
100697 :	:	:	:	:	:	:	:	:	:	:	:	:
102707 :	:	:	:	:	:	:	:	:	:	:	:	:
102719 :	:	:	:	19	:	16	:	:	:	:	:	:
106997 :	0	:	0	: 16	:	:	:	:	:	:	:	:
116047 :	0	:	0	: 13	:	:	:	:	:	:	:	:
117566 :	0	:	3	: 12	:	:	:	:	:	:	:	:
117567 :	1	:	1	: 13	:	:	:	:	:	:	:	:
117897 :	3	:	3	: 8	:	:	:	:	:	:	:	:
117898 :	3	:	1	: 11	:	:	:	:	:	:	:	:
117399 :	0	:	2	: 13	:	:	:	:	:	:	:	:
118407 :	0	:	0	: 15	:	:	:	:	:	:	:	:
118611 :	0	:	1	: 14	:	:	:	:	:	:	:	:
118778 :	1	:	2	: 12	:	:	:	:	:	:	:	:
118782 :	0	:	0	: 15	:	:	:	:	:	:	:	:
118785 :	0	:	2	: 13	:	:	:	:	:	:	:	:
118790 :	0	:	0	: 15	:	:	:	:	:	:	:	:
120275 :	0	:	4	: 26	:	:	:	:	:	:	:	:
121438 :	0	:	3	: 12	:	:	:	:	:	:	:	:
123436 :	0	:	1	: 13	:	:	:	:	:	:	:	:
123538 :	1	:	2	: 11	:	:	:	:	:	:	:	:
124133 :	1	:	1	: 12	:	:	:	:	:	:	:	:
125830 :	0	:	4	: 10	28	:	7 ^{b/}	:	:	:	:	:
126409*:	1	:	3	: 10	32	:	22 ^{b/}	:	:	:	:	:
126410*:	0	:	2	: 12	25	:	8 ^{b/}	:	:	:	:	:
126411*:	0	:	2	: 12	9	:	22	:	:	:	:	:
126423*:	0	:	2	: 12	8	:	12	:	:	:	:	:

* Introductions identified by Muller (7).

b/ Summation of more than one test.

Table 5. (Cont.)

P.I.	Number	SEPTORIA LEAF SPOT	ALTERNARIA LEAF SPOT	TOBACCO MOSAIC	BACTERIAL CANKER	BAC- TERIAL SPOT	BACTERIAL WILT		
		Rank ^c	Rank ^c	Rank ^c	Rank ^c	No.	No.	Rank ^c	Pct.
San Marzano type									
117564	:	:	:	:	:	:	:	:	:
118324	:	:	:	:	:	:	:	:	:
124581	:	:	:	:	:	:	:	:	:
127810	:	3	:	:	S	:	:	:	:
128635	:	3	:	:	S	:	:	:	:
128636	:	3	:	:	S	:	:	:	:
128637	:	3	:	:	S	:	0	5	0
129044	:	3	:	:	S	:	:	:	:
129051	:	3	:	:	S	:	:	:	:
131880	:	3	:	:	S	S	:	:	3
131881	:	3	:	:	S	S	C	4	0
Small-sized smooth red type									
92356	:	:	3	:	3	:	S	:	3
100697	:	:	3	:	3	:	S	:	3
102707	:	:	3	:	3	:	S	:	3
102719	:	:	3	:	3	:	S	:	0
106997	:	:	:	:	:	:	:	:	:
116047	:	:	:	:	:	:	:	:	:
117566	:	:	:	:	:	:	:	:	:
117567	:	:	:	:	:	:	:	:	:
117897	:	:	:	:	:	:	:	:	:
117898	:	:	:	:	:	:	:	:	:
117899	:	:	:	:	:	:	:	:	:
118407	:	:	:	:	:	:	:	:	:
118611	:	:	:	:	:	:	:	:	:
118778	:	:	:	:	:	:	:	:	:
118782	:	:	:	:	:	:	:	:	:
118785	:	:	:	:	:	:	:	:	:
118790	:	:	:	:	:	:	:	:	:
120275	:	:	:	:	:	:	:	:	:
121438	:	:	:	:	:	:	:	:	:
123436	:	:	:	:	:	:	:	:	:
123538	:	:	:	:	:	:	:	:	:
124133	:	:	:	:	:	:	:	:	:
125830	:	3	:	3	:	S	:	:	3
126409*	:	3	:	3	3	S	S	:	3
126410*	:	3	:	3	3	S	S	:	0
126411*	:	3	:	3	3	S	S	:	0
126423*	:	3	:	3	3	S	:	3	0

^{c/} Ranked for resistance. 0 = healthy; 3 = susceptibility; H = heterogeneous

^{d/} Ranked for resistance. 0 = healthy; S = susceptibility; H = heterogeneous

Table 5 (Cont.)

P.I.	FUSARIUM WILT						LEAF MOLD					
	Ohio	Indiana	Globe Strain	Globelle Strain								
Number	Healthy	Dis.	Dead	Tested	Healthy	Res.	Fleck	Susc.	Res.	Fleck	Susc.	
	No.	No.	No.	No.	Pct.	No.	No.	No.	No.	No.	No.	No.
Small-sized smooth red type (Cont.)												
126424*	0	4	12	7	14	:	:	:	0	0	9	
126451*	1	1	6	8	0	:	:	:	:	:	:	
126905*	0	0	14	:	:	:	:	:	:	:	:	
126912*	1	3	12	15	60 ^{b/}	:	:	:	:	:	:	
126915*	25	9	4 ^{b/}	14	38 ^{b/}	:	:	:	:	:	:	
126921*	0	3	11	15	7 ^{b/}	:	:	:	:	:	:	
126922*	0	2	12	:	:	:	:	:	:	:	:	
127467*	0	0	14	13	0 ^{b/}	:	:	:	:	:	:	
127468*	0	0	14	8	0	:	:	:	:	:	:	
127469*	0	0	14	:	:	:	:	:	:	:	:	
127795*	0	2	14	8	0	:	:	:	:	:	:	
127811*	1	0	14	9	28	:	:	:	:	:	:	
127812*	0	6	10	:	:	:	:	:	:	:	:	
127813*	4	4	7	8	12	:	:	:	:	:	:	
127816	0	0	16	6	17	:	:	:	:	:	:	
127818*	0	1	15	:	:	:	:	:	:	:	:	
127821	1	1	12	:	:	:	:	:	:	:	:	
128275	0	2	14	:	:	:	:	:	:	:	:	
128626	0	8	7	:	:	:	:	:	:	:	:	
128633	0	1	15	:	:	:	:	:	:	:	:	
129038	0	0	16	:	:	:	:	:	:	:	:	
129039	0	0	16	:	:	:	:	:	:	:	:	
129053	0	3	12	:	:	:	:	:	:	:	:	
129054	0	2	13	:	:	:	:	:	:	:	:	
129057	1	6	6	:	:	:	:	:	:	:	:	
129065	1	1	13	:	:	:	:	:	:	:	:	
129080	0	0	16	:	:	:	:	:	:	:	:	
129093	0	0	16	:	:	:	:	:	:	:	:	
129095	0	0	16	:	:	:	:	:	:	:	:	
129099	1	0	9	:	:	:	:	:	:	:	:	
129118	0	0	16	:	:	:	:	:	:	:	:	
129119	0	0	15	:	:	:	:	:	:	:	:	
129121	11	13	16	:	:	:	:	:	:	:	:	
129131	0	3	12	:	:	:	:	:	:	:	:	
134208	1	3	12	:	:	:	:	:	0	0	10	
138630	:	:	:	:	:	:	:	:	:	:	:	

Small-sized smooth pink-fruited type

126412*	1	3	10	18	63 ^{b/}	:	:	:	:	:	:
126414*	0	4	10	16	13 ^{b/}	:	:	:	:	:	:
126820	0	0	14	7	1 ⁴	:	:	:	:	:	:

* Introductions identified by Muller (7).

b/ Summation of more than one test.

Table 5 (Cont.)

P.I.	:SEPTORIA	:ALTERNARIA	:TOBACCO	:BACTERIAL CANKER	:BAC-	:BACTERIAL
Number	:LEAF SPOT	:LEAF SPOT	:MOSAIC		:TERIAL:	:WIT
	:Ohio:Ind.:Ohio	:Ind.:Ohio	:Healthy	:Dis.:Dead	:SPCT	:Healthy
	:Rank ^c	:Rank ^c	:Rank ^c	:Rank ^c	No. No.	Rank ^c Pet.
126424*	3	3	3	S	1 3	1 3
126451*		3	3	S		3
126905*						
126912*		3	3	S		3
126915*		3	3	S		3
126921*		3	3	S		3
126922*						
127467*		3	3	S		3
127468*						
127469*		3	3	S		2
127795*		3	3	S 0	3 1	2
127811*	3	3	3	S S		3 0
127812*	3			S		
127813*	3	3	3	S S		2
127816	3	3	3	S S		2
127818*	3			S		
127821	3			S		
128275	3			S		
128626	3			S		
128633	3			S		
129038	3			S		
129039	3			S		
129053	3			S		
129054	3			S		
129057	3			S		
129065	3			S		
129080	3			S		
129093	3			S		
129095	3			S		
129099	3			S		
129118	3			S		
129119	3			S		
129121	3			S		
129131	3			S		
134208	3			S 0	5 0	
138630	3			S		

Small-sized smooth pink-fruited type

126412*	:	3	:	3	:	S	:	:	3	:
126414*	:	3	:	3	:	S	:	:	3	:
126820	:		:		:	S	:	:		

c/ Ranked for resistance. 0 = healthy; 3 = susceptibility; H = heterogeneous.

d/ Ranked for resistance. 0 = healthy; S = susceptibility; H = heterogeneous.

Table 5 (Cont.)

FUSARIUM WJLT				LEAF MC LD							
P.I.	Ohio	Indiana		Globe Strain		Globelle Strain					
Number	Healthy	Dis.	Dead	Tested	Healthy	Res.	Fleck	Susc.	Res.	Fleck	Susc.
	No.	No.	No.	No.	No.	Pct.	No.	No.	No.	No.	No.
Small-sized smooth yellow-fruited type											
108244	0	6	26b/								
Small-sized smooth red-fruited type, apparently <u>L.</u> <u>esculentum</u> X <u>L. pinnatifolium</u> crosses											
109315	0	0	16	20	5						
109316	0	2	14								
114038	0	0	16								
114967	0	0	16								
114968	0	2	14								
114969	0	2	13								
129022	7	0	9						5	4	0
129029	7	3	4						0	0	9
129060	0	0	12								
129064	0	5	9								
129082	0	1	15								
129084	0	1	15								
129090	0	1	15						0	0	5
129091	0	0	3						0	0	10
129096	0	0	16								
129097	0	0	14								
129098	1	1	12								
129110	0	0	10								
129123	0	1	14								
129155	12	4	0						9	1	0
129686	0	1	15						4	0	4
135022	0	2	14						0	0	10
Small-sized rough red-fruited type											
114965	0	3	13								
126408	0	0	15	20	35b/						
126415*	0	0	14	9	55						
126421*	0	8	8	16	54b/				0	0	9
126422*	0	4	10								
126907*	0	3	11	8	24						
126908*	0	3	10	8	0						
126909*	0	2	12	9	22						
126910*	2	5	6	8	37						
126911*	1	2	11	20	50b/						
126914*	10	3	1	21	43b/						

* Introductions identified by Muller (7).

b/ Summation of more than one test.

Table 5 (Cont.)

P.I.	:SEPTORIA	:ALTERNARIA	:TOBACCO	:BACTERIAL CANKER	:BAC-	:BACTERIAL
Number	:LEAF SPOT	:LEAF SPOT	:MCSAIC		:TERIAJ	:HET.
	:Chio	:Ind.	:Ohio	:Ind.	:Healthy	:Dead
	:Rank ^c	:Rank ^c	:Rank ^c	:Rank ^c	No.	No.
	:Rank ^c	:Rank ^c	:Rank ^c	:Rank ^c	:No.	:Rank ^c
						Pct.
108244 :	:	:	:	:	Small-sized smooth yellow-fruited type	
					Small-sized smooth red-fruited type, apparently L.	
					<u>esculentum</u> X <u>L. pimpinellifolium</u> crosses	
109315 :	:	3	:	3	:	S
109316 :	:	:	:	:	:	:
114038 :	:	:	:	:	:	:
114967 :	:	:	:	:	:	:
114968 :	:	:	:	:	:	:
114969 :	:	:	:	:	:	:
129022 :	3	:	:	S	0	2
129029 :	3	:	:	S	0	5
129060 :	3	:	:	S	:	:
129064 :	3	:	:	S	:	:
129082 :	2	:	:	S	:	:
129084 :	2	:	:	S	:	:
129090 :	2	:	:	S	:	:
129091 :	2	:	:	S	0	0
129096 :	3	:	:	S	0	1
129097 :	3	:	:	S	:	4
129098 :	3	:	:	S	:	:
129110 :	3	:	:	S	:	:
129123 :	3	:	:	S	:	:
129155 :	2	:	:	S	0	3
129686 :	2	:	:	S	0	4
135022 :	3	:	:	S	0	3
						2
						:
					Small-sized rough red-fruited type	
114965 :	:	:	:	:	:	:
126408 :	:	3	:	3	:	S
126415*:	3	3	:	3	:	S
126421*:	3	3	:	3	S	S
126422*:	3	3	:	3	S	S
126907*:	3	3	:	3	S	S
126908*:	3	3	:	3	S	S
126909*:	3	3	:	3	S	S
126910*:	3	3	:	3	S	S
126911*:	3	3	:	3	S	S
126914*:	3	3	:	3	S	S

^{c/} Ranked for resistance. C = healthy; 3 = susceptibility; H = heterogeneous.

^{d/} Ranked for resistance. C = healthy; S = susceptibility; H = heterogeneous.

Table 5 (Cont.)

P.I. Number	FUSARIUM WILT				LEAF MOLD							
	Chio		Indiana		Globe Strain		Globelle Strain					
	Healthy	Dis.	Dead	Tested	Healthy	Res.	Fleck	Susc.	Res.	Fleck	Susc.	
	No.	No.	No.	No.	Pct.	No.	No.	No.	No.	No.	No.	
Small-sized rough red-fruited type (Cont.)												
126916*	1	:	2	: 11	:	:	:	:	:	:	:	:
127803*	1	:	3	: 11	:	7	:	29	:	:	:	:
127819*	0	:	0	: 16	:	8	:	0	:	:	:	:
128222	0	:	4	: 12	:		:		:		:	:
128628	0	:	6	: 9	:		:		:			:
129026	0	:	9	: 7	:		:			0	0	: 9
129055	0	:	3	: 10	:		:		:			:
129106	0	:	0	: 8	:		:		:			:
129115	0	:	0	: 16	:		:		:			:
Small-sized rough yellow-fruited type												
126413*	0	:	4	: 10	:		:		:		:	:
Medium-sized smooth red-fruited type												
92853	:	:	:	:	21	:	35b/	:	:	:	:	:
92854	:	:	:	:	33	:	16b/	:	:	:	:	:
92856	:	:	:	:	6	:	17	:	:	:	:	:
92857	:	:	:	:		:		:	:	:	:	:
92858	:	:	:	:	4	:	0	:	:	:	:	:
92859	:	:	:	:	25	:	42/	:	:	:	:	:
92860	:	:	:	:	14	:	0b/	:	:	:	:	:
92862	:	:	:	:	13	:	28	:	:	:	:	:
95583	:	:	:	:		:		:	:	:	:	:
95586	:	:	:	:	10	:	0	:	:	:	:	:
98097	:	:	:	:		:		:	:	:	:	:
102716	:	:	:	:		:		:	:	:	:	:
102835	:	:	:	:		:		:	:	:	:	:
102836	:	:	:	:		:		:	:	:	:	:
105342	:	:	:	:	12	:	8b/	:	:	:	:	:
109314	0	:	0	: 16	:							:
109512	0	:	1	: 14	:							:
109513	:	:	:	:								:
109833	0	:	0	: 14	:	15	:	26	:			:
109834	0	:	4	: 10	:							:
109835	1	:	1	: 14	:							:
109838	1	:	0	: 12	:							:
115601	0	:	1	: 14	:							:
115872	0	:	0	: 15	:							:
117563	1	:	0	: 15	:							:

* Introductions identified by Muller (7).

b/ Summation of more than one test.

Table 5 (Cont.)

P.I.	SEPTORIA LEAF SPCT	ALTERNARIA LEAF SPOT	TOBACCO MOSAIC	BACTERIAL CANKER	BAC- TERIAL: TERIAL:	BACTERIAL WILT
Number	Ohio	Ind.	Ohio:Ind.	Healthy:Dis.	Dead:SPCT	Healthy
	:Rank ^c	:Rank ^c	:Rank ^c	:Rank ^c	No.: No.	:Rank ^c : Pct.

Small-sized rough red-fruited type (Cont.)

126916*	:	3	:	3	:	S	:	:	:	:	:	:
127803*	3	3	:	3	S	S	:	:	:	2	:	:
127819*	3	3	:	3	S	S	:	:	:	3	:	0
128222	3	:	:	:	S	:	:	:	:	:	:	:
128628	3	:	:	:	S	:	:	:	:	:	:	:
129026	3	:	:	:	S	:	0	:	3	1	:	:
129055	2	:	:	:	S	:	:	:	:	:	:	:
129106	3	:	:	:	S	:	:	:	:	:	:	:
129115	3	:	:	:	S	:	:	:	:	:	:	:

Small-sized rough yellow-fruited type

126413*	:	:	:	:	:	:	:	:	:	:	:	:
---------	---	---	---	---	---	---	---	---	---	---	---	---

Medium-sized smooth red-fruited type

92853	:	3	:	3	:	S	:	:	:	3	:	0
92854	:	3	:	3	:	S	:	:	:	3	:	0
92856	:	3	:	3	:	S	:	:	:	3	:	0
92857	:	3	:	3	:	S	:	:	:	3	:	0
92858	:	3	:	3	:	S	:	:	:	3	:	0
92859	:	3	:	3	:	S	:	:	:	3	:	0
92860	:	3	:	3	:	S	:	:	:	3	:	14
92862	:	3	:	3	:	S	:	:	:	3	:	14
95583	:	3	:	3	:	S	:	:	:	3	:	0
95586	:	3	:	3	:	S	:	:	:	3	:	0
98097	:	3	:	3	:	S	:	:	:	3	:	0
102716	:	3	:	3	:	S	:	:	:	3	:	0
102885	:	3	:	3	:	S	:	:	:	3	:	14
102886	:	3	:	3	:	S	:	:	:	:	:	:
105342	:	3	:	3	:	S	:	:	:	3	:	0
109314	:	:	:	:	:	:	:	:	:	:	:	:
109512	:	3	:	3	:	S	:	:	:	3	:	0
109513	:	3	:	3	:	S	:	:	:	3	:	0
109833	:	3	:	3	:	S	:	:	:	3	:	0
109834	:	3	:	3	:	S	:	:	:	3	:	28
109835	:	3	:	3	:	S	:	:	:	3	:	0
109838	:	3	:	3	:	S	:	:	:	3	:	0
115601	:	:	:	:	:	:	:	:	:	:	:	:
115872	:	:	:	:	:	:	:	:	:	:	:	:
117563	:	:	:	:	:	:	:	:	:	:	:	:

c/ Ranked for resistance. 0 = healthy; 3 = susceptibility; H = heterogeneous.

d/ Ranked for resistance. 0 = healthy; S = susceptibility; H = heterogeneous.

Table 5 (Cont.)

P.I.	FUSARIUM WILT				LEAF MOLD							
	Ohio	Indiana	Globe Strain	Globelle Strain								
Number	Healthy	Dis.	Dead	Tested	Healthy	Res.	Fleck	Susc.	Res.	Fleck	Susc.	
	No.	No.	No.	No.	Pct.	No.	No.	No.	No.	No.	No.	
Medium-sized smooth red-fruited type (Cont.)												
117565	0	1	15	:	:	:	:	:	:	:	:	:
117900	0	3	12	:	:	:	:	:	:	:	:	:
118326	0	2	14	:	:	:	:	:	:	:	:	:
118327	4	2	8	:	:	:	:	:	:	:	:	:
118328	0	3	12	:	:	:	:	:	:	:	:	:
118685	0	7	9	:	0	0	25	:	0	10	25b/	:
118686	1	2	11	:	:	:	:	:	:	:	:	:
119104	1	4	11	:	:	:	:	:	:	:	:	:
119778	0	1	14	:	:	:	:	:	:	:	:	:
123433	0	3	11	:	:	:	:	:	:	:	:	:
123434	0	2	12	:	:	:	:	:	:	:	:	:
123435	0	1	13	:	:	:	:	:	:	:	:	:
123437	0	2	12	:	:	:	:	:	:	:	:	:
123438	0	0	14	:	:	:	:	:	:	:	:	:
126906	0	3	11	:	:	:	:	:	:	:	:	:
127799	1	4	9	8	12	:	:	:	:	:	:	:
127808	0	3	13	:	:	:	:	:	:	:	:	:
128224	0	1	15	:	:	:	:	:	:	:	:	:
128270	0	0	16	:	:	:	:	:	:	:	:	:
128274	0	1	12	:	:	:	:	:	:	:	:	:
128288	0	1	15	:	:	:	:	:	:	:	:	:
128294	0	2	14	:	:	:	:	:	:	:	:	:
128591	0	1	15	:	:	:	:	:	:	:	:	:
128595	0	4	12	:	:	:	:	:	:	:	:	:
128630	0	1	15	:	:	:	:	:	:	:	:	:
128641	0	2	14	:	:	:	:	:	:	:	:	:
128642	0	0	16	:	:	:	:	:	:	:	:	:
129018	0	3	13	:	:	:	:	:	:	:	:	:
129069	0	1	14	:	:	:	:	:	:	:	:	:
129070	0	0	16	:	:	:	:	:	:	:	:	:
129073	0	0	16	:	:	:	:	:	:	:	:	:
129077	0	0	16	:	:	:	:	:	:	:	:	:
129100	0	0	9	:	:	:	:	:	:	:	:	:
129109	0	2	11	:	:	:	:	:	:	:	:	:
129114	0	1	15	:	:	:	:	:	:	:	:	:
129126	0	0	16	:	:	:	:	:	:	:	:	:
129129	0	3	12	:	:	:	:	:	:	:	:	:
129140	0	1	15	:	:	:	:	:	:	:	:	:
131878	0	3	13	16	74b/	:	:	:	:	:	:	:
131879	0	0	14	:	:	:	:	:	:	:	:	:
134207	1	2	13	:	:	:	:	:	0	0	9	:
138618	:	:	:	:	:	:	:	:	:	:	:	:
138622	:	:	:	:	:	:	:	:	:	:	:	:
138625	:	:	:	:	:	:	:	:	:	:	:	:

b/ Summation of more than one test.

Table 5 (Cont.)

P.I.	:SEPTORIA	:ALTERNARIA	:TOBACCO	:BACTERIAL CANKER	:BAC-	:BACTERIAL
Number	:LEAF SPOT	:LEAF SPOT	: MOSAIC	:	:TERIAL	: WILT
	: Ohio	: Ind.	: Chio	: Ind.	: Healthy	: Healthy
	:Rank	:Rank	:Rank	:Rank	No. : No.	: Rank
Medium-sized smooth red-fruited type (Cont.)						
117565 :	:	:	:	:	:	:
117900 :	:	:	:	:	:	:
118326 :	:	:	:	:	:	:
118327 :	:	:	:	:	:	:
118328 :	:	:	:	:	:	:
118685 :	3	:	:	S	1 : 3	, 0
118686 :	:	:	:	:	:	:
119104 :	:	:	:	:	:	:
119778 :	:	:	:	:	:	:
123433 :	:	:	:	:	:	:
123434 :	:	:	:	:	:	:
123435 :	:	:	:	:	:	:
123437 :	:	:	:	:	:	:
123438 :	:	:	:	:	:	:
126906 :	:	:	:	:	:	:
127799 :	:	3	:	3	S	:
127808 :	:	:	:	:	:	2
123224 :	3	:	:	S	:	:
128270 :	3	:	:	S	:	:
128274 :	3	:	:	S	:	:
128288 :	3	:	:	S	:	:
128294 :	3	:	:	S	:	:
123591 :	3	:	:	S	:	:
123595 :	3	:	:	S	:	:
128630 :	2	:	:	S	:	:
128641 :	3	:	:	S	:	:
128642 :	3	:	:	S	:	:
129018 :	3	:	:	S	:	:
129069 :	1	:	:	S	:	:
129070 :	2	:	:	S	:	:
129073 :	3	:	:	S	:	:
129077 :	3	:	:	S	:	:
129100 :	3	:	:	S	:	:
129109 :	3	:	:	S	:	:
129114 :	3	:	:	S	:	:
129126 :	3	:	:	S	:	:
129129 :	3	:	:	S	:	:
129140 :	3	:	:	S	:	:
131878 :	3	:	:	S	:	:
131879 :	3	:	:	S	:	:
134207 :	3	:	:	S	S : 0	3 : 0 : 3
138618 :	3	:	:	S	S : .	: 3 : 0
138622 :	3	:	:	S	:	:
138625 :	3	:	:	S	:	:

c/ Ranked for resistance. 0 = healthy; 3 = susceptibility; H = heterogeneous.

d/ Ranked for resistance. 0 = healthy; S = susceptibility; H = heterogeneous.

Table 5 (Cont.)

P.I.	FUSARIUM WILT				LEAF MOLD							
	Ohio	Indiana	Globe Strain	Globelle Strain								
	Number	Healthy	Dis.	Dead	Tested	Healthy	Res.	Fleck	Susc.	Res.	Fleck	Susc.
		No.	No.	No.	No.	Pct.	No.	No.	No.	No.	No.	No.
Medium-sized smooth yellow-fruited type												
128248	:	0	:	1	:	15	:	:	:	:	:	:
Medium-sized rough red-fruited type												
95592	:	:	:	:	:	10	:	30	:	:	:	:
102714	:	:	:	:	:	14	:	28	:	:	:	:
105267	:	:	:	:	:	14	:	87b/	:	:	:	:
109112	:	0	:	4	:	12	:	14	:	:	:	:
109832	:	0	:	4	:	12	:	:	:	:	:	:
109836	:	0	:	0	:	16	:	:	:	:	:	:
114966	:	0	:	1	:	15	:	:	:	:	:	:
118783	:	0	:	0	:	14	:	:	:	:	:	:
118787	:	0	:	0	:	15	:	:	:	:	:	:
118789	:	0	:	2	:	13	:	:	:	:	:	:
125831	:	3	:	3	:	8	:	12	:	83b/	:	:
126407	:	2	:	3	:	10	:	24	:	9b/	:	:
126919*	:	0	:	2	:	12	:	12	:	25b/	:	:
126920*	:	0	:	2	:	12	:	8	:	0	:	:
127582	:	0	:	1	:	14	:	:	:	:	:	:
127794*	:	0	:	3	:	11	:	8	:	0	:	:
127796*	:	1	:	3	:	10	:	8	:	0	:	:
127797*	:	0	:	3	:	11	:	18	:	9b/	:	:
127798*	:	1	:	0	:	13	:	7	:	29	:	:
127800*	:	0	:	3	:	13	:	8	:	0	:	:
127801*	:	0	:	0	:	16	:	8	:	25	:	:
127804	:	1	:	0	:	15	:	:	:	:	:	:
127824	:	0	:	1	:	15	:	10	:	0	:	:
128225	:	0	:	1	:	15	:	:	:	:	:	:
128229	:	0	:	1	:	15	:	:	:	:	:	:
128237	:	0	:	0	:	16	:	:	:	:	:	:
128239	:	1	:	4	:	11	:	:	:	:	:	:
128241	:	0	:	3	:	13	:	:	:	:	:	:
128242	:	0	:	3	:	13	:	:	:	:	:	:
128243	:	0	:	1	:	15	:	:	:	:	:	:
128254	:	0	:	5	:	11	:	:	:	:	:	:
128599	:	0	:	0	:	15	:	:	:	:	:	:
128603	:	0	:	1	:	15	:	:	:	:	:	:
128604	:	0	:	0	:	16	:	:	:	:	:	:
128605	:	0	:	2	:	13	:	:	:	:	:	:
128625	:	0	:	1	:	15	:	:	:	:	:	:
128634	:	1	:	3	:	12	:	:	:	0	:	0
												10

* Introductions identified by Muller (7).

b/ Summation of more than one test.

Table 5. (Cont.)

P.I.	Number	SEPTORIA LEAF SPCT	ALTERNARIA LEAF SPOT	TOBACCO MOSAIC	BACTERIAL CANKER	BAC- TERIAL Dead	BACTERIAL WILT					
		Ohio	Ind.	Ohio	Ind.	Healthy	Lis.	SPCT	Healthy			
		: Rank ^c	: Rank ^c	: Rank ^c	: Rank ^c	: Rank ^c	: Rank ^c	No. :	No. :	Nc:	Rank ^c :	Pct.
Medium-sized smooth yellow-fruited type												
128248		3			S							
Medium-sized rough red-fruited type												
95592			3		3		S				3	14
102714			3		3		S				2	14
105267			3		3		S				3	0
109112			3		3		S				3	0
109832												
109836												
114966												
118783												
118787												
118789												
125831			3		3		S				3	
126407			3		3		S				3	
126919*			3		3		S				3	
126920*			3		3		S				2	
127582												
127794*			3		3		S				2	
127796*			3		3		S				3	
127797*			3		3		S				3	
127798*			3		3		S				3	
127800*			3		3		S				3	
127801*			3		3		S				1	
127804*												
127824		3	3		3	S	S				1	
128225		3	3		3	S	S					
128229		3				S						
128237		3				S						
128239		3				S						
128241		3				S						
128242		3				S						
128243		3				S						
128254		3				S						
128599		3				S						
128603		3				S						
128604		3				S						
128605		3				S						
128625		3				S						
128634		3				S		0	5	0		

^{c/} Ranked for resistance. 0= healthy; 3 = susceptibility; H = heterogeneous.

^{d/} Ranked for resistance. 0= healthy; S = susceptibility; H = heterogeneous.

Table 5 (Cont.)

P.I. Number	FUSARIUM WILT				LEAF MULD						
	Ohio	Indiana	Globe Strain	Globalle Strain							
	Healthy	Dis.	Dead	Tested	Healthy	Res.	Fleck	Susc.	Res.	Fleck	Susc.
	No.	No.	No.	No.	Pct.	No.	No.	No.	No.	No.	No.
Medium-sized rough red-fruited type (Cont.)											
129024	:	:	:	:	:	:	:	:	:	:	:
129025	:	0	:	4	: 12	:	:	:	:	:	:
129032	:	1	:	7	: 8	:	:	:	:	0	: 0
129033	:	0	:	1	: 15	:	:	:	:	0	: 2
129058	:	0	:	1	: 5	:	:	:	:	0	: 2
129067	:	0	:	7	: 9	:	:	:	:	:	:
129086	:	0	:	0	: 16	:	:	:	:	:	:
129117	:	0	:	0	: 16	:	:	:	:	:	:
129125	:	0	:	1	: 15	:	:	:	:	:	:
129137	:	0	:	1	: 15	:	:	:	:	:	:
129692	:	0	:	0	: 16	:	:	:	:	:	:
129693	:	0	:	1	: 15	:	:	:	:	:	:
131882	:	0	:	1	: 15	: 16	Op/	:	:	:	:
130627	:	:	:	:	:	:	:	:	:	:	:
Medium-sized rough pink-fruited type											
118404	:	0	:	2	: 14	:	:	:	:	:	:
118738	:	0	:	0	: 14	:	:	:	:	:	:
Medium-sized rough yellow-fruited type											
127823*	:	0	:	5	: 11	:	:	:	:	:	:
Large-sized smooth red-fruited type											
16160	:	:	:	:	27	:	30/	:	:	:	:
92363	:	:	:	:	5	:	20	:	:	:	:
95584	:	:	:	:	:	:	:	:	:	:	:
95585	:	:	:	:	5	:	0	:	:	:	:
95587	:	:	:	:	:	:	:	:	:	:	:
95589	:	:	:	:	8	:	12	:	:	:	:
95590	:	:	:	:	17	:	18	:	:	:	:
102715	:	:	:	:	:	:	:	:	:	:	:
102717	:	:	:	:	:	:	:	:	:	:	:
102722	:	:	:	:	6	:	50	:	:	:	:
102723	:	:	:	:	:	:	:	:	:	:	:
102724	:	:	:	:	3	:	0	:	:	:	:
102725	:	:	:	:	11	:	27	:	:	:	:
109713	:	0	:	0	: 16	:	:	:	:	:	:
109831	:	0	:	1	: 15	: 12	83b/	:	:	:	:

* Introductions identified by Muller (7).

b/ Summation of more than one test.

Table 5 (Cont.)

	:SEPTORIA	:ALTERNARIA	:TOBACCO	:BACTERIAL CANKER	:BAC-	:BACTERIAL		
P.I.	:LEAF SPOT	:LEAF SPOT	:MOSAIC		:TERIAL:	:WILT		
Number	:Ohio	:Ind.	:Ohio	:Ind.	:Healthy	:Dead		
	:Rank ^c	:Rank ^c	:Rank ^c	:Rank ^d	No.	No.	: Rank ^c	: Pct.

Medium-sized rough red-fruited type (Cont.)

129024 :	3 :	:	:	S :	:	0	:	3 :	0 :	:
129025 :	3 :	:	:	S :	:	0	:	1 :	4 :	:
129032 :	3 :	:	:	S :	:	0	:	4 :	0 :	:
129033 :	3 :	:	:	S :	:	0	:	5 :	0 :	:
129058 :	2 :	:	:	S :	:	:	:	:	:	:
129067 :	3 :	:	:	S :	:	:	:	:	:	:
129086 :	3 :	:	:	S :	:	:	:	:	:	:
129117 :	3 :	:	:	S :	:	:	:	:	:	:
129125 :	3 :	:	:	S :	:	:	:	:	:	:
129137 :	3 :	:	:	S :	:	:	:	:	:	:
129692 :	3 :	:	:	S :	:	:	:	:	:	:
129693 :	3 :	:	:	S :	:	:	:	:	:	:
131882 :	3 :	:	:	S :	S :	:	:	:	3 :	0
138627 :	3 :	:	:	S :	:	:	:	:	:	:

Medium-sized rough pink-fruited type

118404 :	:	:	:	:	:	:	:	:	:	:
118788 :	:	:	:	:	:	:	:	:	:	:

Medium-sized rough yellow-fruited type

127823*:	:	:	:	:	:	:	:	:	:	:
----------	---	---	---	---	---	---	---	---	---	---

Large-sized smooth red-fruited type

16160 :	:	3 :	:	3 :	:	S :	:	:	3 :	0
92863 :	:	3 :	:	3 :	:	S :	:	:	3 :	0
95584 :	:	3 :	:	3 :	:	S :	:	:	3 :	0
95585 :	:	3 :	:	3 :	:	S :	:	:	3 :	0
95587 :	:	3 :	:	3 :	:	S :	:	:	2 :	
95589 :	:	3 :	:	3 :	:	S :	:	:	3 :	14
95590 :	:	3 :	:	3 :	:	S :	:	:	3 :	
102715 :	:	:	:	:	:	S :	:	:	3 :	
102717 :	:	3 :	:	3 :	:	S :	:	:	3 :	
102722 :	:	3 :	:	3 :	:	S :	:	:	3 :	0
102723 :	:	3 :	:	3 :	:	S :	:	:	3 :	0
102724 :	:	3 :	:	3 :	:	S :	:	:	3 :	0
102725 :	:	3 :	:	3 :	:	S :	:	:	3 :	0
109113 :	:	3 :	:	3 :	:	S :	:	:	3 :	0
109831 :	:	3 :	:	3 :	:	S :	:	:	3 :	0

^c/ Ranked for resistance. C = healthy; 3 = susceptibility; H = heterogeneous.

^d/ Ranked for resistance. C = healthy; S = susceptibility; H = heterogeneous.

Table 5 (Cont.)

P.I.	FUSARIUM WILT				LEAF MULD							
	Ohio	Indiana	Globe Strain	Globelle Strain								
Number	Healthy	Dis.	Dead	Tested	Healthy	Res.	Fleck	Susc.	Res.	Fleck	Susc.	
	No.	No.	No.	Pct.	No.	No.	No.	No.	No.	No.	No.	
Large-sized smooth red-fruited type (Cont.)												
109837	0	: 1	: 13	:	:	:	:	:	:	:	:	:
116219	0	: 0	: 16	:	:	:	:	:	:	:	:	:
119776	0	: 3	: 12	:	:	:	:	:	:	:	:	:
120261	0	: 1	: 13	:	:	:	:	:	:	:	:	:
120274	3	: 2	: 10	:	:	:	:	:	:	:	:	:
128218	1	: 2	: 13	:	:	:	:	:	0	: 0	:	10
128285	0	: 6	: 10	:	:	:	:	:	:	:	:	:
128287	0	: 3	: 13	:	:	:	:	:	:	:	:	:
128289	0	: 7	: 9	:	:	:	:	:	:	:	:	:
128290	0	: 1	: 15	:	:	:	:	:	:	:	:	:
128292	0	: 2	: 14	:	:	:	:	:	:	:	:	:
128293	0	: 7	: 9	:	:	:	:	:	0	: 0	:	10
128598	0	: 0	: 15	:	:	:	:	:	:	:	:	:
128602	0	: 0	: 10	:	:	:	:	:	:	:	:	:
128610	0	: 2	: 14	:	:	:	:	:	:	:	:	:
128613	0	: 0	: 16	:	:	:	:	:	:	:	:	:
128615	0	: 2	: 14	:	:	:	:	:	:	:	:	:
129068	1	: 7	: 7	:	:	:	:	:	:	:	:	:
129113	0	: 0	: 10	:	:	:	:	:	:	:	:	:
129132	0	: 0	: 16	:	:	:	:	:	:	:	:	:
129133	0	: 0	: 16	:	:	:	:	:	:	:	:	:
129134	0	: 0	: 15	:	:	:	:	:	:	:	:	:
129138	0	: 0	: 16	:	:	:	:	:	:	:	:	:
129139	0	: 0	: 16	:	:	:	:	:	:	:	:	:
131877	0	: 1	: 15	6	: 33	:	:	:	:	:	:	:
Large-sized smooth pink-fruited type												
109514	0	: 0	: 16	:	:	:	:	:	0	: 0	:	10
127802	0	: 3	: 13	:	:	:	:	:	0	: 0	:	10
Large-sized rough red-fruited type												
95591	:	:	:	28	:	5b/	:	:	:	:	:	:
102713	:	:	:	4	:	0	:	:	:	:	:	:
105266	:	:	:	:	:	:	:	:	:	:	:	:
120258	0	: 1	: 14	:	:	:	:	:	:	:	:	:
120276	0	: 2	: 13	:	:	:	:	:	:	:	:	:
124582	:	:	:	:	:	:	:	:	:	:	:	:
128217	0	: 0	: 16	:	:	:	:	:	:	:	:	:
128221	0	: 0	: 16	:	:	:	:	:	:	:	:	:

b/ Summation of more than one test.

Table 5 (Cont.)

Large-sized smooth red-fruited type (Cont.)

109837	:	:	:	:	:	:	:	:	:	:	:	:
116219	:	:	:	:	:	:	:	:	:	:	:	:
119776	:	:	:	:	:	:	:	:	:	:	:	:
120261	:	:	:	:	:	:	:	:	:	:	:	:
120274	:	:	:	:	:	:	:	:	:	:	:	:
128218	:	3	:	:	:	:	S	:	0	:	4	:
128285	:	3	:	:	:	:	S	:	:	:	:	:
128287	:	3	:	:	:	:	S	:	:	:	:	:
128289	:	3	:	:	:	:	S	:	:	:	:	:
128290	:	3	:	:	:	:	S	:	:	:	:	:
128292	:	3	:	:	:	:	S	:	:	:	:	:
128293	:	3	:	:	:	:	S	:	0	:	4	:
128598	:	3	:	:	:	:	S	:	:	:	:	:
128602	:	3	:	:	:	:	S	:	:	:	:	:
128610	:	3	:	:	:	:	S	:	:	:	:	:
128613	:	3	:	:	:	:	S	:	:	:	:	:
128615	:	3	:	:	:	:	S	:	:	:	:	:
129068	:	3	:	:	:	:	S	:	:	:	:	:
129113	:	3	:	:	:	:	S	:	:	:	:	:
129132	:	3	:	:	:	:	S	:	:	:	:	:
129133	:	3	:	:	:	:	S	:	:	:	:	:
129134	:	3	:	:	:	:	S	:	:	:	:	:
129138	:	3	:	:	:	:	S	:	:	:	:	:
129139	:	3	:	:	:	:	S	:	:	:	:	:
131877	:	3	:	3	:	:	3	:	S	:	5	:

Large-sized smooth pink-fruited type

109514 : 3 : 3 : 3 : S : S : S : 0 : 4 : 0 : 3 : 3 : 0
127802 : 3 : : : S : S : 2 : 3 : 1 : : :

Large-sized rough red-fruited type

c/ Ranked for resistance. 0 = healthy; 3 = susceptibility; H = heterogeneous.

d/ Ranked for resistance. O = healthy; S = susceptibility; H = heterogeneous.

Table 5 (Cont.)

P.I. Number	FUSARIUM WILT					LEAF MOLD					
	Ohio	Indiana	Globe Strain	Globellid Strain							
	Healthy	Dis.	Dead	Tested	Healthy	Res.	Fleck	Susc.	Res.	Fleck	Susc.
	No.	No.	No.	No.	Pct.	No.	No.	No.	No.	No.	No.
Large-sized rough red-fruited type (Cont.)											
128223	0	1	15	:	:	:	:	:	:	:	RCF
128255*	0	1	15	:	:	:	:	:	:	:	:
128256	0	3	13	:	:	:	:	:	:	:	:
128257	0	2	13	:	:	:	:	:	:	:	:
128286	0	2	14	:	:	:	:	:	:	:	:
128291	0	3	13	:	:	:	:	:	:	:	:
128594	0	0	16	:	:	:	:	:	:	:	:
128600	1	1	12	:	:	:	:	:	:	:	:
128601	0	2	12	:	:	:	:	:	:	:	:
128606	0	0	16	:	:	:	:	:	:	:	:
128607	0	0	6	:	:	:	:	:	:	:	:
128608	0	0	16	:	:	:	:	:	:	:	:
128614	0	2	14	:	:	:	:	:	:	:	:
128616	0	3	13	:	:	:	:	:	:	:	:
128617	1	1	11	:	:	:	:	:	:	:	:
128618	1	6	9	:	:	:	:	:	:	:	:
128621	4	10	2	:	:	:	:	:	:	:	:
128623	0	0	16	:	:	:	:	:	:	:	:
128640	0	0	16	:	:	:	:	:	:	:	:
129034	0	6	10	:	:	:	:	:	0	3	4
129043	0	0	16	:	:	:	:	:	:	:	:
129056	0	5	8	:	:	:	:	:	:	:	:
129061	0	0	16	:	:	:	:	:	0	0	16
129072	0	0	16	:	:	:	:	:	:	:	:
129075	0	0	16	:	:	:	:	:	:	:	:
129076	0	0	15	:	:	:	:	:	:	:	:
129130	0	4	11	:	:	:	:	:	:	:	:
129688	0	4	12	:	:	:	:	:	0	0	9
Large-sized rough yellow-fruited type											
128234	0	6	16	:	:	:	:	:	:	:	:
128250	0	3	13	:	:	:	:	:	:	:	:
Unclassified											
93046	:	:	:	7	14	:	:	:	:	:	:
102884	:	:	:	24	9	:	:	:	:	:	:
103055	:	:	:	6	33	:	:	:	:	:	:
105225	:	:	:	14	0	:	:	:	:	:	:
105266	:	:	:	14	0	:	:	:	:	:	:

* Introductions identified by Muller (7).

b/ Summation of more than one test.

Table 5. (Cont.)

P.I.	: SEPTORIA	: ALTERNARIA	: TOBACCO	: BACTERIAL CANKER	: BAC-	: BACTERIAL
Number	: LEAF SPCT	: LEAF SPCT	: MCSAIC		: TERAL:	: WILT
	: Ohio	: Ind.	: Ohio	: Ind.	: Healthy	: Dis.
	: Rank ^c	: Rank ^c	: Rank ^c	: Rank ^d	: Rank ^d	: Rank ^c
128223 :	3 :	:	:	S :	:	:
128255* :	3 :	:	:	S :	:	:
128256 :	3 :	:	:	S :	:	:
128257 :	3 :	:	:	S :	:	:
128286 :	3 :	:	:	S :	:	:
128291 :	3 :	:	:	S :	:	:
128594 :	3 :	:	:	S :	:	:
128600 :	3 :	:	:	S :	:	:
128601 :	3 :	:	:	S :	:	:
128606 :	3 :	:	:	S :	:	:
128607 :	3 :	:	:	S :	:	:
128608 :	3 :	:	:	S :	:	:
128614 :	3 :	:	:	S :	:	:
128616 :	3 :	:	:	S :	:	:
128617 :	3 :	:	:	S :	:	:
128618 :	3 :	:	:	S :	:	:
128621 :	3 :	:	:	S :	:	:
128623 :	3 :	:	:	S :	:	:
128640 :	3 :	:	:	S :	:	:
129034 :	3 :	:	:	S :	1 : 4	0 :
129043 :	3 :	:	:	S :	:	:
129056 :	3 :	:	:	S :	:	:
129061 :	3 :	:	:	S :	0 : 2	1 :
129072 :	3 :	:	:	S :	:	:
129075 :	3 :	:	:	S :	:	:
129076 :	3 :	:	:	S :	:	:
129130 :	3 :	:	:	S :	:	:
129688 :	3 :	:	:	S :	0 : 5	0 :

Large-sized rough yellow-fruited type

128234 :	3 :	:	:	S :	:	:	:
128250 :	3 :	:	:	S :	:	:	:

Unclassified

93046 :	:	3 :	:	3 :	:	S :	:	:	:
102884 :	:	3 :	:	3 :	:	S :	:	:	3 :
103055 :	:	3 :	:	3 :	:	S :	:	:	0
105225 :	:	3 :	:	3 :	:	S :	:	:	0
105266 :	:	3 :	:	3 :	:	S :	:	:	0

c/ Ranked for resistance. 0 = healthy; 3 = susceptibility; H = heterogeneous.

d/ Ranked for resistance. 0 = healthy; S = susceptibility; H = heterogeneous.

Table 5 (Cont.)

P.I.	FUSARIUM WILT				LEAF MOLD							
	Ohio	Indiana	Globe Strain	Globellie Strain								
Number	Healthy	Dis.	Dead	Tested	Healthy	Res.	Fleck	Susc.	Res.	Fleck	Susc.	
	No.	No.	No.	No.	Pct.	No.	No.	No.	No.	No.	No.	
Unclassified (Cont.)												
124582	:	:	:	33	:	13 ^{b/}	:	:	:	:	:	:
126815	:	:	:	8	:	0	:	:	:	:	:	:
127798	:	:	:	7	:	28	:	:	:	:	:	:
129081	0	:	0	16	:		:	:	:	:	:	:
129148	0	:	5	11	:		:	:	:	8	2	0
129691	0	:	0	16	:		:	:	:	0	0	10

b/ Summation of more than one test.

Table 5. (Cont.)

82

:SEPTORIA	:ALTERNARIA	:TOBACCO	:BACTERIAL CANKER	:BAC-	:BACTERIAL
P.I.	:LEAF SPOT	:LEAF SPOT	:MOSAIC	:	:WILT
Number	:Ohio	:Ind.	:Ohio	:Ind.	:Healthy
	:Rank ^c	:Rank ^c	:Rank ^c	:Rank ^d	:No.
	:No.	:No.	:No.	:No.	:Rank ^c
					:Pct.

Unclassified (Cont.)

124582 :	:	3	:	3	:	S	:	:	:	3	:	0
126815 :	:	3	:	3	:	S	:	:	:	1	:	
127798 :	:	3	:	3	:	S	:	:	:	:	:	
129081 :	:	:	:	:	:	:	:	:	:	:	:	
129148 :	:	:	:	:	:	:	0	:	4	0	:	
129691 :	:	:	:	:	:	:	0	:	6	0	:	

c/ Ranked for resistance. 0 = healthy. 3 = susceptibility; H = heterogeneous.

d/ Ranked for resistance. 0 = healthy. S = susceptibility; H = heterogeneous.

UNITED STATES DEPARTMENT OF AGRICULTURE
OFFICE OF THE SECRETARY
Washington, D.C.

Penalty For Private Use To
Avoid Payment Of Postage \$300

CLEMSON AGRIC COLLEGE
LIBRARY
PDS CLEMSON S C

THE PLANT DISEASE REPORTER

Issued by

THE PLANT DISEASE SURVEY, DIVISION OF MYCOLOGY AND DISEASE SURVEY
BUREAU OF PLANT INDUSTRY, AGRICULTURAL RESEARCH ADMINISTRATION,
UNITED STATES DEPARTMENT OF AGRICULTURE

SUPPLEMENT 137

HOST AND PATHOGEN INDICES TO THE DISEASES OBSERVED
ON GRASSES IN CERTAIN WESTERN STATES DURING 1941

August 15, 1942

The Plant Disease Reporter is issued as a service to plant pathologists throughout the United States. It contains reports, summaries, observations, and comments submitted voluntarily by qualified observers. These reports often are in the form of suggestions, queries, and opinions, frequently purely tentative, offered for consideration or discussion rather than as matters of established fact. In accepting and publishing this material the Division of Mycology and Disease Survey serves merely as an informational clearing house. It does not assume responsibility for the subject matter.

HOST AND PATHOGEN INDICES TO THE DISEASES OBSERVED

ON GRASSES IN CERTAIN WESTERN STATES DURING 1941^{1/}

By George W. Fischer, Rodérick Sprague,
Howard W. Johnson; and John R. Hardison^{2/}

Plant Disease Reporter
Supplement 137

August 15, 1942

The host and pathogen indices which follow summarize the data resulting from collections and observations of grass diseases in the States of Arizona, California, Idaho, Minnesota, Nebraska, North Dakota, Oregon, South Dakota, Utah, Washington, and Wyoming in 1941.

Most of the records are from the extensive observational row nurseries of the Soil Conservation Service and the Bureau of Plant Industry, United States Department of Agriculture, at Mandan, North Dakota; Pullman, Washington; Corvallis, Oregon; Tucson, Arizona and Pleasanton, California. State observational grass nurseries at Berkeley and Davis, California were surveyed intensively also. However, these records are well supplemented and substantiated by extensive collecting and survey trips in most of the States mentioned above.

In general the 1941 growing season was one of almost unprecedented rainfall, in most of the area covered. As a result, the development of foliage diseases was considerably favored as evidenced by the unusual number and extent of development of leaf spots, rusts, and bacterial diseases.

This report includes 259 species and varieties of native and introduced grasses, on which a total of 161 diseases are recorded: 62 leaf spots, streaks, etc., 30 rusts, 28 rootrots and secondary rootrots, and 25 smuts. Some of these diseases were found on a large number of grasses, as outlined in Table 1.

^{1/}Grass disease investigations of the Divisions of Forage Crops and Diseases, Cereal Crops and Diseases, and Dry Land Agriculture, Bureau of Plant Industry in cooperation with the Nursery Division, Soil Conservation Service, United States Department of Agriculture, and the North Dakota and Washington Agricultural Experiment Stations. Published as Scientific Paper No. 517, College of Agriculture and Agricultural Experiment Station, State College of Washington, Pullman.

^{2/}Associate pathologist, pathologist, pathologist in charge of investigations of forage crop diseases, and agent, respectively, Bureau of Plant Industry, United States Department of Agriculture, Pullman, Washington; Mandan, North Dakota; and Washington, D. C.

Table 1. Number of host species and varieties recorded for the more prevalent grass diseases in the western states in 1941.

DISEASE	CAUSAL ORGANISM	NUMBER OF HOSTS
Stem rust	<u>Puccinia graminis</u>	81
Rootrot	<u>Fusarium scirpi acuminatum</u>	63
Leaf rust	<u>Puccinia rubigo-vera</u>	54
Stripe rust	<u>Puccinia glumarum</u>	53
Leaf spot	<u>Scleocotrichum graminis</u>	53
Rootrot	<u>Helminthosporium sativum</u>	53
Ergot	<u>Claviceps purpurea</u>	50
Selenophoma stem speckle and leaf spot	<u>Selenophoma donacis</u> and varieties	43
Root browning	<u>Pythium arrhenomanes</u>	42
Root necrosis and Damping-off	<u>Pythium debaryanum</u>	39
Rootrot	<u>Rhizoctonia solani</u>	36
Bends	Cause unknown	33
Powdery mildew	<u>Erysiphe graminis</u>	31
Stem smut	<u>Ustilago hypodytes</u>	26
Head smut	<u>Ustilago bullata</u>	26
Chocolate spot	<u>Bacterium coronafaciens</u> <u>atropurpureum</u>	24
Brown stripe rust	<u>Puccinia montanensis</u>	22
Crown rust	<u>Puccinia coronata</u>	16
Stripe smut	<u>Ustilago striaeformis</u>	13

It has seemed desirable to give the authorities for grass names in the host index and for the pathogens in the pathogen index.

The task of identifying the thousands of collections forming the basis for this report was in general divided as follows: Smuts and rusts were identified at Pullman, Washington, leaf spots and root rots at Mandan, North Dakota, and other diseases at both places. Many of the pathogens are named to genus only, because they are being studied further or are in the process of publication elsewhere. This is particularly true for species of Ascochyta, Selenophoma, Septoria, Tilletia and Ustilago. The collecting was performed by the authors as follows: Fischer and Hardison covered Washington (east of Cascades), Idaho, Montana, western Wyoming, northern Utah, and northeastern Oregon. Sprague collected in Montana, North and South Dakota and adjacent Minnesota, briefly in Nebraska and, on personal travel, in southern Montana, northwestern Wyoming, northern Idaho, and central Washington; Johnson collected in Arizona, California, and western Oregon.

The authors are grateful to the many persons who have aided in this survey by collecting and submitting grass disease specimens from practically all parts of the area represented.

HOST INDEX

AEGILOPS CYLINDRICA Host.

Stripe rust, *Puccinia glumarum* -- Pullman, Wash.^{3/}

AEGILOPS TRIUNCIALIS L. (P.I. 134607)

Root browning, *Pythium arrhenomanes* -- Mandan, N. Dak.

AGROPYRON ALBICANS Scribn. & Smith

Leaf rust, *Puccinia rubigo-vera* -- Pullman, Wash.

Stem rust, *Puccinia graminis* -- Pullman, Wash.

Stripe rust, *Puccinia glumarum* -- Pullman, Wash.

AGROPYRON AMURENSE Drobov (P.I. 131532)

Bends, cause undet.^{4/} -- Pullman, Wash.

Root browning, *Pythium arrhenomanes* -- Mandan, N. Dak.

Rootrot, *Helminthosporium sativum* -- Mandan, N. Dak.

Stem smut, *Ustilago hypodytes* -- Pullman, Wash.

AGROPYRON CANINUM(L.) Beauv. (F.P.I. 90124)

Damping-off, *Pythium ultimum* -- Mandan, N. Dak.

Ergot, *Claviceps purpurea* -- Pullman, Wash.

Leaf rust, *Puccinia rubigo-vera* -- Pullman, Wash.

Leaf spot, *Ascochyta agropyrina* -- Mandan, N. Dak.

Septoria sp. -- Pullman, Wash.

Leaf streak, *Scoleccotrichum graminis* -- Mandan, N. Dak.

Root necrosis, *Pythium debaryanum* -- Mandan, N. Dak.

Secondary rootrot, *Fusarium scirpi* -- Mandan, N. Dak.

Stem rust, *Puccinia graminis* -- Pullman, Wash.

Stripe rust, *Puccinia glumarum* -- Pullman, Wash.

AGROPYRON CILIARE (Trin.) Franch. (P.I. 109805)

Brown stripe rust, *Puccinia montanensis* -- Mandan, N. Dak.

Root browning, *Pythium arrhenomanes* -- Mandan, N. Dak.

Root necrosis, *Pythium debaryanum* -- Mandan, N. Dak.

Rootrot, *Fusarium scirpi* var. *acuminatum* -- Mandan, N. Dak.

Rhizoctonia solani -- Mandan, N. Dak.

Stripe rust, *Puccinia glumarum* -- Pullman, Wash.

AGROPYRON CRISTATUM (L.) Gaertn.

Bacterial slime spot, *Aplanobacter agropyri* -- Mandan, N. Dak.

Bends, cause undet. -- Pullman, Wash.; western Mont.

Brown stripe rust, *Puccinia montanensis* -- Mandan, N. Dak.

^{3/} Most of the records from Pullman, Wash. and Mandan, N. Dak. are the result of intensive row-by-row notes and collections from the very extensive Soil Conservation Service and Bureau of Plant Industry nurseries at both places.

^{4/} See *Phytopath.* 31: 674-676. 1941

AGROPYRON CRISTATUM cont.

- Damping-off, *Pythium irregularare* -- Mandan, N. Dak.
Pythium ultimum -- Mandan, N. Dak.
Ergot, *Claviceps purpurea* -- Pullman; Wash.; eastern, central, and southern Mont.; N. and S. Dak. Common at Mandan, N. Dak.
Leaf rot, *Ascochyta agropyrina* -- Forsythe, Mont.
Leaf rust, *Puccinia rubigo-vera* -- Mandan, N. Dak.
Root browning, *Pythium arrhenomanes* -- General in N. and S. Dak.
Root necrosis, *Pythium debaryanum* -- Mandan, N. Dak.
Rootrot, *Fusarium graminearum* -- Mandan, N. Dak.
Fusarium scirpi var. *acuminatum* -- N. and S. Dak. (Secondary)
Helminthosporium sativum -- Nebr., N. and S. Dak.
Rhizoctonia solani -- Dickinson, Mandan, N. Dak.; Hecla, S. Dak.
Seedling blight 5/, cause undet. -- eastern Wash.
Stem rust, *Puccinia graminis* -- Pullman, Wash.; Mandan, N. Dak.
Stem smut, *Ustilago hypodytes* -- Pullman, Wash.
Stripe rust, *Puccinia glumarum*, with parasite, *Darluca filum* --
Pullman, Wash.

AGROPYRON DASYSTACHYUM (Hook.) Scribn.

- Bends, cause undet. -- Pullman, Wash.
Brown stripe rust, *Puccinia montanensis* -- Pullman, Wash.; central Mont.
Chocolate spot, *Bacterium coronafaciens* var. *atropurpureum* --
Mandan, N. Dak.
Ergot, *Claviceps purpurea* -- Pullman, Wash.; central Mont.; Mandan,
N. Dak.
Head smut, *Ustilago bullata* -- Pullman, Wash.
Leaf rust, *Puccinia rubigo-vera* -- Pullman, Wash.; central and southern Wash.; Mandan, N. Dak.
Leaf streak, *Scolecotrichum graminis* -- western Wyo.
Root browning, *Pythium arrhenomanes* -- Mandan, N. Dak.
Rootrot, *Helminthosporium sativum* -- Mandan, N. Dak.
Secondary rootrot, *Sclerotium* sp. -- Mandan, N. Dak. (Pathogenicity
doubtful)
Seedling blight, cause undet. 5/ -- Pullman, Wash.
Stem rust, *Puccinia graminis* -- Pullman (with *Darluca filum*), southern Wash.; central Calif.; Mandan, N. Dak.
Stem smut, *Ustilago hypodytes* -- Pullman, Wash.
Stripe rust, *Puccinia glumarum* -- Pullman, Wash.

AGROPYRON DESERTORUM (Fisch.) Schult. (P.I. 110302; 113013)

- Root browning, *Pythium arrhenomanes* -- Mandan, N. Dak.
Root necrosis, *Pythium debaryanum* -- Mandan, N. Dak.
Pythium ultimum -- Mandan, N. Dak.
Stem rust, *Puccinia graminis* -- Mandan, N. Dak.
Stripe rust, *Puccinia glumarum* -- Pullman, Wash.

5/ Probably *Pythium* spp.

AGROPYRON DIVARICATUM Boiss. & Bal.

Stripe rust, *Puccinia glumarum* -- Pullman, Wash.

AGROPYRON ELMERI Scribn.

Leaf rust, *Puccinia rubigo-vera* -- Pullman, Wash.Stem rust, *Puccinia graminis* -- Pullman, Wash.

AGROPYRON ELONGATUM (Host) Beauv.

Root browning, *Pythium arrhenomanes* -- Mandan, N. Dak.Rootrot, *Fusarium scirpi* var. *acuminatum* -- Mandan, N. Dak.
(weak parasite).*Fusarium scirpi* var. *compactum* -- Mandan, N. Dak. (weak parasite).*Helminthosporium sativum* -- Mandan, N. Dak.*Rhizoctonia solani* -- Mandan, N. Dak.

AGROPYRON FERGANENSE Drobov (P.I. 116254)

Brown stripe rust, *Puccinia montanensis* -- Mandan, N. Dak.

AGROPYRON GRIFFITHSII Scribn. & Smith

Leaf streak, *Scolecotrichum graminis* -- Harney Nat'l For., S. Dak.Stem rust, *Puccinia graminis* -- Pullman, Wash.Stripe rust, *Puccinia glumarum* -- Pullman, Wash.

AGROPYRON HIRSUTUM (Bartol)

Leaf rust, *Puccinia rubigo-vera* (DC.) Wint. -- Mandan, N. Dak.

AGROPYRON INERME (Scribn. & Smith) Rydb.

Bends, cause undet. -- Pullman, Wash.

Brown stripe rust, *Puccinia montanensis* -- Pullman, Wash., and central Mont.Ergot, *Claviceps purpurea* -- central Mont., Roundup, Mont., Pullman, Wash., northern Ore.Leaf rust, *Puccinia rubigo-vera* -- Pullman, Wash., central and southern Mont.Powdery mildew, *Erysiphe graminis* -- Pullman, Wash.Rust, *Puccinia pattersoniana* -- Oregon, eastern and central Wash.

Seedling blight, cause undet. -- eastern Wash.

Selenophoma sheath speckle, *Selenophoma donacis*, var. 6/ -- eastern Wash.Stem rust, *Puccinia graminis* -- Pullman, Wash., Mandan, N. Dak.Stem smut, *Ustilago hypodytes* -- Pullman, Wash.Stripe rust, *Puccinia glumarum* -- Pullman, Wash., eastern and central Wash., central Mont., northern Ore.Stripe smut, *Ustilago striiformis* -- Pullman, Wash.

6/ Several varieties of *Selenophoma donacis* or possibly distinct species have been recognized in this work and are under investigation at Mandan, N. Dak.

AGROPYRON INTERMEDIUM (Host) Beauv. (U.S.S.R. W. 2327)

Root browning, Pythium arrhenomanes -- Mandan, N. Dak.
Rootrot, Helminthosporium sativum -- Mandan, N. Dak.

AGROPYRON PANORMITAMUM Parl.

Stripe rust, Puccinia glumarum -- Pullman, Wash.

AGROPYRON REPENS (L.) Beauv.

Brown stripe rust, Puccinia montanensis -- Quad Creek in southern Mont.

Chocolate spot, Bacterium coronafaciens var. atropurpureum -- General in Minn., N. Dak., and S. Dak.

Ergot, Claviceps purpurea -- N. Dak., S. Dak.

Leaf blotch, Septoria elymi -- Wild Rice, Buxton, N. Dak.; Laurel, Mont.

Leaf rot, Wojnowicia graminis -- Jamestown, N. Dak.

Leaf streak, Scolecotrichum graminis -- Buxton, N. Dak.

Root browning, Pythium arrhenomanes -- Brocket, Mountain, Park River, N. Dak.; Fosston, Minn.

Root necrosis, Pythium debaryanum -- Fosston, Minn.

Pythium ultimum -- near Bemidji, Minn.

Rootrot, Helminthosporium sativum -- Mandan, N. Dak.

Pythium periilum -- near Bemidji, Minn.

Rhizoctonia solani -- Sykeston, N. Dak.

Scald, Rhynchosporium secalis -- Fosston, Minn.

Secondary rootrot, Fusarium scirpi var. acuminatum -- N. Dak., S. Dak., Minn.

Helminthosporium halodes -- Fosston, Minn.

Wojnowicia graminis -- Gardner, N. Dak.

Stripe rust, Puccinia glumarum -- central Mont.

Stem smut, Ustilago hypodytes -- eastern and central Wash., western Idaho, northeast Ore.

AGROPYRON RIPARIUM Scribn. & Smith (P.E.I. 127957)

Brown stripe rust, Puccinia montanensis -- southern Idaho; Mandan, N. Dak. (with parasite Darluca filum).

Damping-off, Pythium debaryanum -- Mandan, N. Dak.

Ergot, Claviceps purpurea -- Pullman, Wash.

Leaf rust, Puccinia rubigo-vera -- Pullman, Wash.; Mandan, N. Dak.

Root browning, Pythium arrhenomanes -- Mandan, N. Dak.

Secondary rootrot, Fusarium scirpi var. accuminatum -- Mandan, N. Dak.

Stem rust, Puccinia graminis -- Mandan, N. Dak.

Stem smut, Ustilago hypodytes -- Pullman, Wash.

Stripe rust, Puccinia glumarum -- Pullman, Wash.

AGROPYRON SIBIRICUM (Willd.) Beauv. (F.P.I. 113047)

Brown stripe rust, Puccinia montanensis -- Mandan, N. Dak.

Ergot, Claviceps purpurea -- Mandan, N. Dak.

Leaf rot, Phytophthora sp. -- Mandan, N. Dak.

AGROPYRON SIBIRICUM Cont.

Leaf rust, *Puccinia rubigo-vera* -- Mandan, N. Dak.
 Root browning, *Pythium arrhenomanes* -- Mandan, N. Dak.
 Root necrosis, *Pythium debaryanum* -- Mandan, N. Dak.
 Rootrot, *Helminthosporium sativum* -- Mandan, N. Dak.
 Secondary rootrot, *Fusarium scirpi* var. *acuminatum* --
 Mandan, N. Dak.
Rhizoctonia solani -- Mandan, N. Dak.
 Stem rust, *Puccinia graminis* -- Mandan, N. Dak.

AGROPYRON SMITHII Rydb.

Brown stripe rust, *Puccinia montanensis* -- Pullman, Wash.
 (with *Darluca filum*); central Mont.; Mandan, Lang-
 don, N. Dak.
 Chocolate spot, *Bacterium coronafaciens* var. *atropurpureum* --
 general in N. Dak.
 Ergot, *Claviceps purpurea* -- Forsythe, central and southern
 Mont.; Jackson, Wyo.
 Leaf blotch, *Septoria elymi* -- Mandan, N. Dak.
 Leaf rot, *Wojnowicia graminis* -- Lakota, N. Dak.
 Leaf rust, *Puccinia rubigo-vera* -- Pullman, Wash.; central
 Mont. (with *Darluca filum*); Mandan, Langdon, N. Dak.
 Leaf speckle, *Cladosporium herbarum* -- central N. Dak. (common
 in very early spring on new growth).
 Leaf spot, *Septoria* sp.7/ (not *elymi*) -- Forsythe, Mont.;
 western N. Dak.
 Leaf streak, *Scolecotrichum graminis* -- N. Dak.
 Mold, *Wojnowicia graminis* -- Forsythe, Mont.
 Powdery mildew, *Erysiphe graminis* -- central Mont.; central
 N. Dak.
 Root necrosis, *Pythium debaryanum* -- Dwight, N. Dak.
 Rootrot, *Helminthosporium sativum* -- general east of Rocky Mts.
 Secondary rootrot, *Fusarium scirpi* var. *acuminatum* -- general
 east of Rockies.
 Phoma (terrestris) -- central N. Dak.
Rhizoctonia solani -- scattered in N. Dak., S. Dak.
 Selenophoma stem speckle, *Selenophoma donacis* var. -- general
 in N. Dak., S. Dak., Mont. and Wyo.
 Stem rust, *Puccinia graminis* -- Pullman, Wash.; central Mont.;
 central N. Dak.; Huron, S. Dak.
 Stripe rust, *Puccinia glumarum* -- Pullman, Wash.; central Mont.

AGROPYRON SPICATUM (Pursh) Scribn. & Smith

Bends, cause undet. -- Pullman, Wash.
 Brown stripe rust, *Puccinia montanensis* -- Pullman, Wash.; central
 Mont.

7/ A complex of forms on *Agropyron* and *Elymus* which includes *S. infuscans*
 (Ell. and Ev.) Sprague, *S. elymi-europaei* Jaap and material near
 S. nodorum Berk. is under study at Mandan, N. D.

AGROPYRON SPICATUM Cont.

- Ergot, *Claviceps purpurea* -- Pullman, Wash.; Roundup, central and southern Mont.
- Leaf rust, *Puccinia rubigo-vera* -- Pullman, Wash. (with Darluca filum) central Wash.; central Mont; Yellowstone Park, Wyo.
- Leaf streak, *Scolecotrichum graminis* -- Pullman, Wash.; central Mont.
- Powdery mildew, *Erysiphe graminis* -- Pullman, Wash.; northeast Ore.
- Root browning, *Pythium arrhenomanes* -- Mandan, N. Dak.
- Rust, *Puccinia pattersoniana* -- southern Wash.; northern Ore.; western Idaho.
- Seedling blight, cause undet. -- eastern Wash.
- Selenophoma* stem speckle, *Selenophoma donacis* var. -- Sentinel Butte, N. Dak.
- Stem rust, *Puccinia graminis* -- Pullman, Wash.; Mandan, N. Dak.
- Stem smut, *Ustilago hypodytes* -- Pullman, Wash.
- Stripe rust, *Puccinia glumarum* -- Pullman, east and central Wash.; west Ore.; central Mont.

AGROPYRON SUBSECUNDUM (Link) Hitchc.

- Brown stripe rust, *Puccinia montanensis* -- Pullman, Wash.; central Mont.
- Chocolate spot, *Bacterium coronafaciens* var. *atropurpureum* -- Mandan, N. Dak.
- Ergot, *Claviceps purpurea* -- Pullman, Wash.
- Leaf rust, *Puccinia rubigo-vera* -- Pullman, Wash.; north Wyo.
- Leaf spot, *Scolecotrichum graminis* -- Pullman, Wash.; north Wyo.
- Leaf tip spot, *Ascochyta agropyrina* -- Mandan, N. Dak.
- Powdery mildew, *Erysiphe graminis* -- North Wyo.
- Rootrot, *Helminthosporium sativum* -- central N. Dak.
- Secondary rootrot, *Fusarium scirpi* var. *acuminatum* -- central N. Dak.
- Stem rust, *Puccinia graminis* -- Pullman, Wash.
- Stripe rust, *Puccinia glumarum* -- Pullman, Wash., central Mont., northern Wyo.
- Stripe smut, *Ustilago striaeformis* -- Pullman, Wash.

AGROPYRON TRACHYCAULUM^{8/} (Link) Malte

- Anthracnose, *Colletotrichum graminicolum* -- Lawton, N. Dak.
- Bends, cause undet. -- Pullman, Wash.; central Mont.
- Brown stripe rust, *Puccinia montanensis* -- Pullman, Wash.; central Mont.; Mandan, Langdon, N. Dak.
- Cat-tail disease, *Epichloë typhina* -- Pullman, Wash.; central Mont.; western N. Dak.
- Char spot, *Septogloeum oxysporum* -- Lawton, Tagus, N. Dak.
- Chocolate spot, *Bacterium coronafaciens* var. *atropurpureum* -- Lawton, S. Dak.

8/ A. pauciflorum (slender wheatgrass); see Rhodora 36:417. 1934.

AGROPYRON TRACHYCAULUM Cont.

- Ergot, *Claviceps purpurea* -- Pullman, Wash., northern Oreg.; general in Mont. and N. Dak.
- Flag smut, *Urocystis agropyri* -- northwest Wyo.
- Head smut, *Ustilago bullata* -- Pullman, Wash., northeast Oreg., southern Idaho, central Mont.
- Leaf rust, *Puccinia rubigo-vera* (with *Darluca filum*) -- Pullman, Wash.; Jackson, Wyo.; Tappen, N. Dak.
- Leaf spot, *Ascochyta agopyrina* -- Lawton, N. Dak.
- Selenophoma *donacis* var. -- Drummond, Mont.
- Septoria* sp. -- southern Mont., western N. Dak.
- Septoria elymi* -- Langdon, N. Dak.
- Leaf spot and blotch, near *Septoria nodorum* -- Ward Co., and Lawton, S. Dak.
- Leaf streak, *Scolecotrichum graminis* -- Pullman, Wash.; eastern and central Mont.; Yellowstone Park, Jackson, Wyo.; Crookston, Minn.; N. Dak.
- Powdery mildew, *Erysiphe graminis* -- central Mont., northeast Oreg., eastern Wash., central N. Dak.
- Purple leaf spot, *Stagonospora arenaria* -- Mandan, N. Dak.
- Root browning, *Pythium aristosporum* -- Mandan, N. Dak.
- Pythium arrhenomanes* -- Mandan, N. Dak.
- Roctrot, *Helminthosporium sativum* -- Mandan, N. Dak.
- Rhizoctonia solani* -- Mandan, N. Dak.
- Scald, *Rhynchosporium secalis* -- Pullman, Wash.
- Secondary rootrot, *Fusarium scirpi* var. *acuminatum* -- Mandan, N. Dak.
- Stem rust, *Puccinia graminis* -- Pullman, Wash., western N. Dak.
- Stripe rust, *Puccinia glumarum* -- Pullman, Wash., central Mont., northern Wyo.
- Stripe smut, *Ustilago striaeformis* -- Pullman, Wash., central Mont.
- Twist disease, *Dilophospora alopecuri* -- northwest Wyo., South Roosevelt Park, N. Dak.

AGROPYRON TRICHOPHORUM (Link) Richt. (P.I.106,831)(F.P.I.107,327-29)

- Bacterial slime spot, *Aplanobacter agropyri* -- Mandan, N. Dak.
- Brown stripe rust, *Puccinia montanensis* -- Mandan, N. Dak.
- Ergot, *Claviceps purpurea* -- Pullman, Wash.
- Leaf rust, *Puccinia rubigo-vera* -- Pullman, Wash.; Mandan, N. Dak.
- Leaf spot, *Ascochyta agopyrina* -- Mandan, N. Dak.
- Root browning, *Pythium arrhenomanes* -- Mandan, N. Dak.
- Root necrosis, *Pythium debaryanum* -- Mandan, N. Dak.
- Rootrot, *Rhizoctonia solani* -- Mandan, N. Dak.
- Stem rust, *Puccinia graminis* -- Mandan, N. Dak.
- Stripe rust, *Puccinia glumarum* -- Pullman, Wash.

AGROPYRON UGAMICUM Drobov (F.P.I.110,065).

- Stripe rust, *Puccinia glumarum* -- Pullman, Wash.

AGROSTIS ALBA L.

- Char spot, *Septogloea oxysporum* -- northwest Wyo.
 Leaf blight, *Sclerotium rhizodes* -- northwest Wyo.
 Leaf streak, *Scolecoctrichum graminis* -- Pullman, Wash., northern Idaho, southern Mont., northeast Oreg., northwest Wyo., Mandan, N. Dak.
 Root necrosis, *Pythium debaryanum* -- Mandan, N. Dak.
Pythium ultimum -- Mandan, N. Dak.
 Stripe smut, *Ustilago striaeformis* -- Pullman, and general in eastern Wash.; western Oreg.; western Idaho; northwest Wyo.

AGROSTIS CASTELLANA Boiss. & Reut.

- Crown rust, *Puccinia coronata* -- northern Calif., western Oreg.
 Leaf blotch, *Septoria triseti* -- western Oreg.
 Stripe smut, *Ustilago striaeformis* -- Pullman, Wash.

AGROSTIS EXARATA Trin.

- Leaf streak, *Scolecoctrichum graminis* -- western Idaho.
 Powdery mildew, *Erysiphe graminis* -- western Idaho, northeast Oreg., eastern Wash.
 Stem rust, *Puccinia graminis* -- western Idaho.

AGROSTIS HALLII Vasey

- Stem rust, *Puccinia graminis* -- northwest Calif.

AGROSTIS PALUSTRIS Huds.

- Stripe smut, *Ustilago striaeformis* -- western Oreg.

AGROSTIS SCABRA Willd.

- Char spot, *Septogloea oxysporum* -- Cornucopia, Oreg.
 Leaf spot, *Septoria secalis* var. *stipae* -- Ft. Totten, N. Dak.
 Selenophoma speckle, *Selenophoma donacis* var. -- Ft. Totten, N. Dak.

AGROSTIS STOLONIFERA L.

- Stripe smut, *Ustilago striaeformis* -- Pullman, Wash.

AGROSTIS TENUIS Sibth.

- Crown rust, *Puccinia coronata* -- western Oreg.
 Leaf blotch, *Septoria triseti* -- western Oreg.
 Stem rust, *Puccinia graminis* -- western Oreg.

ALOPECURUS AEQUALIS Sobol.

- Leaf streak, *Scolecoctrichum graminis* -- northeast Oreg.

ALOPECURUS ARUNDINACEUS Poir.

- Stem rust, *Puccinia graminis* -- Tucson, Ariz.

ALOPECURUS PRATENSIS L.

- Ergot, *Claviceps purpurea* -- central Mont. and Corvallis, Oreg.
 Leaf streak, *Scolecoctrichum graminis* -- Mandan, N. Dak.
 Scald, *Rhynchosporium orthosporum* -- Corvallis, Granger, Oreg.

AMMOPHILA ARENARIA (L.) Link.

Root browning, *Pythium arrhenomanes* -- Mandan, N. Dak.
Rootrot, *Helminthosporium sativum* -- Mandan, N. Dak.

ANDROPOGON FURCATUS Muhl.

Leaf spot, *Ascochyta* sp. -- Mandan, N. Dak.
Phyllosticta sp. -- Mandan, N. Dak.
Root browning, *Pythium arrhenomanes* -- McCanna, Mandan, N. Dak.
Root necrosis and Damping-off, *Pythium debaryanum* -- Albion,
Nebr.; Mandan, N. Dak.
Pythium ultimum -- Albion, Nebr.
Rootrot, *Fusarium scirpi* var. *acuminatum* -- Albion, Nebr.
Stomatal drowning, cause, excess rain plus *Bacterium* sp. --
Mandan, N. Dak.

ANDROPOGON HALLII Hack.

Damping-off, *Pythium debaryanum* -- Mandan, McCanna, N. Dak.
Rootrot, *Fusarium scirpi* var. *acuminatum* -- Mandan, N. Dak.
Helminthosporium sativum -- Mandan, N. Dak.
Stomatal drowning, cause, excess rain plus *Bacterium* sp. --
Mandan, N. Dak.

ANDROPOGON SCOPARIUS Michx.

Root necrosis and Damping-off, *Pythium debaryanum* -- Mandan, N. Dak.
Rust, *Puccinia ellisiana* -- Mandan, N. Dak.
Stomatal drowning, cause, excess rain plus *Bacterium* sp. --
Mandan, N. Dak.

ARISTIDA LONGISETA Steud.

Kernel smut, *Sorosporium consanguineum* -- western Idaho.
Rust, *Puccinia aristidae* -- western Idaho.
Selenophoma stem speckle, *Selenophoma donacis* var. -- extreme
western N. Dak.

ARRHENATHERUM ELATIUS (L.) Mert. & Koch.

Ergot, *Claviceps purpurea* -- central Mont. and Corvallis, Oreg.
Leaf spot and stem speckle, *Selenophoma donacis* var. --
Bozeman, Mont.
Leaf streak, *Scolecotrichum graminis* -- Pullman, Wash.; central
Mont.; western Oreg.
Loose smut, *Ustilago avenae* -- Pullman, Wash.; south Idaho.
Root browning, *Pythium arrhenomanes* -- Mandan, N. Dak.
Root necrosis, *Pythium debaryanum* -- Mandan, N. Dak.
Rootrot (charcoal rot) *Macrophomina phaseoli* -- Mandan, N. Dak.

AVENA FATUA L.

Anthracnose, *Colletotrichum graminicolum* -- Grand Forks, N. Dak.
Crown rust, *Puccinia coronata* -- southern, central and northwest
Calif.; east Wash.
Leaf spot, *Ascochyta avenae* & associated ascomycete -- Pullman, Wash.

AVENA FATUA L. Cont.

Root browning, Pythium arrhenomanes -- Mandan, McCanna, Taft, N. Dak.
 Rootrot, Helminthosporium sativum -- McCanna, N. Dak.
 Stem rust, Puccinia graminis avenae -- south, central and northeast
 Calif.; eastern Wash.; eastern and northeast N. Dak. (Darluca
 filum near Taft, N. Dak.)

AVENA HOOKERI Scribn.

Anthracnose, Colletotrichum graminicolum -- McHenry Co., N. Dak.
 Crown rust, Puccinia coronata -- Quad Creek in southern Mont.

BECKMANNIA SYZIGACHNE (Steud.) Fernald

Crown rust, Puccinia coronata -- central Calif.
 Leaf streak, Scolecotrichum graminis -- Ward Co., N. Dak.

BOUTELOUA CURTIPENDULA (Michx.) Torr.

Damping-off, Pythium debaryanum -- Mandan, N. Dak.
 Root browning, Pythium arrhenomanes -- Mandan, N. Dak.
 Rootrot, Fusarium scirpi var. acuminatum -- Mandan, N. Dak.
 Helminthosporium sativum -- Mandan, N. Dak.
 Rhizoctonia solani -- Mandan, N. Dak.
 Rust, Puccinia vexans (with Darluca filum) -- Dickinson, Mandan,
 N. Dak.
 Selenophoma stem speckle and leaf spot; Selenophoma donacis var. --
 near Beach, N. Dak.

BOUTELOUA GRACILIS (H. B. K.) Lag.

Damping-off, Pythium debaryanum -- Mandan, N. Dak., Grassy Butte,
 McCanna, N. Dak.
 Root browning, Pythium arrhenomanes -- Mandan, McCanna, N. Dak.
 Rootrot, Curvularia geniculata -- Yates, Mont.; western N. Dak.
 Fusarium poae -- Mandan, N. Dak.
 Fusarium scirpi var. acuminatum -- Mandan, N. Dak.
 Fusarium sporotrichoides -- Albion, Nebr.
 Helminthosporium sativum -- Coburn, Mandan, N. Dak.
 Rhizoctonia solani -- McCanna, Mandan, N. Dak.
 Rust, Puccinia bartholomaei -- Coburn, N. Dak.

BRACHYPODIUM SYLVATICUM (Huds.) Beauv. (P.I.113,027).

Chocolate spot, Bacterium coronafaciens var. atropurpureum --
 Mandan, N. Dak.
 Root browning, Pythium arrhenomanes -- Mandan, N. Dak.
 Secondary rootrot, Curvularia geniculata -- Mandan, N. Dak.
 Fusarium scirpi var. acuminatum -- Mandan, N. Dak.
 Macrophomina phaseoli -- Mandan, N. Dak.

BROMUS ANOMALUS Rupr.

Head smut, Ustilago bullata -- Pullman, Wash.
 Stripe rust, Puccinia glumarum -- Pullman, Wash.

BROMUS ARVENSIS L. (Denmark F.C.13,674).

Root necrosis, *Pythium debaryanum* -- Mandan, N. Dak.

BROMUS CARINATUS Hook. & Arn.

Ergot, *Claviceps purpurea* -- western Idaho, central Mont.

Head smut, *Ustilago bullata* -- eastern Wash., Pullman, Wash.; western and southern Idaho; central Mont.; northern Wyo.; northern Utah.

Leaf rust, *Puccinia rubigo-vera* -- general from Idaho westward; and Calif.

Leaf streak, *Scolecotrichum graminis* -- western Idaho, central Mont., Jackson, Wyo.

Powdery mildew, *Erysiphe graminis* -- Pullman, Wash.; west Idaho; Cooke City, Mont.

Rootrot, *Helminthosporium sativum* -- Mandan, N. Dak.

Rhizoctonia solani -- Mandan, N. Dak.

Scald, *Rhynchosporium secalis* -- Pullman, Wash.

Stem rust, *Puccinia graminis* -- Pullman, Wash.

Stripe rust, *Puccinia glumarum* -- Pullman, Wash.; central Mont.; northeast Oreg.; eastern Wash.; northern Wyo.

BROMUS CATHARTICUS Vahl.

Head smut, *Ustilago bullata* -- western Oreg.

Leaf streak, *Scolecotrichum graminis* -- eastern Wash.

BROMUS CILIATUS L.

Ergot, *Claviceps purpurea* -- central Mont.

Head smut, *Ustilago bullata* -- central Mont.

Leaf rust, *Puccinia rubigo-vera* -- Pullman, Wash. and northeast Oreg.

Stem rust, *Puccinia graminis* -- central Calif.

Stripe rust, *Puccinia glumarum* -- central Mont.

BROMUS ERECTUS Huds.

Chocolate spot, *Bacterium coronafaciens* var. *atropurpureum* -- eastern Wash.; central Mont.

Ergot, *Claviceps purpurea* -- central Mont.

Head smut, *Ustilago bullata* -- central and eastern Wash.; south Idaho.

Root browning, *Pythium arrhenomanes* -- Mandan, N. Dak.

Secondary rootrot, *Fusarium scirpi* var. *acuminatum* -- Mandan, N. Dak.

BROMUS INERMIS Leyss.

Bends, cause undet. -- Pullman, Wash.; central Mont.

Chocolate spot, *Bacterium coronafaciens* var. *atropurpureum* -- Pullman, Wash.; general in N. Dak., S. Dak., Minn., Nebr.

Ergot, *Claviceps purpurea* -- N. Dak., and S. Dak.

Leaf spot, *Ascochyta graminicola* var. *diedickeana* -- McCanna, N. Dak.; Laporte, Minn.

Selenophoma bromigena -- Pullman, Wash. and almost universal east of the Rockies except in the drier areas.

BROMUS INERMIS Cont.

Root browning, Pythium arrhenomanes -- common and destructive from Minn. to the Rockies.

Root necrosis, Pythium debaryanum -- scattered in N. Dak., S. Dak., Minn. and Nebr.

Pythium irregularare -- Mandan, N. Dak.

Pythium (?) proliferum (irregularare) -- Lincoln, Nebr.

Pythium ultimum -- Lincoln, Nebr.

Rootrot, Helminthosporium sativum -- common in N. Dak., S. Dak., Mont. and in Nebr.

Secondary roottrot, Fusarium scirpi var. acuminatum -- N. Dak., S. Dak., Mont.

Helminthosporium sp. -- rarely isolated in N. Dak.

Sclerotium sp. -- central N. Dak.

Rhizoctonia solani -- N. Dak.; S. Dak.

Scald, Rhynchosporium secalis -- Pullman, Wash.

BROMUS JAPONICUS Thurb.

Head smut, Ustilago bullata -- eastern Wash.

Leaf spot, Septoria bromi -- eastern Wash.

Secondary rootrot, Fusarium scirpi acuminatum -- Highmore, S. Dak.

BROMUS LAEVIPES Shear

Leaf rust, Puccinia rubigo-vera -- central and north Calif.

BROMUS LANUGINOSUS Poir.

Leaf rust, Puccinia rubigo-vera -- central Calif.

BROMUS MARGINATUS Nees

Chocolate spot, Bacterium coronafaciens var. atropurpureum -- Pullman, Wash.

Ergot, Claviceps purpurea -- Pullman, Wash., northern Idaho.

Head smut, Ustilago bullata -- Pullman, Wash.; southern Idaho; western Oreg.

Leaf rust, Puccinia rubigo-vera -- Pullman, Wash. (with parasite Darluca filum); central Calif.

Leaf streak, Scolecotrichum graminis -- eastern Wash.

Powdery mildew, Erysiphe graminis -- Pullman, Wash., western Mont.

Root browning, Pythium arrhenomanes -- Mandan, N. Dak.

Scald, Rhynchosporium secalis -- Pullman, Wash.

Stem rust, Puccinia graminis -- Pullman, Wash.

Stripe rust, Puccinia glumarum -- central Calif., central Oreg.

BROMUS MADRITENSIS L.

Rootrot, Helminthosporium sativum -- Mandan, N. Dak.

BROMUS MOLLIS L.

Bunt, Tilletia guyotiana -- northern Idaho, eastern Wash.

Head smut, Ustilago bullata -- central and northern Calif., northern Utah, southern Wash.

Leaf rust, Puccinia rubigo-vera -- central Calif.

BROMUS POLYANTHUS Scribn.

Head smut, *Ustilago bullata* -- southern Idaho.

Leaf rust, *Puccinia rubigo-vera* -- Pullman, Wash., central Calif.

Stripe rust, *Puccinia glumarum* -- Pullman, Wash.

BROMUS PURGANS L.

Stripe rust, *Puccinia glumarum* -- Pullman, Wash.

BROMUS RACEMOSUS L.

Bunt, *Tilletia guyotiana* -- southern Wash.

Head smut, *Ustilago bullata* -- southern Wash.

BROMUS RIGIDUS Roth.

Head smut, *Ustilago bullata* -- southern Wash.

Leaf rust, *Puccinia rubigo-vera* -- southern and central Calif., southern Wash.

Stem rust, *Puccinia graminis* -- central Calif.

BROMUS RUBENS L.

Head smut, *Ustilago bullata* -- central Calif.

Leaf rust, *Puccinia rubigo-vera* -- central Calif.

Stem rust, *Puccinia graminis* -- central Calif.

BROMUS SECALINUS L.

Head smut, *Ustilago bullata* -- western Oreg.

Leaf spot, *Septoria bromi* -- northwest Idaho.

BROMUS SIBIRICUS Drobov (P.I. 111531).

Head smut, *Ustilago bullata* -- Pullman, Wash.

Leaf rust, *Puccinia rubigo-vera* -- central Calif.

Stem rust, *Puccinia graminis* -- central Calif.

BROMUS TECTORUM L.

Head smut, *Ustilago bullata* -- general west of Rockies.

Leaf rust, *Puccinia rubigo-vera* -- eastern Wash., central Calif.

Powdery mildew, *Erysiphe graminis* -- Lincoln, Nebr.

Root necrosis, *Pythium irregularare* -- Lincoln, Nebr.

Pythium proliferum -- Lincoln, Nebr.

Rootrot, *Helminthosporium sativum* -- Park River, N. Dak.

Secondary rootrot, *Fusarium scirpi* var. *acuminatum* -- Kildeer Mts., N. Dak.

Stem rust, *Puccinia graminis* -- central Calif.

BROMUS TOMENTELLUS Boiss. (P.I. 111530).

Head smut, *Ustilago bullata* -- Pullman, Wash.

Rootrot, *Helminthosporium sativum* -- Mandan, N. Dak.

Secondary rootrot, *Fusarium scirpi* var. *acuminatum* -- Mandan, N. Dak.

BROMUS VULGARIS (Hook.) Shear

Head smut, *Ustilago bullata* -- Pullman, Wash.

BROMUS VULGARIS Cont.

Leaf rot, *Hendersonia* sp. -- Lake Itasca, Minn.

Leaf streak, *Scolecotrichum graminis* -- northern Idaho.

BUCHLOÉ DACTYLOIDES (Nutt.) Engelm.

Cercospora seed blight, *Cercospora seminalis* -- Mandan, N. Dak.

Leaf rot, *Ascochyta* phase of *Hendersonia* sp. -- Fargo, N. Dak.

Helminthosporium inconspicuum var. *buchloës* -- Nebr., Mont., N. Dak.

Rootrot, *Curvularia geniculata* -- Albion, Nebr.

Fusarium scirpi var. *acuminatum* -- Albion, Nebr.

Rhizoctonia solani -- Albion, Nebr.

Rust, *Puccinia kensis* -- SCS nursery, North Platte, Nebr.

CALAMAGROSTIS CANADENSIS (Michx.) Beauv.

Anthracnose, *Colletotrichum graminicolum* -- Bismarck, Langdon, N. Dak.; Townsend, Mont.

Crown rust, *Puccinia coronata* -- Townsend, Mont.

Leaf rot, *Hendersonia calamovilfae* -- western S. Dak..

Leaf streak, *Scolecotrichum graminis* -- Langdon, N. Dak.

Red eye-spot, *Mastigosprium rubricosum* -- Yellowstone Park, Wyo.

Scald, *Rhynchosporium orthosporum* -- Yellowstone Park, Wyo.

CALAMAGROSTIS INEXPANSA A. Gray

Anthracnose, *Colletotrichum graminicolum* -- Lawton, N. Dak.

Ergot, *Claviceps purpurea* -- Lawton, N. Dak.

CALAMAGROSTIS RUBESCENS Buckl.

Anthracnose, *Colletotrichum graminicolum* -- Cornucopia, Oreg.

CALAMAGROSTIS SCRIBNERI Beal

Crown rust, *Puccinia coronata* -- Jackson L. For. Camp, Wyo.

Leaf spot, *Selenophoma donacis* var. -- Jackson Lake, Wyo.

CALAMOVILFA GIGANTEA (Nutt.) Scribn. and Merr.

Leaf spot, *Hendersonia calamovilfae* -- Pullman, Wash.

CALAMOVILFA LONGIFOLIA (Hook.) Scribn.

Leaf mold, *Cladosporium herbarum* -- Coburn, N. Dak.

Leaf rot and spot, *Hendersonia calamovilfae* -- Coburn, N. Dak.

Leaf spot, *Septoria calamovilfae* -- Wilton, N. Dak.

Selenophoma donacis -- Mandan, N. Dak., and vicinity.

Rootrot, *Helminthosporium sativum* -- Mandan, N. Dak.

Rust, *Puccinia amphigena* -- Wibaux, Mont., central N. Dak.

Secondary rootrot, *Fusarium scirpi* var. *acuminatum* -- Mandan, N. Dak.

CHLORIS VIRGATA Swartz

Secondary rootrot, *Fusarium scirpi* var. *acuminatum* -- Mandan, N. Dak.

CINNA LATIFOLIA (Trevir.) Griseb.

- Leaf spot, *Stagonospora arenaria* -- Cornucopia, Oreg.; Tamarac Game Sanctuary, Minn.
Stem rust, *Puccinia graminis* -- Cornucopia, Oreg.

CYNDODON DACTYLON (L.) Pers.

- Rust, *Puccinia cynodontis* -- southern Calif.

DACTYLIS GLOMERATA L.

- Bends, cause undet. -- Pullman, Wash., central Mont.
Ergot, *Claviceps purpurea* -- Corvallis, Oreg.
Leaf streak, *Scolecostrichum graminis* -- Pullman, Wash., eastern Wash., western Oreg.
Mold, *Wojnowicia graminis* -- Mandan, N. Dak.
Powdery mildew, *Erysiphe graminis* -- southern Mont., eastern Wash.
Purple spot, *Mastigosporium rubricosum* -- Corvallis, Oreg.
Rootrot, *Helminthosporium sativum* -- Mandan, N. Dak.
Secondary rootrot, *Fusarium scirpi* var. *acuminatum* -- Mandan, N. Dak.
Selenophoma stem speckle, *Selenophoma donacis* var. -- Pullman, Wash.
Stem rust, *Puccinia graminis* -- eastern Wash. and Bard, Calif.

DANTHONIA CALIFORNICA Boland.

- Bends, cause undet. -- western Idaho.
Loose smut, *Ustilago residua* -- central Calif.

DANTHONIA CALIFORNICA var. *AMERICANA* (Scribn.) Hitchc.

- Bends, cause undet. -- western Idaho.

DANTHONIA UNISPICATA (Thurb.) Munro

- Bends, cause undet. -- Pullman, Wash.

DESCHAMPSIA ATROPURPUREA (Wahl.) Scheele

- Selenophoma stem speckle, *Selenophoma donacis* var. -- Beartooth Pass in Mont.

DESCHAMPSIA CAESPITOSA (L.) Beauv.

- Crown rust, *Puccinia coronata* -- western Oreg.
Ergot, *Claviceps purpurea* -- northeast Oreg.
Leaf blast, *Cercosporaella subulata* -- Beartooth Pass, Wyo.
Stem rust, *Puccinia graminis* -- Pullman, Wash.
Selenophoma stem speckle, *Selenophoma donacis* var. -- Beartooth Pass in Wyo.

DESCHAMPSIA DANTHONIOIDES (Trin.) Munro

- Bunt, *Tilletia airae* -- eastern Wash.
Stem rust, *Puccinia graminis* -- eastern Wash.

DESCHAMPSIA ELONGATA (Hook.) Munro

- Bunt, *Tilletia airae* -- northwest Idaho, northwest Oreg.

DESCHAMPSIA ELONGATA Cont.

Leaf streak, *Scolecotrichum graminis* -- western Wash.

Rust, *Uromyces jacksonii* -- northern Idaho.

Selenophoma stem speckle, *Selenophoma donacis* var. -- eastern Wash., Pullman, Wash.

Stem rust, *Puccinia graminis* -- central Calif., northwest Idaho.

DIGITARIA SANGUINALIS (L.) Scop.

Anthracnose, *Colletotrichum graminicolum* -- Mandan, N. Dak.

Leaf rot, *Curvularia geniculata* -- Mandan, N. Dak.

Curvularia trifolii -- Mandan, N. Dak.

Mold, *Helminthosporium sativum* -- Mandan, N. Dak.

Secondary mold and rootrot, *Fusarium scirpi* var. *acuminatum* -- Mandan, N. Dak.

DISTICHLIS SPICATA (L.) Greene

Char spot, *Dothidella aristidae* -- northern Calif.

DISTICHLIS STRICTA (Torr.) Rydb.

Char spot, *Dothidella aristidae* -- northeast Oreg., northern Utah, central and eastern Wash., N. Dak., S. Dak.

Rust, *Puccinia aristidae* -- general from central Calif. to eastern N. Dak. and S. Dak.

Secondary rootrot, *Fusarium scirpi* var. *acuminatum* -- northern, central N. Dak.

Wojnowicia graminis -- Niagara, N. Dak.

Tar spot, *Phyllachora* sp. -- western N. Dak.

ECHINOCHLOA CRUSGALLI (L.) Beauv.

Root browning, *Pythium aristosporum* -- Dickinson, N. Dak.

Pythium arrhenomanes -- Dwight, Dickinson, N. Dak.

Root necrosis, *Pythium debaryanum* -- Langdon, N. Dak.

Rootrot, *Fusarium culmorum* -- Dickinson, N. Dak.

Helminthosporium sativum -- Fairmont, N. Dak.

Secondary rootrot, *Curvularia geniculata* -- Mandan, N. Dak.

Curvularia trifolii -- Mandan, N. Dak.

Fusarium scirpi var. *acuminatum* -- Dickinson, Mandan, N. Dak.

Rhizoctonia solani -- Mandan, N. Dak.

ELYMUS AMBIGUUS Vasey & Scribn.

Ergot, *Claviceps purpurea* -- western Mont.

ELYMUS ANTARCTICUS Hook. f.

Bends, cause undet. -- Pullman, Wash.

Stripe rust, *Puccinia glumarum* -- Pullman, Wash.

ELYMUS ARENARIUS L.

Stripe rust, *Puccinia glumarum* -- Pullman, Wash.

ELYMUS CANADENSIS L.

- Bends, cause undet. -- Pullman, Wash.
 Brown stripe rust, *Puccinia montanensis* -- Pullman, Wash., southern Idaho, central Mont., Mandan, N. Dak.
 Brown stripe smut, *Tilletia* sp. -- southern Mont.
 Cat-tail disease, *Epichloë typhina* -- Pullman, Wash.
 Chocolate spot, *Bacterium coronafaciens* var. *atropurpureum* -- central N. Dak.
 Head smut, *Ustilago bullata* -- eastern Wash.
 Leaf blotch, *Septoria elymi* -- Coburn, N. Dak.
 Leaf rust, *Puccinia rubigo-vera* -- Pullman, Wash., southern Mont., western and central N. Dak. (with *Darluca filum*).
 Leaf spot, *Ascochyta agropyrina* -- Mandan, N. Dak.
Ascochyta elymi -- Solen, N. Dak.
Septoria sp. -- Leonard, N. Dak.
 Leaf streak, *Scolecostrichum graminis* -- Pullman, Wash., central Mont., northern Utah, central and northcentral N. Dak.
 Powdery mildew, *Erysiphe graminis* -- western and central Mont.
 Rootrot, *Helminthosporium sativum* -- Dickinson, Mandan, N. Dak.
 Scald, *Rhynchosporium secalis* -- Pullman, Wash.
 Secondary rootrot, *Fusarium scirpi* var. *acuminatum* -- Mandan, Zap, N. Dak.
Rhizoctonia solani -- McCanna, Mandan, N. Dak.
 Stem rust, *Puccinia graminis* -- Pullman, Wash., Mandan, N. Dak.
 Stem smut, *Ustilago hypodytes* -- Pullman, Wash.
 Stripe rust, *Puccinia glumarum* -- Pullman, Wash., central Mont.
 Stripe smut, *Ustilago macrospora* -- Pullman, Wash., southern Mont.
Ustilago striiformis -- Pullman, Wash.

ELYMUS CANADENSIS var. ROBUSTUS (Scribn. & Smith) McKenzie & Bush

Brown stripe rust, *Puccinia montanensis* (with parasite *Darluca filum*) -- Mandan, N. Dak.

ELYMUS CONDENSATUS Presl

- Bends, cause undet. -- Pullman, Wash.
 Brown stripe rust, *Puccinia montanensis* -- central Wash., Mandan, N. Dak.
 Char spot, *Septogloea oxysporum* -- eastern Wash., western Wyo., central and western Mont.
 Chocolate spot, *Bacterium coronafaciens* var. *atropurpureum* -- central Calif., eastern Wash.
 Ergot, *Claviceps purpurea* -- Pullman, Wash., central Wash., central and western Mont., northeast Oreg., Jackson, Wyo.
 Leaf rust, *Puccinia rubigo-vera* -- Pullman, Wash., and general in eastern and central Wash., northeast Oreg., central Calif., Mandan, N. Dak., Drummond, Mont.
 Leaf spot, *Heterosporium avenae* -- Pullman, Wash.
Selenophoma donacis -- central Wash., Mandan, N. Dak., Livingston, Mont.
Septoria pacifica -- northwest Calif.

ELYMUS CONDENSATUS Cont.

- Leaf spot, Septoria sp. -- western and central Mont., Jackson, Wyo.
 Septoria infuscans -- central Wash.
- Leaf streak, Scolecotrichum graminis -- Pullman, Wash., western and central Mont.
- Powdery mildew, Erysiphe graminis -- northeast Oreg., Jackson, Wyo.
- Stem rust, Puccinia graminis -- Pullman, Wash., central Calif., Mandan (with associated Bacterium and Darluca filum) N. Dak.
- Stem smut, Ustilago hypodytes -- Pullman, Wash.
- Stripe rust, Puccinia glumarum -- Pullman, eastern and central Wash.; central Calif., central Mont., northern Oreg.
- Stripe smut, Ustilago macrospora -- central Mont.

ELYMUS CONDENSATUS var. PUBENS Piper

- Leaf rust, Puccinia rubigo-vera -- central Calif.
- Leaf spot, Septoria sp. -- central Calif.
- Stem rust, Puccinia graminis -- central Calif.
- Stripe rust, Puccinia glumarum -- central Calif.

ELYMUS DAHURICUS Turcz. (P.I. 113124).

- Cat-tail discase, Epichloë typhina - Pullman, Wash.
- Ergot, Claviceps purpurea -- Pullman, Wash.
- Rootrot, Fusarium scirpi var. acuminatum -- Mandan, N. Dak.
- Helminthosporium sativum -- Mandan, N. Dak.
- Stem rust, Puccinia graminis -- Pullman, Wash.; Mandan, N. Dak.
- Stem smut, Ustilago hypodytes -- Pullman, Wash.

ELYMUS DASYSTACHYS Trin. (F.P.I. 113109).

- Chocolate spot, Bacterium coronafaciens var. atropurpureum -- central N. Dak.
- Secondary rootrot, Macrohomina phaseoli -- Mandan, N. Dak.
- Stem smut, Ustilago hypodytes -- Pullman, Wash.

ELYMUS EXCELSUS Turcz.

- Bends, cause undet. -- Pullman, Wash.
- Chocolate spot, Bacterium coronafaciens var. atropurpureum -- Mandan, N. Dak.
- Covered smut, Ustilago hordei -- Pullman, Wash.
- Ergot, Claviceps purpurea -- Pullman, Wash.
- Leaf rot, Ascochyta agropyrina -- Mandan, N. Dak., Pullman, Wash.
- Leaf rust, Puccinia rubigo-vera -- Pullman, Wash.
- Rootrot, Helminthosporium sativum -- Mandan, N. Dak.
- Stem rust, Puccinia graminis -- Mandan, N. Dak.
- Stem smut, Ustilago hypodytes -- Pullman, Wash.
- Stripe rust, Puccinia glumarum -- Pullman, Wash.

ELYMUS FLAVESCENS Scribn. & Smith

- Leaf rust, Puccinia rubigo-vera -- central Wash.
- Leaf spot, Selenophoma donacis -- central Wash.
- Leaf streak, Scolecotrichum graminis -- Centennial Valley, Mont.

ELYMUS GIGANTEUS Vahl (P.I. 107339).

- Chocolate spot, *Bacterium coronafaciens* var. *atropurpureum* --
Mandan, N. Dak.
Ergot, *Claviceps purpurea* -- southern Wash.
Leaf and sheath spot, *Selenophoma donacis* var. -- Pullman, Wash.

ELYMUS GLAUCUS Buckl.

- Bends, cause undet. -- Pullman, Wash.
Brown stripe rust, *Puccinia montanensis* -- Pullman, Wash.,
Mandan, N. Dak.
Bunt, *Tilletia elymi* -- northeast Oreg.
Covered smut, *Ustilago hordei* -- Pullman, Wash.
Ergot, *Claviceps purpurea* -- Pullman, Wash., northeast Oreg.,
Mandan, N. Dak.
Head smut, *Ustilago bullata* -- Pullman, Wash.
Leaf rust, *Puccinia rubigo-vera* -- Pullman, Wash. (with parasite
Darluca filum); central Calif., northern Oreg., southern Wash.
Leaf spot, *Selenophoma donacis* var. -- Pullman, Wash.
Leaf streak, *Scolecochitrum graminis* -- Pullman, Wash.; central Calif.
Root browning, *Pythium arrhenomanes* -- Mandan, N. Dak.
Secondary rootrot, *Fusarium scirpi* var. *acuminatum* -- Mandan, N. Dak.
Seedling blight, cause undet. -- eastern Wash.
Stem rust, *Puccinia graminis* -- Pullman, Wash.; central Calif.
Stem smut, *Ustilago hypodytes* -- Pullman, Wash.
Stripe rust, *Puccinia glumarum* -- Pullman, Wash.; central Calif.;
northeast Oreg.
Stripe smut, *Ustilago striaeformis* -- Pullman, Wash.; northeast Oreg.

ELYMUS INTERRUPTUS Buckl.

- Brown stripe rust, *Puccinia montanensis* -- Mandan, N. Dak.
Chocolate spot, *Bacterium coronafaciens* var. *atropurpureum* --
Mandan, N. Dak.
Leaf rust, *Puccinia rubigo-vera* -- Mandan (also associated with
Bacterium sp.), N. Dak.
Root browning, *Pythium arrhenomanes* -- Mandan, N. Dak.
Rootrot, *Helminthosporium sativum* -- Mandan, N. Dak.
Secondary rootrot, *Fusarium scirpi* var. *acuminatum* -- Mandan, N. Dak.
Stem rust, *Puccinia graminis* -- Mandan, N. Dak.
Stripe rust, *Puccinia glumarum* -- Pullman, Wash.

ELYMUS JUNCEUS Fisch.

- Bends, cause undet. -- central Mont.
Ergot, *Claviceps purpurea* -- central Mont.; Mandan, N. Dak. (in
conidial form only).
Glume blotch, *Sectoria nodorum* -- Langdon, N. Dak.
Grease spot, cause undet. -- Mandan, N. Dak.
Head smut, *Ustilago bullata* -- Pullman, Wash.; central Mont.;
Mandan (from Pullman seed), N. Dak.
Joint disease, *Bacterium* sp. -- Mandan, N. Dak.
Leaf rust, *Puccinia rubigo-vera* -- western Calif.; Mandan, N. Dak.
(*Bacterium* sp. and *Darluca filum* associated).

ELYMUS JUNCEUS Cont.

- Powdery mildew, *Erysiphe graminis* -- central Mont., Mandan, N. Dak.
 Root browning, *Pythium arrhenomanes* -- Mandan, N. Dak.
 Root necrosis, *Pythium debaryanum* -- Mandan, N. Dak.
 Pythium irregularare -- Mandan, N. Dak.
 Rootrot, *Helminthosporium sativum* -- Langdon, N. Dak.
 Secondary rootrot, *Curvularia geniculata* -- Mandan, N. Dak.
 Fusarium scirpi var. *acuminatum* -- Mandan, Dickinson, N. Dak.
 Rhizoctonia solani -- Mandan, N. Dak.
 Selenophoma stem speckle, *Selenophoma donacis* var. -- Mandan,
 Langdon, N. Dak.
 Stem rust, *Puccinia graminis* -- Pullman, Wash., central Mont.,
 Mandan, N. Dak. (Bacterium associated), central S. Dak.

ELYMUS MACCOUNII Vasey

- Brown stripe rust, *Puccinia montanensis* -- Mandan, N. Dak.
 Chocolate spot, *Bacterium coronafaciens* var. *atropurpureum* --
 Mandan, N. Dak.
 Ergot, *Claviceps purpurea* -- western and southern Mont., central
 N. Dak.
 Leaf spot, *Ascochyta graminicola* - Townsend, Mont.
 Ascochyta graminicola var. *brachypodii* -- Mandan, N. Dak.
 Septoria sp. (not elymi) -- Ft. Totten, N. Dak.
 Leaf rust, *Puccinia rubigo-vera* -- Pullman, Wash., Mandan, N. Dak.
 Root browning, *Pythium arrhenomanes* -- Mandan, N. Dak.
 Root necrosis, *Pythium debaryanum* -- Mandan, N. Dak.
 Secondary rootrot, *Fusarium scirpi* var. *acuminatum* -- Mandan, N. Dak.
 Stem rust, *Puccinia graminis* -- Pullman, Wash., Mandan, N. Dak.

ELYMUS PSEUDOAGRCYRON (Griseb.) Trin. (P.I. 135580).

- Chocolate spot, *Bacterium coronafaciens* var. *atropurpureum* --
 Mandan, N. Dak.

ELYMUS SABULOSUS Bieb. (A 74 from Pima, Ariz. S.C.S. 1933).

- Chocolate spot, *Bacterium coronafaciens* var. *atropurpureum* --
 Mandan, N. Dak.

Stripe rust, *Puccinia glumarum* -- Pullman, Wash.

ELYMUS SALINA Jones

- Leaf rust, *Puccinia rubigo-vera* -- Pullman, Wash.
 Stripe rust, *Puccinia glumarum* -- Pullman, Wash.

ELYMUS SALSUGINOSUS Turcz. (P.I. 111554).

- Chocolate spot, *Bacterium coronafaciens* var. *atropurpureum* --
 Mandan, N. Dak.
 Ergot, *Claviceps purpurea* -- Mandan, N. Dak.

ELYMUS SIBIRICUS L. (P.I. 131578).

- Brown stripe rust, *Puccinia montanensis* -- Mandan, N. Dak.
 Chocolate spot, *Bacterium coronafaciens* var. *atropurpureum* --
 Mandan, N. Dak.

ELYMUS SIBIRICUS Cont.

Head smut, *Ustilago bullata* -- southern Idaho.
 Leaf rust, *Puccinia rubigo-vera* -- western Oreg., Mandan, N. Dak.
 Leaf streak, *Scolecostrichum graminis* -- Pullman, Wash.
 Powdery mildew, *Erysiphe graminis* -- Mandan, N. Dak.
 Rootrot, *Helminthosporium sativum* -- Mandan, N. Dak.
 Stem rust, *Puccinia graminis* -- Pullman, Wash., Mandan, N. Dak.
 Stem smut, *Ustilago hypodytes* -- Pullman, Wash.
 Stripe rust, *Puccinia glumarum* (with parasite *Darluca filum*),
 Pullman, Wash.

ELYMUS TRITICOIDES Buckl.

Char spot, *Septogloëum oxysporum* -- northern Calif.
 Ergot, *Claviceps purpurea* -- Pullman, Wash., northern Calif.
 Leaf rust, *Puccinia rübigo-vera* -- Pullman, Wash., southern Calif.,
 western Calif., western Oreg.
 Leaf spot, *Septoria elymi-europaei* -- northern Calif.
 Stagonospora arenaria -- northern Calif.
 Secondary rootrot, *Fusarium scirpi* var. *acuminatum* -- Mandan, N. Dak.
 Stem rust, *Puccinia graminis* -- Mandan (with *Darluca filum*), N. Dak.,
 northern Calif.
 Stripe rust, *Puccinia glumarum* -- Pullman, Wash., western Oreg.

ELYMUS VIRESSENS Piper

Stripe rust, *Puccinia glumarum* -- Pullman, Wash.

ELYMUS VIRGINICUS L.

Chocolate spot, *Bacterium coronafaciens* var. *atropurpureum* --
 Bozeman, Mont., Mandan, N. Dak.
 Leaf spot, *Ascochyta agropyrina* -- Mandan, N. Dak.
 Leaf rust, *Puccinia rubigo-vera* -- Pullman, Wash.
 Stripe rust, *Puccinia glumarum* -- Pullman, Wash.

ERAGROSTIS CURVULA (Schrad.) Nees. (Pima, Ariz. D.G.-69-37).

Rootrot, *Helminthosporium sativum* -- Mandan, N. Dak.
 Secondary rootrot, *Fusarium scirpi* var. *acuminatum* -- Mandan, N. Dak.
Rhizoctonia solani -- Mandan, N. Dak.

ERAGROSTIS PILOSA (L.) Beauv.

Rootrot, *Helminthosporium sativum* -- Mandan, N. Dak.
 Secondary rootrot, *Fusarium scirpi* var. *acuminatum* -- Mandan, N. Dak.

FESTUCA CALIFORNICA Vasey

Stem rust, *Puccinia graminis* -- western Calif.

FESTUCA DERTONENSIS (All.) Aschers. & Graebn.

Bunt, *Tilletia fusca* -- eastern Wash.
 Smut, *Ustilago mulfordiana* -- eastern Wash.

FESTUCA ELATICR L.

- Bends, cause undet. -- Pullman, Wash.
 Crown rust, *Puccinia coronata* -- western Calif.
 Damping-off, *Pythium debaryanum* -- Mandan, N. Dak.
 Pythium irregulare -- Mandan, N. Dak.
 Root browning, *Pythium arrhenomanes* -- Mandan, N. Dak.
 Rootrot, ? *Aphanomyces* sp. -- Mandan, N. Dak.
 Secondary rootrot, *Fusarium scirpi* var. *acuminatum* -- Mandan, N. Dak.
 Stem rust, *Puccinia graminis* -- Pullman, Wash., central Mont.,
 northeast and western Oreg.

FESTUCA ELATICR var. ARUNDINACEA (Schreb.) Wimm.

- Bends, cause undet. -- Pullman, Wash.
 Damping-off, *Pythium debaryanum* -- Mandan, N. Dak.
 Ergot, *Claviceps purpurea* -- Corvallis, Ore.
 Root browning, *Pythium arrhenomanes* -- Mandan, N. Dak.
 Stem rust, *Puccinia graminis* -- Pullman, Wash.

FESTUCA IDAHOENSIS Elmer

- Bends, cause undet. -- Pullman, Wash., northern Wyo.
 Ergot, *Claviceps purpurea* -- northern Idaho.
 Leaf rust, *Puccinia crandallii* -- Pullman (with parasite Darluca filum), northern Idaho.
 Leaf spot, *Septoria tenella* -- Yellowstone, Park, Wyo.
 Powdery mildew, *Erysiphe graminis* -- Pullman, Wash.
 Selenophoma spot, *Selenophoma donacis* var. -- Lyle, Wash.
 Stem rust, *Puccinia graminis* -- Pullman, Wash.

FESTUCA MEGALURA Nutt.

- Stem rust, *Puccinia graminis* -- central Calif.

FESTUCA OCTOFLORA Walt.

- Bunt, *Tilletia fusca* -- central and eastern Wash.
 Leaf spot, *Septoria tenella* -- Kildeer Mts. and area, N. Dak.
 Rootrot, *Helminthosporium sativum* -- western N. Dak.
 Secondary rootrot, *Rhizoctonia solani* -- western N. Dak.
 Smut, *Ustilago mulfordiana* -- central Mont., central, eastern and southern Wash.

FESTUCA OVINA L.

- Bends, cause undet. -- Pullman, Wash.
 Leaf rust, *Puccinia crandallii* -- Pullman, Wash., Jackson L., Wyo.
 Leaf spot, *Selenophoma donacis* -- southern Wash.
 Septoria tenella -- Yellowstone Park, Wyo.
 Powdery mildew, *Erysiphe graminis* -- Pullman, Wash.
 Secondary rootrot, *Fusarium scirpi* var. *acuminatum* -- Mandan, N. Dak.

FESTUCA OVINA var. BRACHYPHYLLA (Schult.) Piper

- Selenophoma* stem speckle, *Selenophoma donacis* var. -- Beartooth Pass in Wyo.

FESTUCA PACIFICA Piper

- Bends, cause undet. -- central Wash.
 Bunt, Tilletia fusca -- central and eastern Wash.
 Smut, Ustilago mulfordiana -- central, eastern and southern Wash.

FESTUCA RUBRA L.

- Ergot, Claviceps purpurea -- Pullman, Wash. and Corvallis, Oreg.
 Leaf rust, Puccinia crandallii (with parasite Darluca filum) --
 Pullman, Wash., western Oreg.
 Leaf spot, Ascochyta graminicola -- Mandan, N. Dak.
 Secondary rottrot, ? Aphanomyces sp. -- Mandan; N. Dak.
 Fusarium scirpi var. acuminatum -- Mandan, N. Dak.
 Rhizoctonia solani -- Mandan, N. Dak.
 Selenophoma stem speckle, Selenophoma donacis var. -- Beartooth
 Pass in Mont.
 Stem rust, Puccinia graminis -- Pullman, Wash., central Calif.
 Tar spot, Phyllachora sylvatica -- western Oreg.

FESTUCA RUBRA var. COMMUTATA Gaud.

- Damping-off, Pythium debaryanum -- Mandan, N. Dak.
 Ergot, Claviceps purpurea -- Pullman, Wash.
 Leaf spot, Septoria tenella -- western Oreg.
 Powdery mildew, Erysiphe graminis -- western Oreg.
 Secondary rottrot, Fusarium scirpi var. acuminatum -- Mandan, N. Dak.
 Rhizoctonia solani -- Mandan, N. Dak.

FESTUCA RUBRA var. LANUGINOSA Mert. & Koch

- Chocolate spot, Bacterium coronafaciens var. atropurpureum --
 Pullman, Wash.

FESTUCA SCABRELLA Torr.

- Leaf rust, Puccinia cockerelliana -- Pullman, Wash.

FESTUCA SUBULATA Trin.

- Stem rust, Puccinia graminis -- northeast Oreg.

FESTUCA THURBERI Vasey

- Bends, cause undet. -- Pullman, Wash.

FESTUCA VIRIDULA Vasey

- Leaf rust, Puccinia crandallii -- Pullman, Wash.

GLYCERIA ELATA (Nash) Hitchc.

- Leaf spot, Septoria nodorum -- northeast Oreg.
 Leaf streak, Scolecotrichum graminis -- eastern Wash.

GLYCERIA GRANDIS S. Wats.

- Leaf smut, Ustilago longissima -- northern Idaho, central Mont.,
 northeast Oreg.

GLYCERIA PAUCIFLORA Presl

Leaf spot, Septoria nodorum -- Cascade Mts., Wash.

Stem rust, Puccinia graminis -- western Idaho.

GLYCERIA STRIATA (Lam.) Hitchc.

Leaf rot, Stagonospora sp. -- Niawa, Minn.

HESPEROCHLOA KINGII (S. Wats.) Rydb.

Selenophoma stem speckle, Selenophoma donacis var. -- Beartooth Pass. in Mont.

HIEROCHLOË ODORATA (L.) Beauv.

Leaf rot (trace), Helminthosporium sp. -- northern Calif.

Leaf spot, Ascochyta graminicola -- Rapid City, S. Dak.

Stem rust, Puccinia graminis (with Darluca) -- northern Calif.

HILARIA JAMESII (Torr.) Benth.

Secondary rootrot, Fusarium scirpi var. acuminatum -- Mandan, N. Dak.

HILARIA MUTICA (Buckl.) Benth.

Secondary rootrot, Fusarium scirpi var. acuminatum -- Mandan, N. Dak.

HOLCUS LANATUS L.

Crown rust, Puccinia coronata -- western Wash., western, northern and central Calif.

HORDEUM EREVISUBULATUM (Trin.) Link (P.I. 131539).

Bacterial spot, Bacterium translucens -- Mandan, N. Dak.

Bends, cause undet. -- eastern Wash.

Brown stripe rust, Puccinia montanensis -- Mandan, N. Dak.

Leaf rust, Puccinia rubigo-vera -- Pullman, Wash.

Rootrot, Helminthosporium sativum -- Mandan, N. Dak.

Rhizoctonia solani -- Mandan, N. Dak.

Stem rust, Puccinia graminis -- Mandan, N. Dak.

Stem smut, Ustilago hypodytes -- Pullman, Wash.

HORDEUM BULROSUM L. (P.I. 107361).

Damping-off, Pythium debaryanum -- Mandan, N. Dak.

Rootrot, Helminthosporium sativum -- Mandan, N. Dak.

Secondary rootrot, Fusarium scirpi var. acuminatum -- Mandan, N. Dak.

Stripe rust, Puccinia glumarum -- Tucson, Ariz. and Pullman, Wash.

HORDEUM JUBATUM L.

Brown stripe rust, Puccinia montanensis -- southern Mont.

Ergot, Claviceps purpurea -- northeast Oreg.

Flag smut, Urocystis agropyri -- northeast Oreg.

Head smut, Ustilago bullata -- western Mont., northeast Oreg., northern Utah.

Leaf rust, Puccinia rubigo-vera -- Pullman, Wash., northeast Oreg., N. Dak.

HORDEUM JUBATUM Cont.

- Leaf spot, *Septoria passerinii* -- common in N. Dak.
 Leaf streak, *Scolecotrichum graminis* -- Marion, Sydney, and western Mont.; East Grand Forks, Minn.; central N. Dak.
 Loose smut, *Ustilago sitanii* -- southern Wash.
 Root browning, *Pythium arrhenomanes* -- Mandan, N. Dak.
 Rootrot, *Helminthosporium sativum* -- Mandan, N. Dak.
 Secondary rootrot, *Fusarium scirpi* var. *acuminatum* -- Mandan, N. Dak.
Fusarium scirpi var. *compactum* -- Emerado, N. Dak.
Rhizoctonia solani -- Mandan, N. Dak.
 Stem rust, *Puccinia graminis* -- common from central Wash. to Minn.
 Stripe rust, *Puccinia glumarum* -- eastern Wash.

HORDEUM JUBATUM var. CAESPITOSUM (Scribn.) Hitchc.

- Ergot, *Claviceps purpurea* -- western and southern Mont.
 Head smut, *Ustilago bullata* -- western Mont.
 Leaf rust, *Puccinia rubigo-vera* -- central Wash.
 Leaf streak, *Scolecotrichum graminis* -- southern Wash.
 Loose smut, *Ustilago sitanii* -- southern Wash.
 Stripe rust, *Puccinia glumarum* -- western Mont., eastern and central Wash.

HORDEUM MURINUM L.

- Leaf rust, *Puccinia hordei*, with parasite *Darluca filum* -- eastern Wash.
 Stem rust, *Puccinia graminis* -- eastern Wash.
 Stripe rust, *Puccinia glumarum* -- eastern Wash.

HORDEUM NODOSUM L.

- Head smut, *Ustilago bullata* -- Pullman, Wash.
 Leaf rust, *Puccinia rubigo-vera* (with parasite *Darluca filum*), western Idaho, northeast Oreg.
 Leaf spot, *Septoria passerinii* -- Sydney, Mont.
 Leaf streak, *Scolecotrichum graminis* -- Marion, Mont., southern Mont.
 Stem rust, *Puccinia graminis* -- western Idaho.
 Stripe rust, *Puccinia glumarum* -- Pullman, Wash.; western Idaho; northeast Oreg.

HORDEUM SPONTANEUM C. Koch

- Leaf rust, *Puccinia anomala* -- western Calif.

KOELERIA CRISTATA (L.) Pers.

- Bends, cause undet. -- Pullman, Wash.
 Leaf rust, *Puccinia koeleriae* -- Pullman, Wash. (with parasite *Darluca filum*); central Mont.; western Oreg.
 Leaf spot, *Septoria calamagrostidis* f. *koeleriae* -- Pullman, Wash.; northern Wyo.
 Leaf streak, *Scolecotrichum graminis* -- Jackson, Wyo.; Steele, N. Dak.

KCELERIA CRISTATA Cont.

Powdery mildew, *Erysiphe graminis* -- Pullman, Wash.
 Secondary rootrot, *Curvularia geniculata* -- Yates, Mont.
Fusarium scirpi var. *acuminatum* -- Steele, N. Dak.
Rhizoctonia solani -- Steele, N. Dak.
 Sheath and leaf spot, *Sclerophoma donacis* var. -- Pullman, Wash.;
 Gardner, Langdon, N. Dak.; Jackson, Wyo.
 Stem rust, *Puccinia graminis* -- western Calif.; northeast Oreg.

LOLIUM MULTIFLORUM Lam.

Anthracnose, *Colletotrichum graminicolum* -- Corvallis, Oreg.
 Crown rust, *Puccinia coronata* -- Corvallis, Oreg.; southern,
 western and central Calif.
 Ergot, *Claviceps purpurea* -- northern Calif. and Corvallis, Oreg.
 Rootrot, *Rhizoctonia solani* -- Mandan, N. Dak.

LOLIUM PERENNE L.

Anthracnose, *Colletotrichum graminicolum* -- Corvallis, Oreg.
 Chocolate spot, *Bacterium coronafaciens atropurpureum* -- Corvallis,
 Oreg.
 Crown rust, *Puccinia coronata* -- southern, western and central Calif.
 Ergot, *Claviceps purpurea* -- northern Calif. and Corvallis, Oreg.
 Leaf spot, *Ascochyta lolii* (Zimm.) Spr. & John. -- northern Calif.

LOLIUM REMCTUM Schrank

Crown rust, *Puccinia coronata* -- western and central Calif.

LOLIUM SUBULATUM Visiani

Crown rust, *Puccinia coronata* -- western Calif.

MELICA ARISTATA Thurb.

Stem rust, *Puccinia graminis* -- central Calif.

MELICA BULROSA Geyer

Leaf blast, *Cercosporaella subulata* -- northwest Wyo.
 Twist disease, *Dilophospora alopecuri* -- northwest Wyo.

MELICA CALIFORNICA Scribn.

Powdery mildew, *Erysiphe graminis* -- central Calif.

MELICA GEYERI Munro

Leaf streak, *Scolecotrichum graminis* -- northwest Wyo.

MELICA HARFORDII Boland.

Stem smut, *Ustilago hypodytes* -- Pullman, Wash.

MICHEL'S GRASS (SECALE sp.)

Ergot, *Claviceps purpurea* -- McCanna, Mandan, N. Dak.
 Leaf rust, *Puccinia rubigo-vera* -- Pullman, eastern Wash.; Bard
 and western Calif.; northeast and western Oreg.; Mandan, N. Dak.

MICHEL'S GRASS Cont.

Leaf streak, *Scolecotrichum graminis* -- Pullman, Wash.

MUHLENBERGIA CUSPIDATA (Torr.) Rydb.

Tar spot, *Phyllachora vulgata* -- north of Beach, N. Dak.

MUHLENBERGIA JAPONICA Steud. (P.I. 135606).

Secondary rootrot, *Curvularia geniculata* -- Mandan, N. Dak.

Helminthosporium halodes -- Mandan, N. Dak.

MUHLENBERGIA MEXICANA (L.) Trin.

Leaf spot, *Septoria* sp. -- Lake Itasca, Minn.

MUHLENBERGIA RACEMOSA (Michx.) B.S.P.

Root browning, *Pythium arrhenomanes* -- Lake Itasca, Minn.

Secondary rootrot, *Fusarium scirpi* var. *acuminatum* -- Mandan, N. Dak.

Rhizoctonia solani -- Itasca Park, Minn.

ORYZOPSIS HYMENCIDES (Roem. and Schult.) Ricker.

Bends, cause undet. -- Pullman, Wash.; northern Wyo.

Damping-off, *Pythium debaryanum* -- McCanna, N. Dak.

Leaf spot, *Stagonospora arenaria* -- Terry, Mont.

Root browning, *Pythium arrhenomanes* -- Mandan, McCanna, N. Dak.

Rootrot, *Helminthosporium sativum* -- Mandan, McCanna, Dickinson, N. Dak.

Rust, *Puccinia scaber*, with *Darluca filum* -- central Mont.

Secondary rootrot, *Fusarium scirpi* var. *acuminatum* -- Mandan, McCanna, Dickinson, N. Dak.

Rhizoctonia solani -- Mandan, Dickinson, McCanna, N. Dak.

Selenophoma stem speckle, *Selenophoma donacis* var. -- Roosevelt Park, N. Dak.; Terry, Mont.

Sheath and leaf streak, *Scolecotrichum graminis* -- Pullman, Wash.

Stem smut, *Ustilago hypodytes* -- Pullman, central Wash.; central and western Mont.; western Wyo.; northern Utah.

Ustilago sp. 9/ -- northern and western Wyo., including Yellowstone Park.

ORYZOPSIS MILIACEA (L.) Benth. and Hook.

Damping-off, *Pythium debaryanum* -- Mandan, N. Dak.

PANICUM CAPILLARE L.

Bacterial eye-spot, *Bacterium holci* -- Mandan, N. Dak.

Leaf spot, *Helminthosporium* sp. -- western Idaho.

Loose smut, *Sorosporium syntherismae* -- western Idaho; central N. Dak.

Rootrot, *Helminthosporium sativum* -- Mandan, N. Dak.

9/ Found also on several species of *Stipa*, and reported herein. Under investigation at Pullman, Wash.

PANICUM CAPILLARE Cont.

Secondary rootrot, *Fusarium scirpi* var. *acuminatum* -- Dickinson,
Mandan, N. Dak.
Rhizoctonia solani -- Mandan, Dickinson, N. Dak.

PANICUM DICHOTOMIFLORUM Michx.

Rootrot, *Fusarium scirpi* var. *acuminatum* -- Norfolk, Nebr.

PANICUM FLEXILE (Gattinger) Scribn.

Leaf spot, *Helminthosporium* sp. -- Tokio, N. Dak.

PANICUM MILIACEUM L.

Bacterial eye-spot, *Bacterium holci* -- Langdon, Leonard, N. Dak.
Root browning, *Pythium arrenomanes* -- New Salem, N. Dak.
Secondary rootrot, *Fusarium scirpi* var. *acuminatum* -- Mandan,
New Salem, Richardson, N. Dak.
Smut, *Sorosporium syntherismae* -- Mandan, N. Dak.

PANICUM VIRGATUM L.

Damping-off, *Pythium debaryanum* -- Albion, Nebr.
Leaf spot, *Ascochyta* sp. -- near Wilton, N. Dak.
Cercospora fusimaculans -- Coburn, N. Dak.
Rootrot, *Helminthosporium sativum* -- Albion, Nebr.
Secondary rootrot, *Curvularia gericulata* -- Albion, Nebr.
Fusarium scirpi var. *acuminatum* -- Albion, Nebr.; Mandan, N. Dak.
Selenophoma speckle, *Selenophoma donacis* -- Coburn, Mandan, N. Dak.
Stomatal leaf drown, cause, excess rain plus *Bacterium* sp. --
Mandan, N. Dak.

PHALARIS ARUNDINACEA L.

Crown rust, *Puccinia coronata* -- southern Wash.
Purple leaf spot, *Stagonospora arenaria* -- Bismarck, N. Dak.;
Hecla, S. Dak.
Root necrosis, *Pythium debaryanum* -- Bismarck, N. Dak.
Rust, *Puccinia sessilis* -- Mandan, N. Dak.
Selenophoma speckle and leaf spot, *Selenophoma donacis* -- Lower
Souris Game Sanctuary, N. Dak.
Stem smut, *Ustilago hypodytes* -- Pullman, Wash.

PHALARIS CALIFORNICA Hook. & Arn.

Stem rust, *Puccinia graminis* -- central Calif.

PHALARIS MINOR Retz.

Stem rust, *Puccinia graminis* -- central Calif.

PHALARIS TUBEROSA L.

Secondary rootrot, *Fusarium scirpi* var. *acuminatum* -- Mandan, N. Dak.

PHLEUM BOEHMERI Wibel. = P. PHLEOIDES

PHLEUM GRAECUM Boiss. & Heldr.

Stem rust, *Puccinia graminis* -- Pullman, Wash.

PHLEUM PHLEGIDES (L.) Karst. (includes *P. BOEHMERI* Wibel.) (E. Kasakstan
W 356; U.S.S.R. W 2490).

Leaf spot, *Heterosporium phlei* -- Pullman, Wash.

Secondary rootrot, *Fusarium scirpi* var. *acuminatum* -- Mandan, N. Dak.

Stem rust, *Puccinia graminis* -- Pullman, Wash.; northwest Calif.

Stem smut, *Ustilago hypodytes* -- Pullman, Wash.

PHLEUM PRATINSE L.

Bends, cause undet. -- Pullman, Wash.

Leaf spot, *Ascochyta* sp. -- Niawa, Minn.

Heterosporium phlei -- Pullman, Wash.; northern and western Idaho; western Oreg.; Niawa, Minn.

Leaf streak, *Scolecostrichum graminis* -- western Idaho; central Mont.; western Oreg.; southern Wyo.; western Minn.

Rootrot, *Fusarium scirpi* var. *acuminatum* -- Mandan, McCanna, N. Dak.

Rhizoctonia solani -- McCanna, N. Dak.

Stem rust, *Puccinia graminis* -- Pullman, Wash.; central Mont.; western Oreg.

Stripe smut, *Ustilago striaeformis* -- Pullman, Wash.; western Calif.; western Idaho; central Mont.; northern Oreg.; eastern Wash.

PHRAGMITES COMMUNIS Trin.

Rootrot, *Pythium debaryanum* -- Bismarck, N. Dak.

Pythium ultimum -- Bismarck, N. Dak.

Rust, *Puccinia magnusiana* -- west of Cleveland, N. Dak.

POA ALPINA L.

Leaf rust, *Puccinia poae-sudeticae* -- southern Mont.

Selenophoma stem speckle, *Selenophoma donacis* var. -- Beartooth Pass in Mont.

POA AMPLA Merr.

Damping-off, *Pythium debaryanum* -- Mandan, N. Dak.

Pythium ultimum -- McCanna, N. Dak.

Ergot, *Claviceps purpurea* -- Pullman, Wash.; northern Idaho.

Flag smut, *Urocystis agropyri* -- northwest Wyo.

Leaf rust, *Puccinia poae-sudeticae* -- Pullman, Wash. (with parasite *Darluca filum*); northeast Oreg. (also with *Darluca filum*).

Puccinia rubigo-vera -- Pullman, Wash. and general in eastern and southern Wash.; southern Idaho; northeast Oreg., central Oreg.

Leaf streak, *Scolecostrichum graminis* -- Pullman, Wash.; central Mont.

Selenophoma stem speckle and leaf spot, *Selenophoma donacis* var. -- Pullman, Wash.

Stem rust, *Puccinia graminis* -- Pullman, central Wash.; northeast Oreg.

Stem smut, *Ustilago hypodytes* -- Pullman, Wash.

POA ANNUA L.

Head mold, Fusarium sp. -- Ft. Steilacoom, Wash.
 Leaf rust, Puccinia poae-sudeticae -- western Calif.
 Leaf spot, Septoria macropoda -- Ft. Steilacoom, Wash.
 Secondary rootrot, Fusarium scirpi var. acuminatum -- Mandan, N. Dak.

POA ARIDA Vasey

Leaf rust, Puccinia poae-sudeticae -- Pullman, Wash.; (with parasite Darluca filum), Mandan, N. Dak.
 Leaf spot, Selenophoma donacis var. -- Mandan, N. Dak.
 Powdery mildew, Erysiphe graminis -- Mandan, N. Dak.
 Secondary rootrot, Fusarium scirpi var. acuminatum -- Mandan, N. Dak.

POA ARCTICA R. Br.

Selenophoma stem speckle, Selenophoma donacis var. -- Cooke City, Mont.

POA BULBOSEA L.

Damping-off, Pythium debaryanum -- McCanna, N. Dak.
 Leaf rust, Puccinia poae-sudeticae with parasite Darluca filum -- Pullman, Wash.
 Rootrot, Helmintosporium sativum -- McCanna, N. Dak.
 Secondary rootrot, Rhizoctonia solani -- McCanna, N. Dak.

POA CANBYI (Scribn.) Piper

Bends, cause undet. -- Pullman, Wash.
 Leaf rust, Puccinia poae-sudeticae with parasite Darluca filum -- Pullman, Wash.; Mandan, N. Dak.
 Puccinia rubigo-vera -- central Calif.; southern Idaho.
 Leaf spot, Septoria oudemansii -- Mandan, N. Dak.
 Leaf streak, Scolecotrichum graminis -- western N. Dak.; eastern Mont.
 Powdery mildew, Erysiphe graminis -- Mandan, N. Dak.
 Stem rust, Puccinia graminis -- Pullman, Wash.; central Calif.
 Stripe smut, Ustilago striiformis -- near Mandan, N. Dak.

POA COMPRESSA L.

Cat-tail disease, Epichloë typhina -- New Rockford, N. Dak.
 Leaf rust, Puccinia poae-sudeticae -- Wild Rice, N. Dak. (with rust parasitized by Fusarium avenaceum).
 Leaf spot, Helmintosporium vagans -- Wild Rice, N. Dak.
 Septoria oudemansii -- Wild Rice, N. Dak.
 Leaf spot, mold and blotch, Hendersonia crastiphila -- Clyde, N. Dak.
 Leaf streak, Scolecotrichum graminis -- Pullman, Wash.; N. Dak.; S. Dak.; Mont.; Minn.
 Powdery mildew, Erysiphe graminis -- central Mont.
 Seed mold, Cladosporium herbarum -- Wild Rice, N. Dak.
 Curvularia geniculata -- Lake Lida, Minn.; Wild Rice, N. Dak.
 Selenophoma stem speckle, Selenophoma donacis var. -- 2 miles north of Nekoma, N. Dak.

PCA CURTA Rydb.

Leaf rust, *Puccinia poae-sudeticae*, with parasite *Darluca filum* --
Pullman, Wash.

POA CUSICKII Vasey

Leaf rust, *Puccinia poae-sudeticae* -- Pullman, Wash. (with parasite
Darluca filum) -- western Wyo.

Puccinia rubigo-vera with parasite *Darluca filum* -- Pullman, Wash.

Powdery mildew, *Erysiphe graminis* -- northern Wyo.

Stem rust, *Puccinia graminis* -- Pullman, Wash.

POA EPILIS Scribn.

Leaf rust, *Puccinia poae-sudeticae* -- Pullman, Wash.; western Wyo.

Leaf streak, *Scolecotrichum graminis* -- northern Wyo.

Selenophoma stem speckle, *Selenophoma donacis* var. -- northern Wyo.

Stem rust, *Puccinia graminis* -- Pullman, Wash.

PCA GLAUCIFOLIA Scribn. & Will.

Powdery mildew, *Erysiphe graminis* -- Mandan, N. Dak.

Stem rust, *Puccinia graminis* (with associate *Bacterium* sp.) --
S.C.S. Nursery, North Platte, Nebr.

POA GRACILLIMA Vasey

Leaf rust, *Puccinia poae-sudeticae* with parasite *Darluca filum* --
Pullman, Wash.

POA INTERICR Rydb.

Leaf rust, *Puccinia poae-sudeticae* with parasite *Darluca filum* --
Pullman, Wash.

Selenophoma stem speckle and leaf spot, *Selenophoma donacis* var. --
south of Red Lodge, Mont.

Stem rust, *Puccinia graminis* -- Pullman, Wash.

PCA JUNCIFOLIA Scribn.

Leaf rust, *Puccinia poae-sudeticae* with parasite *Darluca filum* --
Pullman, Wash.

Puccinia rubigo-vera -- southern Idaho.

Stem rust, *Puccinia graminis* -- Pullman, Wash.

PCA LONGIFOLIA Trin.

Leaf rust, *Puccinia poae-sudeticae* with parasite *Darluca filum* --
Pullman, Wash.

Stem rust, *Puccinia graminis* -- Pullman, Wash.

PCA NEMORALIS L.

Bends, cause undet. -- Pullman, Wash.

Ergot, *Claviceps purpurea* -- Pullman, Wash.

Leaf rust, *Puccinia poae-sudeticae* -- western Oreg.

Powdery mildew, *Erysiphe graminis* -- Pullman, Wash.

POA NERVOSEA (Hook.) Vasey

Leaf rust, *Puccinia poae-sudeticae* -- Pullman, Wash.

POA NEVADENSIS Vasey

Bends, cause undet. -- Pullman, Wash.

Leaf rust, *Puccinia poae-sudeticae*, with parasite *Darluca filum* -- Pullman, Wash.; western Calif.

Puccinia rubigo-vera -- western Calif.; southern Idaho.

Leaf spot, *Septoria oudemansii* -- Fargo, N. Dak.

Leaf streak, *Scolecocephalum graminis* -- northwest Wyo.

Powdery mildew, *Erysiphe graminis* -- Pullman, Wash.

Stem rust, *Puccinia graminis* -- Pullman, Wash.; Fargo, N. Dak.

Stem smut, *Ustilago hypodytes* -- Pullman, Wash.

POA PALUSTRIS L.

Damping-off, *Pythium debaryanum* -- Mandan, N. Dak.

Ergot, *Claviceps purpurea* -- Blaisdell, N. Dak.

Glume and sheath blotch, *Septoria nodorum* -- western S. Dak.

Leaf rust, *Puccinia poae-sudeticae* (with parasite *Darluca filum*) -- Pullman, Wash.; southern Mont.; N. Dak.; S. Dak.

Powdery mildew, *Erysiphe graminis* -- Pullman, Wash.; southern Mont.; northern Wyo.; central N. Dak.

Rootrot, *Helminthosporium sativum* -- Mandan, N. Dak.

Secondary rootrot, *Rhizoctonia solani* -- Lake Itasca, Minn.

POA PRATENSIS L.

Anthracnose, *Colletotrichum graminicolum* -- Roosevelt Park, N. Dak.; Webster, S. Dak.

Brown patch, *Rhizoctonia solani* -- Albion, Norfolk, Nebr.; western Minn.

Ergot, *Claviceps purpurea* -- central Mont.

Leaf mottle, *Septoria macropoda* var. *septulata* -- general from Puget Sound to the Mississippi River.

Leaf rot, *Fusarium graminearum* -- Jackson, Wyo.

Leaf rust, *Puccinia poae-sudeticae* -- Tucson, Ariz., Pullman, Wash. (with *Darluca filum*); central Mont. (also with *Darluca filum*); southern Mont.; western Idaho; western Oregon. (with *Darluca filum*); eastern and southern Wash.; central Calif.; general east of Rockies.

Leaf spot, *Ascochyta graminicola* -- Fargo, N. Dak.

Helminthosporium vagans -- Pullman, eastern Wash.; general in moister places in Great Plains.

Septoria oudemansii -- western Idaho; Newman Grove, Nebr.; Fargo and Lawton, N. Dak.; Itasca Park, Minn.; Mt. Shasta, Calif. (Cooke).

Stagonospora sp. -- Laporte, Minn.

Leaf streak, *Scolecocephalum graminis* -- Wibaux, Mont.

Powdery mildew, *Erysiphe graminis* -- eastern Wash.; western and southern Mont.; Mt. Shasta, Calif.; general in N. Dak., and in western Minn.

POA PRATENSIS Cont.

Rootrot, *Helminthosporium sativum* -- Devils Lake, Fargo, Harwood, N. Dak.
 Secondary rootrot, *Fusarium scirpi* var. *acuminatum* -- Nebr.; S. Dak.; N. Dak.
 Seed molds, *Hendersonia* spp.; *Sphaeropsis* sp. (N. Dak. only); *Wojnowicia graminis*; *Mycosphaerella tulasnei* -- N. Dak.; Mont.; Wyo.
Selenophoma speckle, *Selenophoma donacis* var. -- Fargo, N. Dak.; Red Lodge, Livingston, Mont.; Jackson, Wyo.
 Stripe smut, *Ustilago striaeformis* -- eastern Wash.

POA SCABRELLA (Thurb.) Benth.

Leaf rust, *Puccinia poae-sudeticae* (with parasite *Darluca filum*) -- Pullman, Wash.; and central Calif.
Puccinia rubigo-vera -- western Calif.; southern Idaho.
 Powdery mildew, *Erysiphe graminis* -- Pullman, Wash.
 Stem rust, *Puccinia graminis* -- central Calif.

POA SECUNDA Presl

Bends, cause undet. -- Pullman, Wash.
 Black leaf rust, *Uromyces dactylidis* -- western N. Dak.
 Cat-tail disease, *Epichloe typhina* -- Little Missouri River, N. Dak.
 Ergot, *Claviceps purpurea* -- Pullman, Wash.
 Leaf spot, *Septoria macropoda* var. *grandis* -- Kildeer Mts., N. Dak.
 Leaf rust, *Puccinia poae-sudeticae* with parasite *Darluca filum* -- Pullman, Wash.
Puccinia rubigo-vera -- western Calif.; southern Idaho.
 Leaf smut, *Ustilago* sp. 10/ -- northeast Oreg.
 Leaf streak, *Scolecotrichum graminis* -- Kildeer Mts., N. Dak.
 Powdery mildew, *Erysiphe graminis* -- Pullman, Wash.
 Root necrosis, *Pythium debaryanum* -- Grassy Butte, Zap, N. Dak.
Pythium ultimum -- Grassy Butte, N. Dak.
 Rootrot, *Helminthosporium sativum* -- central N. Dak.
 Selenophoma speckle, *Selenophoma donacis* var. -- S. Roosevelt Park, N. Dak.
 Stem rust, *Puccinia graminis* -- Pullman, Wash.; northwest Calif.
 Stripe smut, *Ustilago striaeformis* -- western Wyo.

POA STENANTHA Trin.

Ergot, *Claviceps purpurea* -- Pullman, Wash.
 Leaf rust, *Puccinia poae-sudeticae* -- Pullman, Wash.

POA SYLVESTRIS A. Gray

Leaf rust, *Puccinia poae-sudeticae* -- Pullman, Wash.

10/ Under investigation at Pullman, Wash.

PCA TIBETICA Munro

Leaf rust, *Puccinia poae-sudeticae* -- Pullman, Wash.
 Stem rust, *Puccinia graminis* -- Pullman, Wash.

POA TRIVIALIS L.

Leaf rust, *Puccinia poae-sudeticae* -- Fullman, Wash.

PCA VASEYOCHELIA Scribn.

Leaf rust, *Puccinia poae-sudeticae* with parasite *Darluca filum* --
 Pullman, Wash.

POLYPOGON MONSPELIENSIS (L.) Desf.

Crown rust, *Puccinia coronata* -- central Calif.

Powdery mildew, *Erysiphe graminis* -- central Calif., eastern and
 central Wash.

PUCCINELLIA DISTANS (L.) Parl.

Ergot, *Claviceps purpurea* -- Pullman, Wash.
 Leaf rust, *Puccinia rubigo-vera* -- Pullman, Wash.
 Stem rust, *Puccinia graminis* -- Pullman, Wash.

PUCCINELLIA LEMMONI (Vasey) Scribn.

Stripe rust, *Puccinia glumarum* -- Pullman, Wash.

PUCCINELLIA LIMOSA (Schur) Holmb. (P.I. 125281).

Stripe rust, *Puccinia glumarum* -- Pullman, Wash.

PUCCINELLIA NUTKAENSIS (Presl) Fern. & Weath.

Stripe rust, *Puccinia glumarum* -- Pullman, Wash.

PUCCINELLIA NUTTALIANA (Schult.) Hitchc.

Leaf rust, *Puccinia poae-sudeticae* (with parasite *Darluca filum*) --
 Pullman, Wash.
Puccinia rubigo-vera -- Pullman, Wash.; northeast Oreg.;
 Mandan, N. Dak. (with parasite *Darluca filum*).
 Stem rust, *Puccinia graminis* -- Pullman, Wash.
 Stripe rust, *Puccinia glumarum* -- Pullman, Wash.

SCHEDONNARDUS PANICULATUS (Nutt.) Trel.

Rust, *Puccinia schedonnardi* -- Mandan, N. Dak.

SCHIZACHNE PURPURASCENS (Torr.) Swallen

Anthracnose, *Colletotrichum graminicolum* -- Itasca Park, Minn.
 Leaf rot, *Hendersonia* sp. -- Itasca Park, Minn.
 Leaf spot, *Phyllosticta* sp. -- Itasca Park, Minn.

SCOLOCHLOA FESTUCACEA (Willd.) Link. (*Fluminea festucacea* (Willd.) Hitchc.)

Grey spot, *Piricularia grisea* -- Nekoma, N. Dak.

Purple leaf spot, *Stagonospora arenaria* -- New Effington, Nekoma,
 N. Dak.

SECALE CEREALE x S. MONTANUM

Ergot, *Claviceps purpurea* -- Pullman, Wash.
 Stem smut, *Ustilago hypodytes* -- eastern Wash.

SECALE MONTANUM Guss.

Leaf rust, *Puccinia rubigo-vera* -- Pullman, Wash.
 Leaf scald, *Rhynchosporium secalis* -- Pullman, Wash.
 Leaf streak, *Scolecotrichum graminis* -- Pullman, Wash.
 Stripe rust, *Puccinia glumarum* -- Pullman, Wash.

SETARIA ITALICA (L.) Beauv.

Bacterial eye-spot, *Bacterium holci* -- Grand Forks, Mandan, N. Dak.
 Root browning, *Pythium arrhenomanes* -- Mandan, Roth, N. Dak.;
 Sisseton, S. Dak.
 Root necrosis and Damping-off, *Pythium debaryanum* -- Mandan, N. Dak.
 Rootrot, *Helminthosporium sativum* -- Langdon, N. Dak.; Malloy, Minn.
 Secondary rootrot, *Fusarium scirpi* var. *acuminatum* -- Langdon,
 Mandan, N. Dak.

SETARIA LUTESCENS (Weigel) F. T. Hubb.

Kernel smut, *Ustilago neglecta* -- northern Utah.
 Rootrot, *Helminthosporium sativum* -- Buxton, Fargo, N. Dak.

SETARIA VIRIDIS (L.) Beauv.

Bacterial leaf spot, *Bacterium* sp. -- general in N. Dak.
 Damping-off, *Pythium debaryanum* -- Fargo, McCanna, N. Dak.;
 White Rock, S. Dak.; Arago, Minn.
 Downy mildew, *Sclerospora graminicola* -- Langdon, N. Dak.
 Grey leaf spot, *Piricularia grisea* -- general in N. Dak.
 Red eye-spot, *Phyllosticta sorghina* -- Langdon, N. Dak.
 Root browning, *Pythium arrhenomanes* -- Mandan, St. Anthony, Yucca,
 McCanna, Driscoll, Sheyenne, N. Dak.; Sprague Siding, Minn.;
 White Rock, S. Dak.
 Rootrot, *Helminthosporium sativum* -- Arvilla, Fargo, N. Dak.
 Rhizoctonia solani -- Fargo, N. Dak.
 Secondary rootrot, *Curvularia geniculata* -- Arago, Minn.; New Salem,
 Richardton, N. Dak.
 Fusarium moniliforme -- Dickinson, N. Dak.
 Fusarium scirpi var. *acuminatum* -- Fargo, Sheyenne, N. Dak.;
 Lily, White Rock, S. Dak.
 Helminthosporium halodes -- Sisseton, White Rock, S. Dak.
 Helminthosporium monoceras -- New Salem, Minot, N. Dak.
 Helminthosporium turcicum -- Sisseton, S. Dak.

SITANION HANSENI (Scribn.) J. G. Smith

Leaf spot, *Selenophoma* sp. -- Mt. Shasta, Calif.
 Rust, *Puccinia pattersoniana* -- central Calif.
 Leaf streak, *Scolecotrichum graminis* -- Mt. Shasta, Calif.
 Stripe rust, *Puccinia glumarum* -- western Oreg.; Mt. Shasta, Calif.

SITANION HYSTRIX (Nutt.) J. G. Smith

- Ergot, *Claviceps purpurea* -- northeast Oreg., western Oreg.
 Leaf rust, *Puccinia rubigo-vera* -- northern Idaho; Utah;
 western Wyo.
 Leaf spot, *Scolecotrichum graminis* -- western and southcentral
 Mont.
 Rust, *Puccinia pattersoniana* -- northern Idaho.
 Selenophoma stem speckle, *Selenophoma donacis* -- central Mont.
 Sheath and leaf spot, *Selenophoma* sp. -- northern Utah.
 Stripe rust, *Puccinia glumarum* -- northeast Oreg.; northern Wyo.

SITANION JUBATUM J. G. Smith

- Loose smut, *Ustilago sitanii* -- southern Wash.
 Rust, *Puccinia pattersoniana* -- central Wash.
 Stem rust, *Puccinia graminis* -- northern Idaho.
 Stem smut, *Ustilago hypodytes* -- Pullman, Wash.
 Stripe rust, *Puccinia glumarum* -- Pullman, Wash.; western Calif.
 Twist disease, *Dilophospora alopecuri* -- southern Wash.
 Yellow bacterial head blight, *Aplanobacter agropyri* -- southern
 Wash.

SORGHASTRUM NUTANS (L.) Nash

- Root browning, *Pythium arrhenomanes* -- Mandan, N. Dak.

SORGHUM HALEPENSE (L.) Pers.

- Bacterial eye-spot, *Bacterium holci* -- Mandan, N. Dak.
 Smut, *Sphacelotheca cruenta* -- southern Calif.
Sphacelotheca sorghi -- central Ariz.; Huron, S. Dak.

SORGHUM VULGARE Pers.

- Bacterial eye-spot, *Bacterium holci* -- general in central and
 eastern N. Dak.
 Root browning (Milo disease), *Pythium arrhenomanes* -- Mandan,
 McCanna, N. Dak.
 Root necrosis, *Pythium debaryanum* -- Mandan, Minot, N. Dak.
 Rootrot, *Helminthosporium sativum* -- Surrey, N. Dak.
 Secondary rootrot, *Fusarium scirpi* var. *acuminatum* -- Mandan, N. Dak.

SORGHUM VULGARE var. SUDANENSE (Piper) Hitchc.

- Bacterial eye-spot, *Bacterium holci* -- Langdon, Devil's Lake,
 Mandan, N. Dak.
 Root browning, *Pythium arrhenomanes* -- Mandan, N. Dak.
 Root necrosis, *Pythium debaryanum* -- Wild Rice, Devil's Lake,
 Mandan, N. Dak.
 Rootrot, *Helminthosporium sativum* -- Hebron, Wild Rice, N. Dak.
 Secondary rootrot, *Fusarium scirpi* var. *acuminatum* -- Mandan, N. Dak.
Helminthosporium turcicum -- Hebron, N. Dak.

SPARTINA GRACILIS Trin.

- Rust, *Puccinia distichlidis*, with parasite *Darluca filum* -- Townsend,
 Mont.

SPARTINA PECTINATA Link

Leaf spot, Ascochyta spartinae ^{11/} -- central S. Dak.
 Rust, Puccinia peridermiospora -- Fargo, Mandan, N. Dak.

SPHENOPHOLIS OBTUSATA (Michx.) Scribn.

Rust, Puccinia eatoniae -- Mandan, N. Dak.

SPODOPOGON SIBIRICUS Trin. (P.I. 135626).

Bacterial leaf streak, Bacterium andropogonii -- Mandan, N. Dak.

SPOROBOLUS AIRCIDES (Torr.) Torr.

Bacterial slime blight, Aplanobacter sp. -- Mandan, N. Dak.
 Bends, cause undet. -- Pullman, Wash.
 Leaf spot, Ascochyta stipae -- Pullman, Wash.
 Hendersonia simplex -- Pullman, Wash.

SPOROBOLUS ASPER (Michx.) Kunth

Leaf spot, Hendersonia simplex -- Pullman, Wash.

SPOROBOLUS CRYPTANDRUS (Torr.) A. Gray

Rust, Puccinia simulans -- western Idaho; southern Mont.; Fargo,
 N. Dak.

SPOROBOLUS FLEXUOSUS (Thurb.) Rydb.

Bacterium sp. leaf spot -- Mandan, N. Dak.

SPOROBOLUS HETEROLEPIS (A. Gray) A. Gray

Anthracnose, Colletotrichum graminicolum -- Buffalo, N. Dak.

SPOROBOLUS NEGLECTUS Nash

Secondary rootrot, Curvularia geniculata -- Mandan, N. Dak.

STIPA BAICALENSIS Roshev. (P.I. 135627).

Rootrot, Helmintosporium sativum -- Mandan, N. Dak.

STIPA CERNUA Stebbins & Love

Stem smut, Ustilago sp. -- central Calif.

STIPA COLUMBIANA Macoun

Leaf streak, Scolecotrichum graminis -- northeast Oreg.
 Secondary rootrot, Fusarium scirpi var. acuminatum -- Mandan, N. Dak.
 Stripe rust, Puccinia glumarum -- Pullman, Wash.

STIPA COTTONII Trin. & Rupr.

Chocolate spot, Bacterium coronafaciens var. atropurpureum --
 southern Mont.; 20 miles south of Big Timber, Mont.

Leaf spot, Selenophoma donacis -- north of Wibaux, Mont.; near
 Beach, N. Dak.

^{11/} A species of Septoria, under investigation at Mandan, N. Dak.

STIPA COMATA Cont.

- Leaf streak, *Scolecotrichum graminis* -- Bradley, S. Dak.
 Root browning, *Pythium arrhenomanes* -- Mandan, Park River, N. Dak.
 Rootrot, *Helminthosporium sativum* -- Mandan, N. Dak.
 Rust, *Puccinia scaber* -- central Mont.
Puccinia stipae -- Pullman, Wash.; central Mont.; northeast Oreg.;
 central and eastern Wash.; western Wyo.; S. Roosevelt Park,
 N. Dak.
 Secondary rootrot, *Curvularia geniculata* -- Mandan, N. Dak.
Fusarium scirpi var. *acuminatum* -- Mandan, N. Dak.
Rhizoctonia solani -- Mandan, N. Dak.
 Stem rust, *Puccinia graminis* -- Pullman, Wash.
 Stem smut, *Sorosporium granulosum* -- central Mont.
Ustilago hypodytes -- southern Mont.; western Wyo.
Ustilago sp. -- western Wyo.

STIPA LETTERMANI Vasey

- Bends, cause undet. -- Pullman, Wash.
 Leaf streak, *Scolecotrichum graminis* -- northeast Oreg.
 Stem smut, *Ustilago jacksonii* -- Rich county, Utah.
Ustilago sp. -- western Wyo.

STIPA OCCIDENTALIS Thurb.

- Leaf streak, *Scolecotrichum graminis* -- Pullman, Wash.
 Rust, *Puccinia scaber* -- western Wyo.

STIPA RICHARDSONI Link

- Rust, *Puccinia stipae* -- Jackson, Wyo.
 Sheath and stem spot, *Selenophoma donacis* -- Jackson, Wyo.
Selenophoma donacis var. -- central Mont.
 Stem smut, *Ustilago* sp. -- central Mont.; western Wyo.

STIPA SIBIRICA (L.) Lam. (P.Q. 034946) (P.I. 110164).

- Rootrot, *Helminthosporium sativum* -- Mandan, N. Dak.
 Secondary rootrot, *Rhizoctonia solani* -- Mandan, N. Dak.

STIPA SPARTEA Trin.

- Root browning, *Pythium arrhenomanes* -- Mandan, N. Dak.
 Rootrot, *Helminthosporium sativum* -- Mandan, N. Dak.

STIPA SPECIOSA Trin. & Rupr.

- Stem smut, *Ustilago* sp. -- central Calif.

STIPA THURBERIANA Piper

- Leaf streak, *Scolecotrichum graminis* -- Pullman, Wash.; western Wyo.
 Rust, *Puccinia scaber* -- central Mont.
 Stem smut, *Ustilago hypodytes* -- southern Mont.
Ustilago sp. -- southern Mont.

STIPA VIRIDULA Trin.

- Blotch, Stagonospora sp. -- S! Roosevelt Park, N. Dak.
 Damping-off, Pythium debaryanum -- Mandan, N. Dak., Langdon,
 N. Dak.
 Ergot, Claviceps purpurea -- Nekoma, N. Dak.
 Leaf spot, Ascochyta graminicola -- Webster, S. Dak.
 Leaf streak, Scolecotrichum graminis -- Livingston, Mont.
 Rootrot, Helminthosporium sativum -- common in N. Dak. and S. Dak.
 Rust, Puccinia scaber -- general in N. Dak.; S. Dak.; Sprague
 Siding, Minn. Parasitized by Darluca filum at Mandan, N. Dak.,
 Clark, S. Dak.
 Secondary rootrot, Curvularia geniculata -- Mandan, Park River,
 N. Dak.
 Fusarium scirpi var. acuminatum -- Mandan, N. Dak.
 Rhizoctonia solani -- Park River, N. Dak.
 Sclerotium sp. -- Mandan, N. Dak.
 Selenophoma stem speckle, Selenophoma donacis -- Argusville, N. Dak.;
 Livingston, Mont.
 Stem smut, Ustilago hypodytes -- Sprague Siding, Minn.
 White leaf spot, Septoria secalis var. stipae -- Spiritwood,
 Mandan, Guptell, N. Dak.; Webster, S. Dak.

STIPA WILLIAMSII Scribn.

- Leaf spot, Helminthosporium sp. -- Pullman, Wash.
 Leaf streak, Scolecotrichum graminis -- western Idaho.

TRISETUM CANESCENS Buckl.

- Leaf streak, Scolecotrichum graminis -- western Idaho; northwest
 Mont.
 Stem rust, Puccinia graminis -- northern Oreg.

TRISETUM MONTANUM Vasey

- Leaf streak, Scolecotrichum graminis -- northwest Mont.

TRISETUM SPICATUM (L.) Richt.

- Leaf rust, Puccinia rubigo-vera -- Pullman, Wash.; northwest, Wyo.
 (Darluca filum on rust).
 Leaf spot, Selenophoma donacis var. -- south of Red Lodge, Mont.;
 Beartooth Pass, Wyo.

PATHOGEN INDEXSCHIZOMYCETES -- EUBACTERIALES

APLANOBACTER AGROPYRI O'Gára

*Agropyron cristatum**A. trichophorum**Sitanion jubatum**Sporobolus airoides*

BACTERIUM ANDROPOGONI E. F. S.

Spodopogon sibiricus

BACTERIUM CORONAFACIENS Elliott

var. *ATROPURPUREUM* Reddy &*Godkin**Agropyron dasystachyum**A. repens**A. smithii**A. subsecundum**A. trachycaulum**Brachypodium sylvaticum**Bromus erectus**B. inermis**B. marginatus**Elymus canadensis**E. condensatus**E. dasystachys**E. excelsus**E. giganteus**E. interruptus**E. macounii**E. pseudoagropyron**E. sabulosus**E. salsuginosus*

BACTERIUM CORONAFACIENS var.

AGROPURPUREUM Cont.*Elymus sibiricus**E. virginicus**Festuca rubra* var. *lanuginosa**Lolium perenne**Stipa comata*

BACTERIUM HOLCI Kendrick

*Panicum capillare**P. miliaceum**Setaria italica**Sorghum halepense**S. vulgare**S. vulgare* var. *sudanense*

BACTERIUM TRANSLUCENS Jones,

Johnson, & Reddy

Hordeum brevisubulatum

BACTERIUM sp.

*Andropogon furcatus**A. hallii**A. scoparius**Elymus junceus**Panicum virgatum**Puccinia graminis**P. rubigo-vera**Setaria viridis**Sporobolus flexuosus*PHYCOMYCETES

? APHANOMYCES sp.

*Festuca elatior**F. rubra*

PHYTOPHTHORA sp.

Agropyron sibiricum

PYTHIUM ARISTOSPORUM Vanterpool

*Agropyron trachycaulum**Echinochloa crusgalli*

PYTHIUM ARRHENOMANES Drechs.

*Aegilops triuncialis**Agropyron amurense**A. ciliare**A. cristatum**A. dasystachyum**A. desertorum**A. elongatum**A. intermedium**A. repens*

PHYCOMYCETES Cont.

PYTHIUM ARRHENOMANES Cont.

Agropyron riparium
A. sibiricum
A. spicatum
A. trachycaulum
A. trichophorum
Ammophila arenaria
Andropogon furcatus
Arrhenatherum elatius
Avena fatua
Bouteloua curtipendula
B. gracilis
Brachypodium sylvaticum
Bromus erectus
B. inermis
B. marginatus
Echinochloa crusgalli
Elymus glaucus
E. interruptus
E. junceus
E. macounii
Festuca elatior
F. elatior var. arundinacea
Hordeum jubatum
Muhlenbergia racemosa
Cryzopsis hymenoides
Panicum miliaceum
Setaria italica
S. viridis
Sorghastrum nutans
Sorghum vulgare
S. vulgare var. sudanense
Stipa comata
S. spartea

PYTHIUM DEBARYANUM Hesse

Agropyron caninum
A. ciliare
A. cristatum
A. desertorum
A. repens
A. riparium
A. sibiricum
A. smithii
A. trichophorum

PYTHIUM DEBARYANUM Cont.

Agrostis alba
Andropogon furcatus
A. hallii
A. scoparius
Arrhenatherum elatius
Bouteloua curtipendula
B. gracilis
Bromus arvensis
B. inermis
Echinochloa crusgalli
Elymus junceus
E. macounii
Festuca elatior
F. elatior var. arundinacea
F. rubra var. commutata
Hordeum bulbosum
Oryzopsis hymenoides
O. miliaceum
Panicum virgatum
Phalaris arundinacea
Phragmites communis
Poa ampla
P. bulbosa
P. pilularis
P. secunda
Setaria italica
S. viridis
Sorghum vulgare
S. vulgare var. sudanense
Stipa viridula

PYTHIUM IRREGULARE Buis.

Agropyron cristatum
Bromus inermis
B. tectorum
Elymus junceus
Festuca elatior

PYTHIUM (?) PERIILUM Drechs.

Agropyron repens

PYTHIUM (?) PROLIFERUM Schenk

Bromus inermis
B. tectorum

PHYCOMYCETES Cont.

PYTHIUM ULTIMUM Trow.

Agropyron caninum
A. cristatum
A. desertorum
A. repens
Agrostis alba
Andropogon furcatus
Bromus inermis

PYTHIUM ULTIMUM Cont.

Phragmites communis
Poa ampla
P. secunda

SCLEROSPORA GRAMINICOLA (Sacc.)

Schroet.
Setaria viridis

ASCOMYCETES

CLAVICEPS PURPUREA (Fr.) Tul.

Agropyron caninum
A. cristatum
A. dasystachyum
A. inerme
A. repens
A. riparium
A. sibiricum
A. smithii
A. spicatum
A. subsecundum
A. trachycaulum
A. trichophorum
Alopecurus pratensis
Arrhenatherum elatius
Bromus carinatus
B. ciliatus
B. erectus
B. inermis
B. marginatus
Calamagrostis inexpansa
Dactylis glomerata
Deschampsia caespitosa
Elymus ambiguus
E. condensatus
E. dahuricus
E. excelsus
E. giganteus
E. glaucus
E. junceus
E. macounii
E. salsuginosus
E. triticoides
Festuca elatior var. arundinacea
F. idahoensis

CLAVICEPS PURPUREA Cont.

Festuca rubra
F. rubra var. commutata
Hordeum jubatum
H. jubatum var. caespitosum
Lolium multiflorum
L. perenne
Michel's grass
Poa ampla
P. nemoralis
P. palustris
P. pratensis
P. secunda
P. stenantha
Puccinellia distans
Sitanion hystrix
Stipa viridula

DOTHIDELLA ARISTIDAE (Schw.)

Ell. & Ev.
Distichlis spicata
D. stricta

EPICHLOË TYPHINA (Fr.) Tul.

Agropyron trachycaulum
Elymus canadensis
E. dahuricus
Poa compressa
P. secunda

ERYSIPHE GRAMINIS DC.

Agropyron inerme
A. smithii
A. spicatum
A. subsecundum

ASCONYCETES Cont.

ERYSIPHE GRAMINIS Cont.

Agropyron trachycaulum
Agrostis exarata
Bromus carinatus
B. marginatus
B. tectorum
Dactylis glomerata
Elymus canadensis
E. condensatus
E. junceus
E. sibiricus
Festuca idahoensis
F. ovina
F. rubra var. *commutata*
Koeleria cristata
Melica californica
Poa arida
P. canbyi
P. compressa
P. cusickii
P. glaucifolia

ERYSIPHE GRAMINIS Cont.

Poa nemoralis
P. nevadensis
P. palustris
P. pratensis
P. scabrella
P. secunda
Polypogon monspeliensis

MYCOSPHAERELLA TULASNEI Jacz.

Poa pratensis

PHYLLACHORA SYLVATICA Sacc. & Speg.

Festuca rubra

PHYLLACHORA VULGATA Theiss. & Syd.

Muhlenbergia cuspidata

PHYLLACHORA sp.

Distichlis stricta

USTILAGINALES -- USTILAGINACEAESOROSPORIUM CONSANGUINEUM Ell.
& Ev.

Aristida longiseta

SOROSPORIUM GRANULOSUM Ell. & Tracy
*Stipa comata*SOROSPORIUM SYNTHERISMAE (Pk.)
Farl.

Panicum capillare
P. miliaceum

SPHACELOTHECA CRUENTA (Kühn)
A. Potter

Sorghum halepense

SPHACELOTHECA SORGHI (Lk.) Clinton
*Sorghum halepense*USTILAGO AVENAE (Cda.) Jens.
*Arrhenatherum elatius*USTILAGO BULLATA Berk.
Agropyron dasystachyon

USTILAGO BULLATA Cont.

Agropyron trachycaulum
Bromus anomalus
B. carinatus
B. catharticus
B. ciliatus
B. erectus
B. japonicus
B. marginatus
B. mollis
B. polyanthus
B. racemosus
B. rigidus
E. rubens
B. secalinus
B. sibiricus
B. tectorum
B. tomentellus
B. vulgaris
Elymus canadensis
E. glaucus
E. junceus
E. sibiricus
Hordeum jubatum

USTILAGINALES -- USTILAGINACEAE Cont.

USTILAGO BULLATA Cont.

Hordeum jubatum var. *caespitosum*
H. nodosum

USTILAGO HORDEI Lagerh.

Elymus excelsus
E. glaucus

USTILAGO HYPODYTES (Schlecht.) Fr.

Agropyron amurense

A. cristatum

A. dasystachyum

A. inerme

A. repens

A. riparium

A. spicatum

Elymus canadensis

E. condensatus

E. dahuricus

E. dasystachys

E. excelsus

E. glaucus

E. sibiricus

Hordeum brevisubulatum

Melica harfordii

Oryzopsis hymenoides

Phalaris arundinacea

Phleum phleoides

Poa ampla

P. nevadensis

Secale cereale x *S. montanum*

Sitanion jubatum

Stipa comata

S. thurberiana

S. viridula

USTILAGO JACKSONII Zundel & Dunlap

Stipa lettermani

USTILAGO LONGISSIMA (Sow.) Tul.

Glyceria grandis

USTILAGO MACROSPORA Desm.

Elymus canadensis

USTILAGO MACROSPORA Cont.

Elymus condensatus

USTILAGO MULFORDIANA Ell. & Ev.

Festuca dertonensis

F. octoflora

F. pacifica

USTILAGO NEGLECTA Niessl

Setaria lutescens

USTILAGO RESIDUA Clinton

Danthonia californica

USTILAGO SITANII Fischer

Hordeum jubatum

H. jubatum var. *caespitosum*

Sitanion jubatum

USTILAGO STRIAEFORMIS (Westend.)

Niessl

Agropyron inerme

A. subsecundum

A. trachycaulum

Agrostis alba

A. castellana

A. palustris

A. stolonifera

Elymus canadensis

E. glaucus

Phleum pratense

Poa canbyi

P. pratensis

P. secunda

USTILAGO spp. (undetermined)^{12/}

Poa secunda

Stipa cernua

S. richardsoni

S. lettermani

S. speciosa

S. thurberiana

12/ Under investigation at Pullman, Wash.

USTILAGINALES -- TILLETIACEAE

TILLETTIA AIRAE Blytt
Deschampsia danthonioides
D. elongata

TILLETTIA ELYMI Diet. & Holw.
Elymus glaucus

TILLETTIA FUSCA Ell. & Ev.
Festuca dertonensis
F. octoflora
F. pacifica

TILLETTIA GUYOTIANA Hariot
Bromus mollis
B. racemosus

TILLETTIA sp. 12/
Elymus canadensis

UROCYSTIS AGROPYRI (Preuss) Schroet.
Agropyron trachycaulum
Hordeum jubatum
Poa ampla

UREDINALES -- PUCCINIACEAE

PUCCINIA AMPHIGENA Diet.
Calamovilfa longifolia

PUCCINIA ANOMALA Rostr.
Hordeum spontaneum

PUCCINIA ARISTIDAE Tracy
Aristida longiseta
Distichlis stricta

PUCCINIA BARTHOLOMÆI Diet.
Bouteloua gracilis

PUCCINIA COCKERELLIANA Bethel
Festuca scabrella

PUCCINIA CORONATA Cda.
Agrostis castellana
A. tenuis
Avena fatua
A. hookeri
Beckmannia syzigachne
Calamagrostis canadensis
C. scribneri
Deschampsia caespitosa
Festuca elatior
Holcus lanatus
Lolium multiflorum
L. perenne

PUCCINIA CORONATA Cont.
Lolium remotum
L. subulatum
Phalaris arundinacea
Polypogon monspeliensis

PUCCINIA CRANDALLII Pam. & Hume
Festuca idahoensis
F. ovina
F. rubra
F. viridula

PUCCINIA CYNCDONTIS Lacroix
Cynodon dactylon

PUCCINIA DISTICHLIDIS Ell. & Ev.
Spartina gracilis

PUCCINIA EATONIAE Arth.
Sphenopholis obtusata

PUCCINIA ELLISIANA Thüm.
Andropogon scoparius

PUCCINIA GLUMARUM (Schm.) Erikss.
& Henn.
Aegilops cylindrica
Agropyron albicans
A. caninum

UREDINALES -- PUCCINIACEAE Cont.

PUCCINIA GLUMARUM Cont.

- Agropyron ciliare*
- A. cristatum*
- A. dasystachyum*
- A. desertorum*
- A. divaricatum*
- A. griffithsii*
- A. inerme*
- A. panormitatum*
- A. repens*
- A. riparium*
- A. smithii*
- A. spicatum*
- A. subsecundum*
- A. trachycaulum*
- A. trichophorum*
- A. ugamicum*
- Bromus anomalus*
- B. carinatus*
- B. ciliatus*
- B. marginatus*
- B. polyanthus*
- B. purgans*
- Elymus antarcticus*
- E. arenarius*
- E. canadensis*
- E. condensatus*
- E. condensatus* var. *pubens*
- E. excelsus*
- E. glaucus*
- E. interruptus*
- E. sabulosus*
- E. salina*
- E. sibiricus*
- E. triticoides*
- E. virescens*
- E. virginicus*
- Hordeum bulbosum*
- H. jubatum*
- H. jubatum* var. *caespitosum*
- H. murinum*
- H. nodosum*
- Puccinellia lemmoni*
- P. limosa*
- P. nutkaensis*
- P. nuttalliana*

PUCCINIA GLUMARUM Cont.

- Secale montanum*
- Sitanion hansenii*
- S. hystrix*
- S. jubatum*
- Stipa columbiana*

PUCCINIA GRAMINIS Pers.

- Agropyron albicans*
- A. caninum*
- A. cristatum*
- A. dasystachyum*
- A. desertorum*
- A. elmeri*
- A. griffithsii*
- A. inerme*
- A. riparium*
- A. sibiricum*
- A. smithii*
- A. spicatum*
- A. subsecundum*
- A. trachycaulum*
- A. trichophorum*
- Agrostis exarata*
- A. hallii*
- A. tenuis*
- Alopecurus arundinaceus*
- Avena fatua*
- Bromus carinatus*
- B. ciliatus*
- B. marginatus*
- B. rigidus*
- B. rubens*
- B. sibiricus*
- B. tectorum*
- Cinna latifolia*
- Dactylis glomerata*
- Deschampsia caespitosa*
- D. danthonioides*
- D. elongata*
- Elymus canadensis*
- E. condensatus*
- E. condensatus* var. *pubens*
- E. dahuricus*
- E. excelsus*
- E. glaucus*

UREDINALES -- PUCCINIACEAE Cont.

PUCCINIA GRAMINIS Cont.

Elymus interruptus
E. junceus
E. macounii
E. sibiricus
E. triticoides
Festuca californica
F. elatior
F. elatior var. arundinacea
F. idahoensis
F. megalura
F. rubra
F. subulata
Glyceria pauciflora
Hierochloë odorata
Hordeum brevisubulatum
H. jubatum
H. murinum
H. nodosum
Koeleria cristata
Melica aristata
Phalaris californica
P. minor
Phleum graecum
P. phleoides
P. pratense
Poa ampla
P. canbyi
P. cusickii
P. epilis
P. glaucifolia
P. interior
P. juncifolia
P. longifolia
P. nevadensis
P. scabrella
P. secunda
P. tibetica
P. sp.
Puccinellia distans
P. nuttalliana
Sitanion jubatum
Stipa comata
Trisetum canescens

PUCCINIA KANSENSIS Ell. & Barth.

Buchloë dactyloides

PUCCINIA KOELERIAE Arth.

Koeleria cristata

PUCCINIA MAGNUSIANA Körn.

Phragmites communis

PUCCINIA MONTANENSIS Ell.

Agropyron ciliare

A. cristatum

A. dasystachyum

A. ferganense

A. inerme

A. repens

A. riparium

A. sibiricum

A. smithii

A. spicatum

A. subsecundum

A. trachycaulum

A. trichophorum

Elymus canadensis

E. canadensis var. *robustus*

E. condensatus

E. glaucus

E. interruptus

E. macounii

E. sibiricus

Hordeum brevisubulatum

H. jubatum

PUCCINIA PATTERSONIANA Arth.

Agronyron inerme

A. spicatum

Sitanion hansenii

S. hystrix

S. jubatum

PUCCINIA PERIDERMIOSPORA (Ell. &

Tracy) Arth.

Spartina pectinata

PUCCINIA HORDEI Fckl.

Hordeum murinum

UREDINALES -- PUCCINIACEAE Cont.

PUCCINIA POAE-SUDETICAE (Westend.)

Jørstad

- Poa alpina*
P. ampla
P. annua
P. arida
P. bulbosa
P. canadensis
P. canbyi
P. compressa
P. curta
P. cusickii
P. epilis
P. gracillima
P. interior
P. juncifolia
P. longifolia
P. nemoralis
P. nevadensis
P. palustris
P. pratensis
P. scabrella
P. secunda
P. stenantha
P. sylvestris
P. tibetica
P. trivialis
P. vaseyochloa
Puccinellia nuttalliana

PUCCINIA RUBIGO-VERA Cont.

- Bromus ciliatus*
B. laevipes
B. lanuginosus
B. marginatus
B. mollis
B. polyanthus
B. rigidus
B. rubens
B. sibiricus
B. tectorum
Elymus canadensis
E. condensatus
E. condensatus var. pubens
E. excelsus
E. flavescentis
E. glaucus
E. interruptus
E. junceus
E. macounii
E. salina
E. sibiricus
E. triticoides
E. virginicus
Hordeum brevisubulatum
H. jubatum
H. jubatum var. caespitosum
H. nodosum
Michel's grass
Poa ampla
P. canbyi
P. juncifolia
P. nevadensis
P. scabrella
P. secunda
Puccinellia distans
P. nuttalliana
Secale montanum
Sitanion hystrix
Trisetum spicatum

PUCCINIA RUBIGO-VERA (DC.) Wint.

- Agropyron albicans*
A. caninum
A. cristatum
A. dasystachyum
A. elmeri
A. hirsutum
A. inerme
A. riparium
A. sibiricum
A. smithii
A. spicatum
A. subsecundum
A. trachycaulum
A. trichophorum
Bromus carinatus

PUCCINIA SCABER (Ell. & Ev.) Barth.

- Oryzopsis hymenoides*
Stipa comata
S. occidentalis
S. thurberiana

UREDINALES -- PUCCINIACEAE Cont.

PUCCINIA SCABER Cont.	PUCCINIA STIPAE Arth.
<i>Stipa viridula</i>	<i>Stipa comata</i>
PUCCINIA SCHEDONNARDI Kellerm.	<i>S. richardsoni</i>
& Sw.	
<i>Schedonnardus paniculatus</i>	PUCCINIA VEXANS Farl.
PUCCINIA SESSILIS Schneid.	<i>Bouteloua curtipendula</i>
<i>Phalaris arundinacea</i>	
PUCCINIA SIMULANS (Pk.) Barth.	UROMYCES DACTYLIDIS Otth
<i>Sporobolus cryptandrus</i>	<i>Poa secunda</i>
	URCMYCES JACKSONII Arth. & Fromme
	<i>Deschampsia elongata</i>

FUNGI IMPERFECTI - MELANCONIALES

COLLETOTRICHUM GRAMINICOLUM (Ces.)	COLLETOTRICHUM GRAMINICOLUM Cont.
Wils.	<i>Schizachne purpurascens</i>
<i>Agropyron trachycaulum</i>	<i>Sporobolus heterolepis</i>
<i>Avena fatua</i>	
<i>A. hookeri</i>	SEPTOGLOEUM OXYSPORUM Sacc., Bomm.,
<i>Calamagrostis canadensis</i>	& Rouss.
<i>C. inexpansa</i>	<i>Agropyron trachycaulum</i>
<i>C. rubescens</i>	<i>Agrostis alba</i>
<i>Digitaria sanguinalis</i>	<i>A. scabra</i>
<i>Lolium multiflorum</i>	<i>Elymus condensatus</i>
<i>L. perenne</i>	<i>E. triticoides</i>
<i>Poa pratensis</i>	

FUNGI IMPERFECTI -- MONILIALES

CERCOSPORA FUSIMACULANS Atk.	CURVULARIA GENICULATA (Tracy & Earle) Boedijn
<i>Panicum virgatum</i>	<i>Bouteloua gracilis</i>
CERCOSPORA SEMINALIS Ell. & Ev.	<i>Brachypodium sylvaticum</i>
<i>Buchloë dactyloides</i>	<i>Buchloë dactyloides</i>
CERCOSPORELLA SUBULATA Sprague	<i>Digitaria sanguinalis</i>
<i>Deschampsia caespitosa</i>	<i>Echinochloa crusgalli</i>
<i>Melica bulbosa</i>	<i>Elymus junceus</i>
CLADOSPORIUM HERBARUM (Pers.) Lk.	<i>Koeleria cristata</i>
<i>Agropyron smithii</i>	<i>Muhlenbergia japonica</i>
<i>Calamovilfa longifolia</i>	<i>Panicum virgatum</i>
<i>Poa compressa</i>	<i>Poa compressa</i>
	<i>Setaria viridis</i>
	<i>Sporobolus neglectus</i>

FUNGI IMPERFECTI -- MONILIALES Cont.

CURVULARIA GENICULATA Cont.

Stipa comata
S. viridula

CURVULARIA TRIFOLII (Kauff.)

Boedijn
Digitaria sanguinalis
Echinochloa crusgalli

FUSARIUM AVENACEUM (Fr.) Sacc.

Poa compressa

FUSARIUM CULMORUM (W.G.Sm.) Sacc.

Echinochloa crusgalli

FUSARIUM GRAMINARUM Schwabe

Agropyron cristatum
Poa pratensis

FUSARIUM MONILIFCRME Sheld.

Setaria viridis

FUSARIUM POAE (Pk.) Wr.

Bouteloua gracilis

FUSARIUM SCIRPI Lamb. & Fautr.

Agropyron caninum

FUSARIUM SCIRPI var. ACUMINATUM
(Ell. & Ev.) Wr.

Agropyron ciliare
A. cristatum
A. elongatum
A. repens
A. riparium
A. sibiricum
A. smithii
A. subsecundum
A. trachycaulum
Andropogon furcatus
A. hallii
Bromus erectus
Bouteloua curtipendula
B. gracilis
Brachypodium sylvaticum

FUSARIUM SCIRPI var. ACUMINATUM Cont.

Bromus inermis
B. japonicus
B. tectorum
B. tomentellus
Buchloe dactyloides
Calamovilfa longifolia
Chloris virgata
Dactylis glomerata
Digitaria sanguinalis
Distichlis stricta
Echinochloa crusgalli
Elymus canadensis
E. dahuricus
E. glaucus
E. interruptus
E. junceus
E. macounii
E. triticoides
Eragrostis curvula
E. pilosa
Festuca elatior
F. ovina
F. rubra
F. rubra commutata
Hilaria jamesii
H. mutica
Hordeum bulbosum
H. jubatum
Koeleria cristata
Oryzopsis hymenoides
Muhlenbergia racemosa
Panicum capillare
P. dichotomiflorum
P. miliaceum
P. virgatum
Phalaris tuberosa
Phleum phleoides
P. pratense
Poa annua
P. arida
P. pratensis
Setaria italica
S. viridis
Sorghum vulgare

FUNGI IMPERFECTI -- MONILIALES Cont.

FUSARIUM SCIRPI var. ACUMINATUM

Cont.

- Sorghum vulgare sudanense*
Stipa columbiana
S. comata
S. viridula

FUSARIUM SCIRPI var. COMPACTUM Wr.

- Agropyron elongatum*
Hordeum jubatum

FUSARIUM SPOROTRICHOIDES Sherb.

- Bouteloua gracilis*

FUSARIUM sp.

- Poa annua*

HELMINTHOSPORIUM HALODES Drechs.

- Agropyron repens*
Muhlenbergia japonica
Setaria viridis

HELMINTHOSPORIUM INCONSPICUUM

- Ell. & Ev. var. BUCHLOES
 Ell. & Ev. Nom. Nud.
Buchloë dactyloides

HELMINTHOSPORIUM MONOCERAS Drechsl.

- Setaria viridis*

HELMINTHOSPORIUM SATIVUM Pam.,

King, & Bak.

- Agropyron amurense*
A. cristatum
A. dasystachyum
A. elongatum
A. intermedium
A. repens
A. smithii
A. sibiricum
A. subsecundum
A. trachycaulum
Ammophila arenaria
Andropogon hallii
Avena fatua
Bouteloua curtipendula
B. gracilis

HELMINTHOSPORIUM SATIVUM Cont.

- Bromus carinatus*
B. inermis
B. madritensis
B. tectorum
B. tomentellus
Calamovilfa longifolia
Dactylis glomerata
Digitaria sanguinalis
Echinochloa crusgalli
Elymus canadensis
E. dahuricus
E. excelsus
E. junceus
E. interruptus
E. sibiricus
Eragrostis curvula
E. pilosa
Festuca octoflora
Hordeum brevisubulatum
H. bulbosum
H. jubatum
Oryzopsis hymenoides
Panicum capillare
P. virgatum
Poa bulbosa
P. palustris
P. pratensis
P. secunda
Setaria italica
S. lutescens
S. viridis
Sorghum vulgare
S. vulgare sudanense
Stipa baicalensis
S. comata
S. sibirica
S. spartea
S. viridula

HELMINTHOSPORIUM TURCICUM Pass.

- Setaria viridis*
Sorghum vulgare sudanense

HELMINTHOSPORIUM VAGANS Drechsl.

- Poa compressa*
P. pratensis

FUNGI IMPERFECTI -- MONILIALES Cont.

HELMINTHOSPORIUM sp.

Bromus inermis
Hierochloë odorata
Panicum capillare
P. flexile
Stipa williamsii

HETEROSPORIUM AVENAE Oud.

Elymus condensatus

HETEROSPORIUM PHLEI Gregory

Phleum phleoides
P. pratense

MASTICOSPORIUM RUBRICCSUM (Dearn.

& Barth.) Sprague

Calamagrostis canadensis
Dactylis glomerata

PIRICULARIA GRISEA (Cke.) Sacc.

Scolochloa (Fluminea) festucacea
Setaria viridis

RHYNCHOSPORIUM CRTHOSPORUM

Caldwell
Alopecurus pratensis
Calamagrostis canadensis

RHYNCHOSPORIUM SECALIS (Oud.)

J. J. Davis
Agropyron repens
A. trachycaulum
Bromus carinatus
B. inermis
B. marginatus
Elymus canadensis
Secale montanum

SCCOLECOTRICHUM GRAMINIS Fckl.

Agropyron caninum
A. dasystachyum
A. griffithsii
A. repens
A. smithii
A. spicatum
A. subsecundum
A. trachycaulum

SCOLECOTRICHUM GRAMINIS Cont.

Agrostis alba
A. exarata
Alopecurus aequalis
A. pratensis
Arrhenatherum elatius
Beckmannia syzigachne
Bromus carinatus
B. catharticus
B. marginatus
B. vulgaris
Dactylis glomerata
Deschampsia elongata
Elymus canadensis
E. condensatus
E. flavescens
E. glaucus
E. sibiricus
Glyceria elata
Hordeum jubatum
H. jubatum var. caespitosum
H. nodosum
Koeleria cristata
Melica geyeri
Michel's grass
Cryzopsis hymenoides
Phleum pratense
Poa ampla
P. canbyi
P. compressa
P. epilis
P. nevadensis
P. pratensis
P. secunda
Secale montanum
Sitanion hansenii
S. hystrix
Stipa columbiana
S. comata
S. lettermani
S. occidentalis
S. thurberiana
S. viridula
S. williamsii
Trisetum canescens
T. montanum

FUNGI IMPERFECTI -- SPHAEROPSIDALES

ASCOCHYTA AGROPYRINA (Fairm.) Trott.	ASCOCHYTA SP. ^{13/} Buchloë dactyloides Panicum virgatum Phleum pratense
Agropyron caninum	
A. cristatum	
A. subsecundum	
A. trachycaulum	DARLUCA FILUM (Biv.) Cast.
A. trichophorum	Puccinia glumarum
Elymus canadensis	P. graminis
E. excelsus	P. montanensis
E. virginicus	P. rubigo-vera
	P. crandallii
	P. distichlidis
ASCCHYTA AVENAE (Petr.) Sprague & Johnson	P. hordei
Avena fatua	P. koeleriae
ASCOCHYTA ELYMI Tehon & Daniels	P. poae-sudeticae
Elymus canadensis	P. scaber
	P. vexans
ASCOCHYTA GRAMINICOLA Sacc.	DILOPHOSPORA ALOPECURI (Fr.) Fr.
Elymus macounii	Agropyron trachycaulum
Festuca rubra	Melica bulbosa
Hierochloë odorata	Sitanion jubatum
Poa pratensis	
Stipa viridula	
ASCOCHYTA GRAMINICOLA var. BRACHYPCDTI Trail	HENDERSONIA CALAMOVILFAE Petr.
Elymus macounii	Calanagrostis canadensis
	Calamovilfa gigantea
	C. longifolia
ASCOCHYTA GRAMINICOLA var. DIEDICKEANA Baudys & Picb.	HENDERSONIA CRASTOPHILA Sacc.
Bromus inermis	Poa compressa
ASCOCHYTA LOLII (Zimm.) Sprague & Johnson	HENDERSONIA SIMPLEX Schroet.
Lolium perenne	Sporobolus airoides
	S. asper
ASCOCHYTA (Septoria) SPARTINAE Trel.	HENDERSONIA sp.
Spartina pectinata	Bromus vulgaris
	Poa pratensis
	Schizachne purpurascens
ASCOCHYTA STIPAE Died. Sporobolus airoides	MACROPHOMINA PHASEOLI (Maubl.) Ashby
	Arrhenatherum elatius
	Brachypodium sylvaticum

^{13/} Several species of Ascochyta, Phyllosticta, Septoria, and Stagonospore are under investigation at Mandan, N. Dak.

FUNGI IMPERFECTI -- SPHAEROPSIDALES Cont.

MACROPHOMINA PHASEOLI (Maubl.)

Ashby Cont.

Elymus dasystachys

PHOMA (TERRESTRIS Hansen)

Agropyron smithii

PHYLOSTICTA SORGHINA Sacc.

Setaria viridis

PHYLOSTICTA sp.

*Andropogon furcatus**Schizachne purpurascens*

SELENOPHOMA BROMIGENA (Sacc.)

Sprague & Johnson

Bromus inermis

SELENOPHOMA DONACIS (Pass.)

Sprague & Johnson

*Calamovilfa longifolia**Elymus condensatus**E. flavescens**Festuca ovina**Panicum virgatum**Phalaris arundinacea**Stipa comata**S. richardsoni**S. viridula*

SELENOPHOMA DONACIS var.

*Agrostis scabra**Bouteloua curtipendula**Calamagrostis scribneri**Deschampsia atropurpurea**D. caespitosa**D. elongata**Festuca ovina* var. *brachyphylla**F. rubra**Hesperochloa (Festuca) kingii**Trisetum spicatum*

SELENOPHOMA DONACIS var.

*Agropyron inerme**Elymus glaucus**Stipa richardsoni*

SELENOPHOMA DONACIS var.

*Agropyron smithii**A. spicatum**A. trachycaulum**Aristida longiseta**Arrhenatherum elatius**Dactylis glomerata**Elymus giganteus**E. junceus**Festuca idahoensis**Koeleria cristata**Oryzopsis hymenoides**Poa alpina**P. ampla**P. arctica**P. arida**P. compressa**P. epilis**P. interior**P. pratensis**P. secunda**Sitanion hystrix*

SELENOPHOMA sp.

*Sitanion hansenii**S. hystrix*

SEPTORIA BROMI Sacc.

*Bromus japonicus**B. secalinus*

SEPTORIA CALAMAGROSTIDIS (Lib.)

Sacc. f. KOELERIAE (Cocc. &

Mor.) Sprague

Koeleria cristata

SEPTORIA CALAMOVILFAE Petr.

Calamovilfa longifolia

SEPTORIA ELYMI Ell. & Ev.

*Agropyron repens**A. smithii**A. trachycaulum**Elymus canadensis*

FUNGI IMPERFECTI -- SPHAEROPSIDALES Cont.

SEPTORIA INFUSCANS (Ell. & Ev.)

Sprague
Elymus condensatus

SEPTORIA MACROPODA Pass.

Poa annua

SEPTORIA MACROPODA var. SEPTULATA

(Gz. Fr.) Sprague
Poa pratensis

SEPTORIA MACROPODA var. GRANDIS

Sprague
Poa secunda

SEPTORIA NODORUM Berk.

Agropyron trachycaulum
Elymus junceus
Glyceria elata
G. pauciflora
Poa palustris

SEPTORIA OUDEMANSII Sacc.

Poa canbyi
P. compressa
P. nevadensis
P. pratensis

SEPTORIA PACIFICA Sprague

Elymus condensatus

SEPTORIA PASSERINII Sacc.

Hordeum jubatum
H. nodosum

SEPTORIA SECALIS Prill. & Delacr.

var. STIPAE Sprague
Agrostis scabra
Stipa viridula

SEPTORIA TENELLA Cke. & Ell.

Festuca idahoensis

SEPTORIA TENELLA Cont.

Festuca octoflora
F. ovina
F. rubra
F. rubra var. *commutata*

SEPTORIA TRISETI Speg.

Agrostis castellana
A. tenuis

SEPTORIA sp.

Agropyron caninum
A. smithii
A. trachycaulum
Elymus arenarius
E. canadensis
E. macounii
Muhlenbergia mexicana

SPHAEROPSIS sp.

Poa pratensis

STAGONOSPORA ARENARIA Sacc.

Agropyron trachycaulum
Cinna latifolia
Elymus triticoides
Oryzopsis hymenoides
Phalaris arundinacea
Scolochloa (Fluminea) festucacea

STAGNOSPORA sp.

Glyceria striata
Poa pratensis
Stipa viridula

WOJNOWICIA GRAMINIS (McAlp.) Sacc.
& D. Sacc.

Agropyron repens
A. smithii
Dactylis glomerata
Distichlis stricta
Poa pratensis

FUNGI IMPERFECTI -- MYCELVIA STERILIA

RHIZOCTONIA SOLANI Kühn

Agropyron ciliare
A. cristatum
A. elongatum
A. repens
A. sibiricum
A. smithii
A. trachycaulum
A. trichophorum
Agrostis alba
Bouteloua curtipendula
B. gracilis
Bromus carinatus
B. inermis
Buchloë dactyloides
Echinochloa crusgalli
Elymus canadensis
E. junceus
Eragrostis curvula
Festuca octoflora
F. rubra
F. rubra commutata
Hordeum brevisubulatum

RHIZOCTONIA SOLANI Cont.

Hordeum jubatum
Koeleria cristata
Lolium multiflorum
Oryzopsis hymenoides
Muhlenbergia racemosa
Panicum capillare
Phleum pratense
Poa bulbosa
P. palustris
P. pratensis
Setaria viridis
Stipa comata
S. sibirica
S. viridula

SCLEROTIUM sp.

Agropyron dasystachyum
Bromus inermis
Stipa viridula

SCLEROTIUM RHIZODES Auersw.

Agrostis alba

CAUSE UNDETERMINED

BENDS

Agropyron amurense
A. cristatum
A. dasystachyum
A. inerme
A. spicatum
A. trachycaulum
Bromus inermis
Bactylis glomerata
Danthonia californica
D. californica var. americana
D. unispicata
Elymus antarcticus
E. canadensis
E. condensatus
E. excelsus
E. glaucus
E. junceus
Festuca elatior
F. elatior var. arundinacea
F. idahoensis

BENDS Cont.

Festuca ovina
F. pacifica
F. thurberi
Hordeum brevisubulatum
Koeleria cristata
Oryzopsis hymenoides
Phleum pratense
Poa canbyi
P. nemoralis
P. nevadensis
P. secunda
Sporobolus airoides
Stipa lettermani

SEEDLING FLIGHT

Agropyron cristatum
A. inerme
A. dasystachyum
A. spicatum
Elymus glaucus

